

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE

SHEET OF

REV

1470-19 (3/11)

Pro/ENGINEER DRAWING

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- , -
© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.		

LOC	DIST	REVISIONS					
A	66	P	LTR	DESCRIPTION	DATE	DMN	APVD
			C	ECR-08-017721	8-2008	MY	GB

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1426324-1	C	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1426324-2	C	-	BENCH	MECH PRE FEED	CUTS CARRIER
1426324-6	C	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1426324-1	C	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1426324-2	C	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1426324-6	C	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1426324-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA		AMP TERMINAL		AMP CRIMP SPECS	
TERMINAL NAME: REC CTC 'M' SIZE DYNAMIC CONN D-5 SERIES					
CRIMP	SIZE	TYPE	RANGE		
WIRE	4.06 [.160 IN]	F	3.0mm ² - 5.0mm ² (12-10AWG)		
INSUL	6.10 [.240 IN]	F	4.00-5.20 [.157-.205 IN] 		
WIRE STRIP LENGTH			APPL INSTRUCTION 		
5.80-6.80 [.228-.268 IN] 			408-8322		

TERMINAL	—	—		FEED
APPL SPEC	114-5206	—		24.50 [.965 IN]

[illegible]

WIRE SIZE mm ² AWG	CRIMP HEIGHT	PIN PN AND LENGTH [IN]
5.0mm ² (10 AWG)	2.63 ±0.05 [.104 ±.002 IN]	3-354778-7 [.2680]
3.0mm ² (12 AWG)	2.32 ±0.05 [.091 ±.002 IN]	6-354778-3 [.2810]

SET UP GAGE 458637-3	LAYOUT L1426324
-------------------------	--------------------

-  1. RECOMMENDED SPARE PARTS.



2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.


3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

 4. FOR WIRE SIZE (3.08–3.62mm²) 12 AWG INS RANGE IS 4.0–5.0mm [.157–.197 IN]
FOR WIRE SIZE (4.60–5.50mm²) 10 AWG INS RANGE IS 4.0–5.2mm [.157–.205 IN]
(INS. RANGE IS AS MEASURED AFTER CRIMPING)

VIEW B ROTATED 180°

POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE

[illegible]

		QTY REQD PER ASSY		PARTS LIST			
THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN LOFHOUSE 09MAY02 CHK —  Tyco Electronics Corporation Harrisburg, PA 17105-3608			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		MPVD F BACKHURST 09MAY02 NAME SIDE FEED HD-I APPLICATOR			
		0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± — 4 PLC ± — ANGLES ± —		PRODUCT SPEC — APPLICATION SPEC — WEIGHT —			
MATERIAL —		FINISH —		SIZE A1 GAGE CODE 00779 DRAWING NO C=1426324 RESTRICTED TO —			
CUSTOMER DRAWING				SCALE — SHEET 1 OF 1 REV C			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru