


1		2		3		4		5		6		7		8																																																							
PART NUMBER (TABLE 2)																																																																					
PART NUMBER	TAIL TYPE	OPTIONAL PLASTIC PEG	DIM "A" TYPICAL TAIL LENGTH	RECOMMENDED BOARD THICKNESS																																																																	
10124392-001LF	SOLDER TAIL	YES	2.60±0.25	1.57																																																																	
10124392-002LF		NO																																																																			
10124392-003LF		YES	3.25±0.25	2.36																																																																	
10124392-004LF		NO																																																																			
NOTES:																																																																					
1. CONNECTOR MATERIALS:																																																																					
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK UL 94V-0 COMPLIANT																																																																					
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.																																																																					
2. CONTACT FINISH REF. GS-12-1031 SECTION TBD																																																																					
3. PRODUCT SPECIFICATION: GS-12-1125																																																																					
4. APPLICATION SPECIFICATION: GS-20-0388																																																																					
5. PRODUCT MARKING (FCI PART NUMBER & DATE CODE) ON HOUSING IN AREA SHOWN.																																																																					
6. PACKAGING MEETS FCI SPECIFICATION GS-14-2272.																																																																					
7. HOUSING COMPONENT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 60 SECONDS IN A CONVECTION, INFRA-RED, OR VAPOR PHASE REFLOW OVEN.																																																																					
8. COPPER PLATING THICKNESS IN CENTER OF VIA-HOLE CAN BE NO MORE THAN 0.003 LESS THAN OTHER AREAS.																																																																					
9. ALL HOLE SIZES ARE FINISHED HOLE SIZES.																																																																					
10. MOUNTING HOLES ARE UNPLATED Ø 2.20±0.05 FOR SOLDER TAILS																																																																					
<table><tr><td colspan="2">spec ref</td><td colspan="2">dr Daniel Xiao2013/03/17</td><td colspan="2">projection</td><td colspan="2">MM</td><td colspan="2">size A2</td><td colspan="2">scale 4:1</td></tr><tr><td colspan="2" rowspan="3">tolerance std</td><td colspan="4" rowspan="3">TOLERANCES UNLESS OTHERWISE SPECIFIED</td><td colspan="2">eng Daniel Xiao2014/02/27</td><td colspan="2" rowspan="3">product family</td><td colspan="2">ecn no -</td></tr><tr><td colspan="2">chr -</td><td colspan="2">rel level Released</td></tr><tr><td colspan="2">appr Collins Lu2014/02/27</td><td colspan="2"></td></tr><tr><td colspan="2" rowspan="3">surface ✓</td><td colspan="2" rowspan="3">linear</td><td colspan="2">0.X ±0.3</td><td colspan="2" rowspan="3">FCI</td><td colspan="2" rowspan="3">title HPCE BTB R/A HEADER HPCE BTB</td><td colspan="2" rowspan="3">dwg no 10124392</td><td colspan="2" rowspan="3">rev A</td></tr><tr><td colspan="2">0.XX ±0.15</td></tr><tr><td colspan="2">0.XXX ±0.05</td></tr><tr><td colspan="2"></td><td colspan="2">angular</td><td colspan="2">0° ±2°</td><td colspan="2">www.fci.com</td><td colspan="2">cat. no.</td><td colspan="2">Product - Customer Drw</td><td colspan="2">sheet 3 of 3</td></tr></table>						spec ref		dr Daniel Xiao2013/03/17		projection		MM		size A2		scale 4:1		tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Daniel Xiao2014/02/27		product family		ecn no -		chr -		rel level Released		appr Collins Lu2014/02/27				surface ✓		linear		0.X ±0.3		FCI		title HPCE BTB R/A HEADER HPCE BTB		dwg no 10124392		rev A		0.XX ±0.15		0.XXX ±0.05				angular		0° ±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3	
spec ref		dr Daniel Xiao2013/03/17		projection		MM		size A2		scale 4:1																																																											
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Daniel Xiao2014/02/27		product family		ecn no -																																																											
						chr -				rel level Released																																																											
						appr Collins Lu2014/02/27																																																															
surface ✓		linear		0.X ±0.3		FCI		title HPCE BTB R/A HEADER HPCE BTB		dwg no 10124392		rev A																																																									
				0.XX ±0.15																																																																	
				0.XXX ±0.05																																																																	
		angular		0° ±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3																																																									
1		2		3		4		5		PDS: Rev :A		STATUS:Released		Printed: Feb 28, 2014																																																							

spec ref		dr		Daniel Xiao		2013/03/17		projection		MM		size		A2		scale		4:1			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Daniel Xiao		2014/02/27				ecn no		-		rel level		Released			
				chr		-															
				appr		Collins Lu		2014/02/27												product family	
surface				linear		0.X		±0.3				title		HPCE BTB R/A HEADER		dwg no		10124392		rev	
		0.XX		±0.15																	
		0.XXX		±0.05																	
		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3							

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru