

## FO plug connectors - PSM-SET-B-FOC/4-HCS - 2708481

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

B-FOC (ST) connector set for HCS fiber, for self assembly consisting of 4 quick mounting connectors with bend protection sleeve



### Key commercial data

|                        |                                                                                                        |
|------------------------|--------------------------------------------------------------------------------------------------------|
| Packing unit           | 1                                                                                                      |
| Minimum order quantity | 1                                                                                                      |
| Catalog page           | Page 538 (IF-2011)                                                                                     |
| GTIN                   | <br>4 017918 974145 |
| Custom tariff number   | 85366990                                                                                               |
| Country of origin      | GERMANY                                                                                                |

### Technical data

#### General data

|              |                          |
|--------------|--------------------------|
| Type of plug | B-FOC (ST®)/ DIN 47254-1 |
| FO fiber     | HCS fiber                |
| Attenuation  | < 2 dB                   |

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000034 |
| ETIM 3.0 | EC000034 |
| ETIM 4.0 | EC002498 |
| ETIM 5.0 | EC002498 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 11     | 26121607 |
| UNSPSC 12.01  | 26121607 |
| UNSPSC 13.2   | 26121607 |
| UNSPSC 6.01   | 26121607 |
| UNSPSC 7.0901 | 26121607 |

## FO plug connectors - PSM-SET-B-FOC/4-HCS - 2708481

### Classifications

eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27061001 |
| eCl@ss 4.1 | 27061001 |
| eCl@ss 5.0 | 27061803 |
| eCl@ss 5.1 | 27061803 |
| eCl@ss 6.0 | 27061803 |
| eCl@ss 7.0 | 27061803 |

### Accessories

#### Accessories

##### Cable/conductor

FO cable - PSM-LWL-HCS-RUGGED-200/230 - 2799885



HCS cable, duplex 200/230 µm, by the meter, without connector, for indoor installation

FO cable - PSM-LWL-HCSO-200/230 - 2799445



HCS cable, duplex 200/230 µm, by the meter, without connector, for outdoor installation

FO patch cable - FOC-HCS-RUGGED-1014/IP20/... - 2901555



rugged HCS installation cable (IP20 heads only) for inner areas with highly tear-proof aramid strain-relief elements. Individual elements made from highly flexible FRNC material. The cable is halogen-free, ozone and UV resistant and has a rugged polyurethane (PUR) outer sheath.

FO patch cable - FOC-HCSO-1015/IP20/... - 2901557



Highly rugged HCS round cable (IP20 heads only) for assembly and for outdoor installation with integrated moisture barrier as well as rodent-proof scrim. Individual elements made from highly flexible FRNC material. The wire is ozone and UV resistant with a very rugged polyethylene outer sheath.

## FO plug connectors - PSM-SET-B-FOC/4-HCS - 2708481

### Accessories

FO patch cable - FOC-HCS-RUGGED-1014/... - 1402191



rugged HCS installation cable for inner areas with highly tear-proof aramid strain-relief elements. Individual elements made from highly flexible FRNC material. The cable is halogen-free, ozone and UV resistant and has a rugged polyurethane (PUR) outer sheath.

---

FO patch cable - FOC-HCSO-1015/... - 1402192



Highly rugged HCS round cable for assembly and for outdoor installation with integrated moisture barrier as well as rodent-proof scrim. Individual elements made from highly flexible FRNC material. The wire is ozone and UV resistant with a very rugged polyethylene outer sheath.

---

### Tools

Assembly tool - PSM-HCS-KONFTOOL/B-FOC - 2708465



HCS assembly kit for B-FOC (ST) quick mounting connectors, including stripping blade, stripping pliers, aramide yarn scissors, fiber stripper, microscope, fiber cleaving tool for standard HCS and HCS GI fibers, and documentation

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)