



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0						
			R11	DETAIL S CORRECTED-SHEET 2	01DEC2014	PS	JK




POLARIZATION KEY SLOT

CLAMPING SCREW

L



796634-3 AS SHOWN




WIRE ENTRY

15.5

2.54 REF
2 PLC

5.08±0.08
TYP



RETENTION LATCH

MATING FACE


18.4

- 1 MATERIALS AND FINISH:
HOUSING: PA 6-6, UL 94-V0, COLOR:GREEN.
CLAMP: BRASS, PLATING: SEE TABLE.
DOUBLE SIDE CONTACT SPRING: PHOSPHOR BRONZE, PLATING: SEE TABLE.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
2. END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.
3. WIRE SIZE RANGE: 12-30 AWG.
4. RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC.FILE N° E60677.
5. IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.
- 6 NOT CUMULATIVE TOLERANCE
- 7 INK MARKING, WHITE COLOR
- 8 INK MARKING, BLACK COLOR
- 9 NUMERICAL SEQUENCE: FROM LEFT TO RIGHT UNLESS OTHERWISE SPECIFIED.
10. BUCHANAN LOGO TO APPEAR ON HOUSING, LOCATION OPTIONAL WHERE SPACE PERMITS.
- 11 SELECTIVELY LOADED IN POSITIONS 1,2,4,5,7,8.


REMOVE PIN 3	PRELIMINARY	NICKEL	TIN	7 9	DETAIL AB	86.36±0.30	17	8-796634-4
	PRELIMINARY	NICKEL	TIN	-	-	25.40±0.20	5	8-796634-3
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	106.68 ±0.35	21	8-796634-2
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	86.36±0.30	17	8-796634-1
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	71.12	14	8-796634-0
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	60.96	12	7-796634-9
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	50.80	10	7-796634-8
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	45.72	9	7-796634-7
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	40.64	8	7-796634-6
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	35.56±0.20	7	7-796634-5
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	30.48±0.20	6	7-796634-4
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	25.40±0.20	5	7-796634-3
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	20.32±0.15	4	7-796634-2
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	15.24±0.15	3	7-796634-1
	PRELIMINARY	NICKEL	0.76 µm AU	-	-	10.16±0.15	2	7-796634-0
		NICKEL	TIN	-	DETAIL Z	40.64	8	6-796634-9
		NICKEL	TIN	7 9	DETAIL Y	91.44±0.30	18	6-796634-8
	PRELIMINARY	NICKEL	TIN	7 9	DETAIL X	81.28±0.30	16	6-796634-7
	PRELIMINARY	NICKEL	TIN	7 9	DETAIL W	15.24±0.15	3	6-796634-6
		NICKEL	TIN	8 9	DETAIL V	101.60±0.35	20	6-796634-5
	PRELIMINARY	NICKEL	TIN	7	DETAIL U	15.24±0.15	3	6-796634-4
	PRELIMINARY	NICKEL	TIN	7	DETAIL T	15.24±0.15	3	6-796634-3
	PRELIMINARY	NICKEL	TIN	7	DETAIL S	10.16±0.15	2	6-796634-2
		.000008 GOLD OVER NICKEL	.000008 GOLD OVER NICKEL	-	-	10.16±0.15	2	5-796634-6
	PRELIMINARY	NICKEL	GOLD FLASH	-	-	25.40±0.20	5	5-796634-5
	PRELIMINARY	NICKEL	GOLD FLASH	-	-	20.32±0.15	4	5-796634-4
	PRELIMINARY	NICKEL	GOLD FLASH	-	-	10.16±0.15	2	5-796634-2
	PRELIMINARY	NICKEL	TIN	8	DETAIL P3	45.72	9	5-796634-1
	PRELIMINARY	NICKEL	TIN	8	DETAIL P2	45.72	9	5-796634-0
		NICKEL	TIN	7 9	DETAIL A-A	45.72	9	4-796634-9
	PRELIMINARY	NICKEL	TIN	8	DETAIL PI	20.32±0.15	4	4-796634-5
	PRELIMINARY	NICKEL	TIN	7	DETAIL R	71.12	14	4-796634-4
		NICKEL	TIN	8 9	DETAIL P	55.88	11	4-796634-2
		NICKEL	TIN	7 9	DETAIL P	55.88	11	4-796634-1
		NICKEL	TIN	7 9	DETAIL N	35.56±0.20	7	4-796634-0
		NICKEL	TIN	7 9	DETAIL M	81.28±0.30	16	3-796634-9
		NICKEL	TIN	8 9	DETAIL K	81.28±0.30	16	3-796634-8
		NICKEL	TIN	7 9	DETAIL J	121.92±0.35	24	3-796634-7
		NICKEL	TIN	8 9	DETAIL H	121.92±0.35	24	3-796634-6
		NICKEL	TIN	7 9	DETAIL G	121.92±0.35	24	3-796634-5
		NICKEL	TIN	8 9	DETAIL F	121.92±0.35	24	3-796634-4
		NICKEL	TIN	7 9	DETAIL E	50.80	10	2-796634-8
		NICKEL	TIN	7 9	DETAIL D	40.64	8	2-796634-7
		NICKEL	TIN	-	-	127.00±0.35	25	2-796634-5
		NICKEL	TIN	-	-	121.92±0.35	24	2-796634-4
		NICKEL	TIN	-	-	116.84±0.35	23	2-796634-3
		NICKEL	TIN	-	-	111.76±0.35	22	2-796634-2
		NICKEL	TIN	-	-	106.68±0.35	21	2-796634-1
		NICKEL	TIN	-	-	101.60±0.35	20	2-796634-0
		NICKEL	TIN	-	-	96.52±0.35	19	1-796634-9
		NICKEL	TIN	-	-	91.44±0.30	18	1-796634-8
		NICKEL	TIN	-	-	86.36±0.30	17	1-796634-7
		NICKEL	TIN	-	-	81.28±0.30	16	1-796634-6
		NICKEL	TIN	-	-	76.20±0.30	15	1-796634-5
		NICKEL	TIN	-	-	71.12	14	1-796634-4
		NICKEL	TIN	-	-	66.04	13	1-796634-3
		NICKEL	TIN	-	-	60.96	12	1-796634-2
		NICKEL	TIN	-	-	55.88	11	1-796634-1
		NICKEL	TIN	-	-	50.80	10	1-796634-0
		NICKEL	TIN	-	-	45.72	9	796634-9
		NICKEL	TIN	-	-	40.64	8	796634-8
		NICKEL	TIN	-	-	35.56±0.20	7	796634-7
		NICKEL	TIN	-	-	30.48±0.20	6	796634-6
		NICKEL	TIN	-	-	25.40±0.20	5	796634-5
		NICKEL	TIN	-	-	20.32±0.15	4	796634-4
		NICKEL	TIN	-	-	15.24±0.15	3	796634-3
		NICKEL	TIN	-	-	10.16±0.15	2	796634-2
		CLAMP PLATING	CONTACT PLATING	MARKING	SPECIAL	L	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.WELDON 18OCT2000	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK D.BIEVENOUR 18OCT2000		
DIMENSIONS:		APVD D.BIEVENOUR 18OCT2000	NAME	
mm		PRODUCT SPEC		
0 PLC ±.3		APPLICATION SPEC	SIZE	
1 PLC ±0.25		WEIGHT		
2 PLC ±.25		CAGE CODE	DRAWING NO	
3 PLC ±.25		REVISION		
4 PLC ±.25		DATE	SHEET	
ANGLES		SCALE		
FINISH		1 OF 3	REV	
- 1		5:1		
- 1		1	R11	
- 1		1		


LOC	DIST	REVISIONS			
FT	0	P	LTR	DESCRIPTION	DATE
		-		SEE SHEET 1	-




DETAIL A-A




DETAIL P1




DETAIL P2




DETAIL P3




DETAIL D




DETAIL E




DETAIL N




DETAIL P




DETAIL S




DETAIL F




DETAIL R




DETAIL T




DETAIL G




DETAIL V




DETAIL M




DETAIL H




DETAIL W




DETAIL J




DETAIL X




DETAIL Y




DETAIL K




DETAIL Z

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON	18OCT2000	 TE Connectivity	
DIMENSIONS:		CHK D. BIEVENOUR	18OCT2000		
mm		APVD D. BIEVENOUR	18OCT2000	NAME	TERMINAL BLOCK, PLUG, STACKING, 5.08mm PITCH
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
		0 PLC ±.3		APPLICATION SPEC	
MATERIAL		1 PLC ±0.25		SIZE	CAGE CODE DRAWING NO
		2 PLC ±.25		3	4
		3 PLC ±.		4	5
		4 PLC ±.		5	6
		ANGLES ±°		6	7
		FINISH		7	8
				8	9
				9	10
				10	11
				11	12
				12	13
				13	14
				14	15
				15	16
				16	17
				17	18
				18	19
				19	20
				20	21
				21	22
				22	23
				23	24
				24	25
				25	26
				26	27
				27	28
				28	29
				29	30
				30	31
				31	32
				32	33
				33	34
				34	35
				35	36
				36	37
				37	38
				38	39
				39	40
				40	41
				41	42
				42	43
				43	44
				44	45
				45	46
				46	47
				47	48
				48	49
				49	50
				50	51
				51	52
				52	53
				53	54
				54	55
				55	56
				56	57
				57	58
				58	59
				59	60
				60	61
				61	62
				62	63
				63	64
				64	65
				65	66
				66	67
				67	68
				68	69
				69	70
				70	71
				71	72
				72	73
				73	74
				74	75
				75	76
				76	77
				77	78
				78	79
				79	80
				80	81
				81	82
				82	83
				83	84
				84	85
				85	86
				86	87
				87	88
				88	89
				89	90
				90	91
				91	92
				92	93
				93	94
				94	95
				95	96
				96	97
				97	98
				98	99
				99	100
				100	101
				101	102
				102	103
				103	104
				104	105
				105	106
				106	107
				107	108
				108	109
				109	110
				110	111
				111	112
				112	113
				113	114
				114	115
				115	116
				116	117
				117	118
				118	119
				119	120
				120	121
				121	122
				122	123
				123	124
				124	125
				125	126
				126	127
				127	128
				128	129
				129	130
				130	131
				131	132
				132	133
				133	134
				134	135
				135	136
				136	137
				137	138
				138	139
				139	140
				140	141
				141	142
				142	143
				143	144
				144	145
				145	146
				146	147
				147	148
				148	149
				149	150
				150	151
				151	152
				152	153
				153	154
				154	155
				155	156
				156	157
				157	158
				158	159
				159	160
				160	161
				161	162
				162	163
				163	164
				164	165
				165	166
				166	167
				167	168
				168	169
				169	170
				170	171
				171	172
				172	173
				173	174
				174	175
				175	176
				176	177
				177	178
				178	179
				179	180
				180	181
				181	182
				182	183
				183	184
				184	185
				185	186
				186	187
				187	188
				188	189
				189	190
				190	191
				191	192
				192	193
				193	194
				194	195
				195	196
				196	197
				197	198
				198	199
				199	200
				200	201
				201	202
				202	203
				203	204
				204	205
				205	206
				206	207
				207	208
				208	209
				209	210
				210	211
				211	212
				212	213
				213	214
				214	215
				215	216
				216	217
				217	218
				218	219
				219	220
				220	221
				221	222
				222	223
				223	224
				224	225
				225	226
				226	227
				227	228
				228	229
				229	230
				230	231
				231	232
				232	233
				233	234
				234	235
				235	236
				236	237
				237	238
				238	239
				239	240
				240	241
				241	242
				242	243
				243	244
				244	245
				245	246
				246	247
				247	248
				248	249
				249	250
				250	251
				251	252
				252	253
				253	254
				254	255
				255	256
				256	257
				257	258
				258	259
				259	260
				260	261
				261	262
				262	263
				263	264
				264	265
				265	266
				266	267
				267	268
				268	269
				269	270
				270	271
				271	272
				272	273
				273	274
				274	275
				275	276
				276	277
				277	278
				278	279
				279	280
				280	281
				281	282
				282	283
				283	284
				284	285
				285	286
				286	287
				287	288
				288	289
				289	290
				290	291
				291	292
				292	293
				293	294
				294	295
				295	296
				296	297
				297	298
				298	299
				299	300
				300	301
				301	302
				302	303
				303	304
				304	305
				305	306
				306	307
				307	308
				308	309
				309	310
				310	311
				311	312
				312	313
				313	314
				314	315
				315	316
				316	317
				317	318
				318	319
				319	320
				320	321
				321	322
				322	323
				323	324
				324	325
				325	326
				326	327
				327	328
				328	329
				329	330
				330	331
				331	332
				332	333
				333	334
				334	335
				335	336
				336	337
				337	338
				338	339
				339	340
				340	341
				341	342
				342	343
				343	344
				344	345
				345	346
				346	347
				347	348
				348	349
				349	350
				350	351
				351	352
				352	353
				353	354
				354	355
				355	356
				356	357
				357	358
				358	359
				359	360
				360	361
				361	362

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



DETAIL AB



DETAIL AC

PRELIMINARY	NICKEL	TIN			DETAIL AC	25.40	5	8-796634-5
	CLAMP PLATING	CONTACT PLATING	MARKING	SPECIAL	L	NO OF POSN	PART NUMBER	
THIS DRAWING IS A CONTROLLED DOCUMENT.					DWN S. WELDON	18OCT2000	TE Connectivity	
					CHK D. BIEVENOUR	18OCT2000		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BIEVENOUR	18OCT2000	NAME	TERMINAL BLOCK, PLUG, STACKING, 5.08mm PITCH	
mm		0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.25 3 PLC ±. 4 PLC ±. ANGLES ±2° FINISH -		PRODUCT SPEC	-	SIZE		
				APPLICATION SPEC	-	CAGE CODE	DRAWING NO	
MATERIAL				WEIGHT	-	A100779	C=796634	
				CUSTOMER DRAWING	SCALE 4:1			SHEET 3 OF 3
						REV	R 1	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru