

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-15-007000	06MAY2015	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266723-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426345
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426345

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME	
		1 PLC ±		SIDE FEED HD-I APPLICATOR	
MATERIAL		2 PLC ±		PRODUCT SPEC	
		3 PLC ±		APPLICATION SPEC	
		4 PLC ±		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
FINISH		WEIGHT		C- 1426345	
		CUSTOMER DRAWING		SCALE SHEET 1 OF 2 REV B1	

THIS DRAWING IS A CONTROLLED DOCUMENT



LAYOUT L1426345
SET UP GAGE 458637-3
2002
BY AMP INCORPORATED. ALL RIGHTS RESERVED.
THIS DRAWING IS UNPUBLISHED.
© COPYRIGHT 2002

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1426345-1	B	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1426345-2	B	-	BENCH	MECH PRE FEED	CUTS CARRIER
1426345-6	B	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1426345-1	B	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1426345-2	B	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1426345-6	B	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1426345-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA AMP TERMINAL AMP CRIMP SPECS						
TERMINAL NAME: MICRO TIMER MK4 RECEPTACLE.						
CRIMP	SIZE	TYPE	RANGE			
WIRE	2.03 [.080 IN]	F	0.5mm ² - 1.0mm ²			
INSUL	2.79 [.110 IN]	0	2.00 MAX [.079 IN MAX]			
WIRE STRIP LENGTH		APPL INSTRUCTION				
3.40-4.20 [.134-.165 IN]		408-8322				
TERMINAL		-		FEED		
APPL SPEC		C-185158 		12.00 [.472 IN]		
TERMINALS APPLIED 						
185158	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
WIRE SIZE   mm² AWG					CRIMP HEIGHT 	PIN PN AND LENGTH [IN]
1.00mm ²	1.36 ±0.05 [.054 ±.002 IN]	1-354779-2 [.3050]				
0.75mm ²	1.29 ±0.05 [.051 ±.002 IN]	1-354779-8 [.3080]				
0.60mm ²	1.22 ±0.05 [.048 ±.002 IN]	2-354779-5 [.3115]				
0.50mm ²	1.18 ±0.05 [.046 ±.002 IN]	3-354779-0 [.3140]				
-	-	-				
-	-	-				
-	-	-				
-	-	-				
-	-	-				
-	-	-				
-	-	-				
-	-	-				
-	-	-				
-	-	-				
-	-	-				

1. RECOMMENDED SPARE PARTS.
2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
4. CUSTOMER DRG. RESTRICTED TO RENAULT.

VIEW B ROTATED 180°			
POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE
LOC A DIST 66			



QTY REQD PER ASSY	PARTS LIST
DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 PLC DEC ±- 2 PLC DEC ±- 3 PLC DEC ±- ANGLES ±- SURF TEXTURE: REMOVE BURRS, BREAK SHARP EDGES RO.38 MAX	MATL - HT TR - FIN - DR 25JUN02 APP 25JUN02 F. BACKHURST CHK - REL 23JUL02 L.LOFTHOUSE NAME SIDE FEED HD-I APPLICATOR SCALE - DWG NO 1426345 SHEET 1 of 1 REV B

-	1	1	1	1	1	1	1426345	PRINT, APPLICATOR LOG SHEET	73
-	1	1	1	1	1	1	1338705-1	DOCUMENTATION PACKAGE	71
-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	68
-	1	1	1	1	1	1	461264-1	PLATE, IDENTIFICATION	67
-	2	2	2	2	2	2	21017-2	SCR, DRIVE (#2x.19) ID PLATE	66
-	-	-	-	-	-	-	-	-	65
-	1	1	1	1	1	1	986950-1	WASHER, FLAT PRECISION	64
-	1	1	1	1	1	1	3-18031-0	SCR, SKT SET (M6X6) RAM	63
-	1	1	1	1	1	1	18023-9	SCR, SHC (M4X6) INS DISC	62
-	2	2	2	2	2	2	1-18024-5	SCR, BHC (M5X25) DRAG	61
-	1	1	1	1	1	1	18024-7	SCR, BHC (M4X10) ANVIL	60
-	1	1	1	1	1	1	5-18022-2	SCR, HEX (M4X8) FEED FINGER	59
-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	57
-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56
-	-	-	-	-	-	-	-	-	55
-	4	4	4	4	4	4	18024-8	SCR, BHC (M4x12) SHEAR HOLDER	54
-	-	-	-	-	-	-	-	-	53
-	1	1	1	1	1	1	18030-1	NUT, HEX (M3) HOLD DOWN	52
-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51
-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50
-	1	1	1	1	1	1	18024-3	SCR, BHC (M3X10) CAM	49
-	-	-	-	-	-	-	-	-	48
-	1	-	1	-	-	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	47
-	1	-	1	-	-	-	1338676-1	CAM, POST FEED 30 & 40 mm ST	46
-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	45
-	1	1	1	1	1	1	690191-1	PLUG, NYLON	44
-	1	1	1	1	1	1	1338660-1	RAM	43
-	1	1	1	1	1	1	690125-1	WASHER, LAMINATED	42
-	1	1	1	1	1	1	690124-1	WASHER, RAM	41
-	1	1	1	1	1	1	2-18024-6	SCR, BHC (M8X25) RAM	40
-	1	1	1	1	1	1	23241-1	BALL, STEEL	39
-	1	1	1	1	1	1	2-22278-7	SPRING, COMPRESSION	38
-	1	1	1	1	1	1	1320922-1	DISC, INSULATION	37
-	1	1	1	1	1	1	354777-1	WIRE DISC, PLASTIC	36
-	1	1	1	1	1	1	22480-5	WASHER, SPRING	35
-	1	1	1	1	1	1	690212-1	POST, RAM	34
-	1	1	1	1	1	1	1-1320934-6	SUPPORT, TERMINAL	33
-	2	2	2	2	2	2	1-18024-0	SCR, BHC (M4X20) STRIP GUIDE	32
-	1	1	1	1	1	1	18027-2	WASHER, FLAT (M4)	31
-	3	3	3	3	3	3	1-18023-2	SCR, SKT CAP (M4X12) MOUNT BLOCK	30
-	1	1	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	29
-	1	1	1	1	1	1	1633073-2	STRIP GUIDE PLATE ASSY	28
-	1	1	1	1	1	1	2-455888-1	SPACER, FRONT SHEAR DEP	27
-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	26
-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	25
-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	24
-	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	23
-	1	1	1	1	1	1	980371-4	SCR, SHC (M4X10) STRIPPER	22
-	1	-	1	-	-	-	690472-2	STRIPPER	21
-	1	1	1	1	1	1	1-18023-1	SCR, SHC (M4X10) STRIPPER	20
-	4	4	4	4	4	4	18025-2	WASHER, LOCK (M4) STRIPPER	19
-	-	1	-	-	1	-	690472-1	STRIPPER	18
-	1	-	-	1	-	-	1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)	17
-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	13
-	1	1	1	1	1	1	5-22280-0	SPRING, SHEAR	12
-	1	1	1	1	1	1	356885-4	STOP, SHEAR	11
-	-	1	1	-	1	1	1320921-1	HOLDER, SHEAR, FRONT (CUT)	10
-	1	1	1	1	1	1	1-454276-9	SHEAR, FLOAT (FRONT)	9
-	1	2	2	2	1	1	5-1333204-4	ANVIL	8
-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	6
-	1	1	1	1	1	1	1-455889-4	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	1	1	1	238011-4	SPACER, BLOCK CRIMPER	4
-	1	2	2	2	1	1	9-456135-3	CRIMPER, INSULATION	3
-	1	1	1	1	1	1	455888-4	SPACER, CRIMPER	2
-	1	2	2	2	1	1	1-456405-5	CRIMPER, WIRE	1
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO
							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)		
							CUSTOMER AND ASSEMBLY DRAWING		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru