




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—		E	REVISED PER ECO-10-025607	21DEC10	HMR	MW




PANEL CUT OUT




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM




PRODUCT MARKING DETAIL A

PRE
10A 125VAC, 6A 250VAC







TYCO ELECTRONICS LOGO
PER TEC-202-36



1634200-2 SHOWN ON-OFF


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	SA008712	2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105-3608		
DIMENSIONS: mm		CHK	—	—			
		APVD	—	—	NAME		
		PRODUCT SPEC		—	Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, Single Throw, NON-Illuminated		
MATERIAL		FINISH		—	SIZE	CAGE CODE	DRAWING NO
—		—		—	A2	00779	C=1634200
				WEIGHT	—	SCALE	3:1
				CUSTOMER DRAWING	—	SHEET	1 of 7
						REV	E

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

7 1634200–8 SHOWN ON–OFF ILLUMINATED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105–3608			
		CHK	—				
DIMENSIONS: mm		APVD	—	NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, Single Throw, Illuminated			
		PRODUCT SPEC	—				
		APPLICATION SPEC	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		MATERIAL	—	A2	00779	C=1634200	—
		FINISH	—	CUSTOMER DRAWING			
				SCALE	3:1	SHEET	2 of 7
						REV	E


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—

D


C

B

A




PANEL CUT OUT




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM




PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC





TYCO ELECTRONICS LOGO
PER TEC-202-36

8 1–1634200–2 SHOWN ON–ON


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SA008712	2-4-07	 Tyco Electronics Corporation Harrisburg, PA 17105-3608			
		CHK —	—	NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, NON-Illuminated			
DIMENSIONS: mm		APVD —	—				
	0 PLC ± —	PRODUCT SPEC —					
	1 PLC ± —	—					
	2 PLC ± —	APPLICATION SPEC —					
	3 PLC ± —	—					
4 PLC ± —		—		SIZE A2	CAGE CODE 00779	DRAWING NO C=1634200	RESTRICTED TO —
ANGLES ± —		—					
MATERIAL —	FINISH —	WEIGHT —					
CUSTOMER DRAWING				SCALE 3:1	SHEET 3 of 7	REV E	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC





TYCO ELECTRONICS LOGO
PER TEC-202-36


1-1634200-7 SHOWN ON-OFF-ON

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
		CHK	—		
DIMENSIONS: mm		APVD	—	NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, NON-Illuminated	
		PRODUCT SPEC	—		
		APPLICATION SPEC	—	SIZE	RESTRICTED TO
		WEIGHT	—	A2	—
MATERIAL		FINISH	—	CAGE CODE	REV
				00779	E
		CUSTOMER DRAWING	SCALE	3:1	SHEET
					4 OF 7

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y




**PRODUCT MARKING
DETAIL A**

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

10 2-1634200-3 SHOWN ON-OFF-(ON)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SA008712 2-4-07		 Tyco Electronics Corporation Harrisburg, PA 17105-3608				
		CHK —		NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, NON-Illuminated				
DIMENSIONS: mm		APVD —						
		PRODUCT SPEC —						
		APPLICATION SPEC —						
MATERIAL —		WEIGHT —		SIZE A2	CAGE CODE 00779	DRAWING NO C-1634200	RESTRICTED TO —	
FINISH —		CUSTOMER DRAWING				SCALE 3:1	SHEET 5 of 7	REV E





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—

D


C

B

A




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y



PRODUCT MARKING DETAIL A

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

11 2-1634200-6 SHOWN (ON)-OFF-(ON)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm		SA008712		
		CHK —	NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, NON-Illuminated	
		APVD —		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC —	SIZE CAGE CODE DRAWING NO A2 00779 C=1634200	
		APPLICATION SPEC —		
MATERIAL —		WEIGHT —	RESTRICTED TO —	
FINISH —		CUSTOMER DRAWING		
		SCALE 3:1	SHEET 6 OF 7	REV E

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL INTERNATIONAL RIGHTS RESERVED.

LOC

DIST

IF

—

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

—

—

SEE SHEET 1

—

—

—

ALCOSWITCH PART NUMBER

X₁X₂

X₃

X₄

X₅X₆

—

X₇X₈

X₉

—

X₁₀X₁₁

X₁₂

X₁₃

X₁₄

1

MATERIALS:
HOUSING FRAME: NYLON 66.
ACTUATOR: NYLON 66/ PC(ILLUMINATED)
TERMINALS C1100R-1/2H WITH SILVER PLATED CONTACTS
AgALLOY

2

FINISH:
TERMINAL, ACTIVE CONTACTOR: 1.0µm [.000039] SILVER
PLUNGER: 3.0µm[.000118] NICKEL

3

ELECTRICAL SPECIFICATIONS:
CONTACT RESISTANCE : 50m ohm Max
DIELECTRIC STRENGTH : AC 1500V, 1 MINUTE
OPERATION TEMPERATURE: -20°C~85°C
INSULATION R: DC 500V 100M ohm MIN

4

CURRENT AND VOLTAGE 10A@125VAC/6A@250VAC

5

ELECTRICAL RATINGS, APPROVED AGENCY LOGOS,
TE LOGO PER TEC-202-36 APPROXIMATELY AS SHOWN
AND PART NUMBER CAN APPEAR ON EITHER SIDE
(FOR FULL DETAIL SEE INDIVIDUAL DRAWING)

6

ON-OFF, WITH OPAQUE, SINGLE-COLOR ROCKER BUTTON.

7

ON-OFF, WITH TRANSPARENT, LAMP-ILLUMINATED ROCKER
BUTTON.

8

ON-ON, WITH OPAQUE, SINGLE-COLOR ROCKER BUTTON.

9

ON-OFF-ON, WITH OPAQUE, SINGLE-COLOR ROCKER BUTTON.


10

ON-OFF-(ON), WITH OPAQUE, SINGLE-COLOR ROCKER
BUTTON.

11

(ON)-OFF-(ON), WITH OPAQUE, SINGLE-COLOR ROCKER
BUTTON.

12

 REFER TO QIP DIMENSIONAL REPORT

13

2002/95/EC/(RoHS) COMPLIANT

14

COMPONENT RECOGNIZED TO EUROPEAN STANDARDS (ENEC,
PENDING VDE). MARKS LICENSE No. 40006757

SWITCH TYPE: X₁X₂ = PR - POWER ROCKER

NOMINAL PANEL CUT OUT SIZE: X₃ = E - 19.4X22.2 [.764x.874]

NUMBER OF POLES: X₄ = D - DOUBLE

SWITCH FUNCTION: X₅X₆ = A1 - 
B1 - 
D1 - 
D3 - 
D4 - 
D5 - 

CURRENT RATING: X₇X₈ = 0Z - 

TERMINAL TYPE: X₉ = E - FASTON™ TAB
L - SOLDER LUG

FRAME COLOR: X₁₀ = B - BLACK
W - WHITE

ROCKER COLOR: X₁₁ = B - BLACK
G - GREEN
R - RED
W - WHITE

SECONDARY ROCKER COLOR: X₁₂ = Ø - NOT APPLICABLE
B - BLACK
G - GREEN
R - RED
W - WHITE

LEGEND TEXT PATTERN: X₁₃ =

Ø

B

C

D

E

F

G

○ -

○ |

| ||

- =

| ○ ||

- ○ =

LEGEND TEXT COLOR: X₁₄ = Ø - NOT APPLICABLE
G - GREEN
R - RED
B - BLACK
W - WHITE

1	PRED A1-07F-BB000	1634200-1
1	PRED A1-07F-BB0BW	1634200-2
1	PRED A1-07F-BB0CW	1634200-3
1	PRED A1-07L-BB000	1634200-4
1	PRED A1-07L-BB0BW	1634200-5
1	PRED A1-07L-BB0CW	1634200-6
2	PRED B1-07F-BR000	1634200-7
2	PRED B1-07L-BR000	1634200-8
2	PRED B1-07F-BG000	1634200-9
2	PRED B1-07L-BG000	1-1634200-0
3	PRED D1-07F-BB000	1-1634200-1
3	PRED D1-07F-BB0DW	1-1634200-2
3	PRED D1-07F-BB0EW	1-1634200-3
3	PRED D1-07L-BB000	1-1634200-4
3	PRED D1-07L-BB0DW	1-1634200-5
3	PRED D1-07L-BB0EW	1-1634200-6
4	PRED D3-07F-BB0FW	1-1634200-7
4	PRED D3-07F-BB0GW	1-1634200-8
4	PRED D3-07L-BB0FW	1-1634200-9
4	PRED D3-07L-BB0GW	2-1634200-0
5	PRED D4-07F-BB000	2-1634200-1
5	PRED D4-07F-BB0FW	2-1634200-2
5	PRED D4-07F-BB0GW	2-1634200-3
6	PRED D5-07F-BB000	2-1634200-4
6	PRED D5-07F-BB0FW	2-1634200-5
6	PRED D5-07F-BB0GW	2-1634200-6
SHEET REF	ALCOSWITCH PART NUMBER.	TE PART NUM BER.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

SA008712

2-4-07

CHK

—

—

APVD

—

—

PRODUCT SPEC

—

—

APPLICATION SPEC

—

—

WEIGHT

—

—

CUSTOMER DRAWING

—

—

DIMENSIONS:

mm

0 PLC

±

—

1 PLC

±

—

2 PLC

±

—

3 PLC

±

—

4 PLC

±

—

ANGLES

±

—

MATERIAL

—

—

FINISH

—

—

Tyco Electronics

Tyco Electronics Corporation

Harrisburg, PA 17105-3608

NAME

Power Rocker Switch

19,4mm x 22,2mm Panel Cut Out Size

SIZE

A2

CAGE CODE

00779

DRAWING NO

C=1634200

RESTRICTED TO

—

SCALE

3:1

SHEET

7 of 7

REV

E

1471-9

(1/08)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru