

### FEATURES:

- HB LEDs
- Instant On
- Low Profile
- Mercury Free
- Narrow Beam
- Lead Free
- Built-in Dimmer
- No UV



The Coastline series delivers high brightness performance in a very low-profile aluminum housing, making concealed placement a breeze. This track compatible luminaire is available with 2', 3', and 4' tracks and can easily be extended to longer lengths and at 90° angles for corner mounting.

### SPECIFICATIONS

Color Temperature	Lumen Output	Efficacy (lm/W)	Color Rendering Index (CRI)
Cool (C) - 6500K	390	77	74
Neutral (N) - 4750K	365	77	82
Warm (W) - 3100K	365	63	84

Rated Life	50,000 hours
Beam Angle	35°
Power Consumption	5 Watts
Operating Temperature	0°C ~+40°C
Voltage Input	24VDC, Constant Voltage
Controls	On/Off, Dimming
Rotation	90°
Maximum Fixture Run Length	Max 7 fixtures/40W Power
Housing	Extruded Aluminum, Black Polycarbonate Lens, Clear
Weight (g)	92
Dimensions	W .83" (21mm) H .79" (20.1mm) L 12" (304.8mm) **


\*\*not including mounts

#### Compliance



Restriction of Hazardous Substances Directive (RoHS) implements EU Directive 2002/95 which bans placing electrical and hazardous equipment that contains more than agreed levels of hazardous substances on the EU market. For a list of these substances, visit [www.rohs.gov.uk](http://www.rohs.gov.uk).

### DIMENSIONS



# COASTLINE SERIES

## C5400 Track (TR)

**ORDERING INFORMATION** – Choose the option that best suits your needs and write its corresponding code on the appropriate line to form the product code.

MODEL	COLOR	TYPE	EXAMPLE
C5400	C – 6500K N – 4750K W – 3100K	TR – Track	C5400-C-TR

All luminaires are easily customizable. Please contact us to inquire on customizing a luminaire to fill your needs.

Order track accessories as separate catalog numbers from the Accessories section below.

## ACCESSORIES

24VDC, 12W Power Supply (with stripped wires for hardwiring)

24VDC, 40W Power Supply (with stripped wires for hardwiring)

2' Track (indicate Black or White)

3' Track (indicate Black or White)

4' Track (indicate Black or White)

Track Mini Connector

Track Live End Feeder

Track 90° L-Type Connector

Track Conduit Feeder

Track Live End Connector with Canopy

Track In-line On/Off Switch

Califa Lighting Part # PS-1032

Califa Lighting Part # PS-1033

Califa Lighting Part # CTR-24

Califa Lighting Part # CTR-36

Califa Lighting Part # CTR-48

Califa Lighting Part # CTR-ET01

Califa Lighting Part # CTR-EN01




Califa Lighting Part # CTR-EL01

Califa Lighting Part # CTR-CF01

Califa Lighting Part # CTR-CP01

Califa Lighting Part # SW-1002

## PHOTOMETRY CHARACTERISTICS



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)