







LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	INITIAL RELEASE	14JUN2019	AJ	SH
			B	REVISED PER ECO-19-012481	07AUG2019	AJ	SH



2342934-1 AS SHOWN
SCALE 3:1



2342934-1 AS SHOWN
SCALE 4:1



DETAIL A
SCALE 8:1

1. MATERIAL:
CAGE MATERIAL : 0.25 THICK STAINLESS STEEL.
SPRING MATERIAL: COPPER ALLOY
CLIP MATERIAL: STAINLESS STEEL
HEAT SINK: ALUMINUM

- 2 FINISH:
SPRING: NICKEL PLATING
HEAT SINK: NICKEL PLATING

- 3 DIMENSION APPLIES WITH MODULE INSTALLED IN THE CAGE TO TOP OF HEAT SINK.

- 4 REFERENCE APPLICATION SPEC 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.

6. MINIMUM PC BOARD THICKNESS : SINGLES SIDED: 1.57 MIN
DOUBLE SIDED: 3.00 MIN

- 7 DATUM -A- IS TOP SURFACE OF THE HOST BOARD.


- 8 DATE CODE (YYWW) MARKED APPROXIMATELY AS SHOWN

9. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.


23.00	0	NETWORKING	1-2342934-3
16.00	0	SAN	1-2342934-2
13.70	0	PCI	1-2342934-1
23.00	2	NETWORKING	2342934-3
16.00	2	SAN	2342934-2
13.70	2	PCI	2342934-1
DIM A	# REAR PINS	APPLICATION (HEAT SINK OPTION)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ARTHUR JIN 30AUG2018	TE Connectivity	
		CHK: SEAN HAN 29AUG2018		
DIMENSIONS:		APVD: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
mm		PRODUCT SPEC		
		108-60122	SIZE: A1	
		APPLICATION SPEC		
		114-60025	SCALE: 2:1	
MATERIAL: -		WEIGHT: -		
		CUSTOMER DRAWING	SHEET 1 OF 5	
			REV B	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-




2342934-1 AS SHOWN
WITH PCI HEAT SINK
SCALE 4:1




2342934-2 AS SHOWN
WITH SAN HEAT SINK
SCALE 4:1




2342934-3 AS SHOWN
WITH NETWORKING HEAT SINK
SCALE 4:1




1-2342934-1 AS SHOWN
SAME AS -1 EXCEPT W/O REAR PINS
SCALE 4:1







1-2342934-2 AS SHOWN
SAME AS -2 EXCEPT W/O REAR PINS
SCALE 4:1




1-2342934-3 AS SHOWN
SAME AS -3 EXCEPT W/O REAR PINS
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT		OWN: ARTHUR JIN 30AUG2018		 TE Connectivity	
		CHK: SEAN HAN 29AUG2018			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: SEAN HAN 30AUG2018		NAME	CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK
		PRODUCT SPEC			
	0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.20 3 PLC ±0.10 4 PLC ± ANGLES FINISH	108-60122		SIZE	CAGE CODE DRAWING NO
		APPLICATION SPEC			
MATERIAL		114-60025		A1	RESTRICTED TO
		WEIGHT			
		CUSTOMER DRAWING		SCALE 2:1 SHEET 2 OF 5 REV B	

LOC		DIST		REVISIONS				
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	30AUG2018	TE Connectivity	
		CHK	29AUG2018		
		SEAN HAN	29AUG2018	NAME	
		APVD	30AUG2018		
		SEAN HAN	30AUG2018	PRODUCT SPEC	
				APPLICATION SPEC	
				CAGE CODE DRAWING NO	
				RESTRICTED TO	
				SCALE	
				SHEET	
				REV	
				B	



LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	30AUG2018	TE Connectivity	
		CHK	29AUG2018		
DIMENSIONS:		APVD	30AUG2018	NAME	
mm		PRODUCT SPEC			
		108-60122		CAGE ASSEMBLY, QSPF-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
		APPLICATION SPEC			
		114-60025		SIZE	
		FINISH			
		WEIGHT		CAGE CODE	
		CUSTOMER DRAWING			
		SCALE	2:1	SHEET	
		REV	B		

4805 (3/11)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru