THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY -. ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	28JUL2016	QY	CW
	A1	ECR-16-014639	15OCT2016	QY	CW
	A2	ECR-19-003922	19MAR2019	CD	CW

TYPE-1:STANDARD TOP ENTRY
类型-1:标准顶出









TYPE-2:STANDARD SIDE ENTRY
类型-2:标准侧出









NOTES:

1. TECHNICAL CHARACTERISTICS:
   HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE: POWDER COATED
   DEGREE OF PROTECTION: IP68 (MATED)

注释:
1. 技术参数:
   上壳材料: 铝合金
   表面处理: 粉末喷涂
   防护等级: IP68(配合)

TYPE-3:STANDARD SIDE AND TOP ENTRY
类型-3:标准侧出、顶出









TYPE-4: TOP ENTRY (FOUR HOLES)
类型-4: 顶出 (4孔)









THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN: QIANG YUAN 28JUL2016 CHK: KYLE ZENG 28JUL2016 APVD: CHRIS WANG 28JUL2016	TE Connectivity	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.1, 1 PLC ±0.1, 2 PLC ±0.1, 3 PLC ±0.1, 4 PLC ±0.1, ANGLES ±1°	PRODUCT SPEC: 108-137014 APPLICATION SPEC: 114-137014	NAME: H32BPR-TGH-4S-PG/M
MATERIAL - -	WEIGHT -	SIZE A0 / CAGE CODE - / DRAWING NO C-T1926320 1XX000	RESTRICTED TO -
	FINISH -	CUSTOMER DRAWING	SCALE 1:1 / SHEET 1 OF 2 / REV A2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY -. ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

备注:

参见 SHEET 1

PART NUMBER 料号	PART DESCRIPTION 描述	PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	PG/M THREAD-3 PG/M 螺纹孔-3	PG/M THREAD-4 PG/M 螺纹孔-4	TYPE 类型
T1926320425-000	H32BPR-TGH-4S-4M25	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY 4M25,POWDER COATED,BLACK H32BPR上壳，四角锁定，顶出4M25，黑色粉末喷涂	4X M25X1.5	-	-	-	TYPE-4: TOP ENTRY (FOUR HOLES) 类型-4：顶出（4孔）
T1906325050-002	H32BPR-TSH/TGH-4S-2M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50,TOP ENTRY M50, POWDER COATED,GREY H32BPR上壳，四角锁定，侧出M50，顶出M50，灰色粉末喷涂	-	-	M50X1.5	M50X1.5	TYPE-3: STANDARD SIDE AND TOP ENTRY 类型-3：标准侧出，顶出
T1906325050-000	H32BPR-TSH/TGH-4S-2M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50,TOP ENTRY M50, POWDER COATED,BLACK H32BPR上壳，四角锁定，侧出M50，顶出M50，黑色粉末喷涂	-	-	M50X1.5	M50X1.5	
T1916322163-000	H32BPR-TSH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M63,POWDER COATED,GREY H32BPR上壳，四角锁定，侧出M63，灰色粉末喷涂	-	M63X1.5	-	-	TYPE-2: STANDARD SIDE ENTRY 类型-2：标准侧出
T1916322150-000	H32BPR-TSH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50,POWDER COATED,GREY H32BPR上壳，四角锁定，侧出M50，灰色粉末喷涂	-	M50X1.5	-	-	
T1916322148-000	H32BPR-TSH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG48,POWDER COATED,GREY H32BPR上壳，四角锁定，侧出PG48，灰色粉末喷涂	-	PG48	-	-	
T1916322142-000	H32BPR-TSH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG42,POWDER COATED,GREY H32BPR上壳，四角锁定，侧出PG42，灰色粉末喷涂	-	PG42	-	-	
T1916320163-000	H32BPR-TSH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M63,POWDER COATED,BLACK H32BPR上壳，四角锁定，侧出M63，黑色粉末喷涂	-	M63X1.5	-	-	
T1916320150-000	H32BPR-TSH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY M50,POWDER COATED,BLACK H32BPR上壳，四角锁定，侧出M50，黑色粉末喷涂	-	M50X1.5	-	-	
T1916320148-000	H32BPR-TSH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG48,POWDER COATED,BLACK H32BPR上壳，四角锁定，侧出PG48，黑色粉末喷涂	-	PG48	-	-	
T1916320142-000	H32BPR-TSH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, SIDE ENTRY PG42,POWDER COATED,BLACK H32BPR上壳，四角锁定，侧出PG42，黑色粉末喷涂	-	PG42	-	-	
T1926322163-000	H32BPR-TGH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M63,POWDER COATED,GREY H32BPR上壳，四角锁定，顶出M63，灰色粉末喷涂	M63X1.5	-	-	-	TYPE-1: STANDARD TOP ENTRY 类型-1：标准顶出
T1926322150-000	H32BPR-TGH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M50,POWDER COATED,GREY H32BPR上壳，四角锁定，顶出M50，灰色粉末喷涂	M50X1.5	-	-	-	
T1926322148-000	H32BPR-TGH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG48,POWDER COATED,GREY H32BPR上壳，四角锁定，顶出PG48，灰色粉末喷涂	PG48	-	-	-	
T1926322142-000	H32BPR-TGH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG42,POWDER COATED,GREY H32BPR上壳，四角锁定，顶出PG42，灰色粉末喷涂	PG42	-	-	-	
T1926320163-000	H32BPR-TGH-4S-M63	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M63,POWDER COATED,BLACK H32BPR上壳，四角锁定，顶出M63，黑色粉末喷涂	M63X1.5	-	-	-	
T1926320150-000	H32BPR-TGH-4S-M50	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY M50,POWDER COATED,BLACK H32BPR上壳，四角锁定，顶出M50，黑色粉末喷涂	M50X1.5	-	-	-	
T1926320148-000	H32BPR-TGH-4S-PG48	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG48,POWDER COATED,BLACK H32BPR上壳，四角锁定，顶出PG48，黑色粉末喷涂	PG48	-	-	-	
T1926320142-000	H32BPR-TGH-4S-PG42	H32BPR HOOD, QUADRANGE LOCKING, TOP ENTRY PG42,POWDER COATED,BLACK H32BPR上壳，四角锁定，顶出PG42，黑色粉末喷涂	PG42	-	-	-	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN	QIANG YUAN	28JUL2016
CHK	KYLE ZENG	28JUL2016
APVD	CHRIS WANG	28JUL2016

PRODUCT SPEC 108-137014
APPLICATION SPEC 114-137014
WEIGHT -

TE Connectivity

NAME H32BPR-TGH-4S-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A0	-	C-T1926320 1XX000	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV A2

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru