




1. MATERIALS:
HOUSING - NICKEL PLATED ZINC ALLOY PER ASTM B 240
COVER, HOUSING - STAINLESS STEEL.
EMI GASKET - SILVER PLATED URETHANE
RECEPTACLE HOUSING - LCP, BLACK, UL 94V-O RATED
CHICKLET - LCP, BLACK, UL 94V-O RATED
CONTACT - PHOSPHOR BRONZE PER ASTM B 103
EMI SPRING - COPPER ALLOY
2. CONTACT FINISH:
CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS
PRODUCT SPECIFICATION 108-2426, BASED ON EIA/ECA-364-1000.01A,
(CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE,
TIN ON NEEDLE EYE
3. NOTE DELETED
4. PCB THICKNESS = 1.57 MIN
5. FOR HOLE SIZE AND PLATINGS, SEE APPLICATION SPEC 114-13283
6. THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED
BY CROSSHATCHING, TO BE CONSIDERED THE KEEPOUT AREA FOR
COMPONENTS AND SIGNAL TRACES, TOP SIDE ONLY, TOP SIDE
TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN, CROSSHATCHING
TO BE CONDUCTIVE
7. MOUNTING HARDWARE REQUIRED:
M2X0.4 (4) - MOUNTING SCREW LENGTH = BOARD THICKNESS + 4mm MAX



OBSOLETE

3	84 POSITION RECEPTACLE HOUSING SUB-ASSEMBLY	2149448-2
2	84 POSITION RECEPTACLE HOUSING SUB-ASSEMBLY	2149448-1
FINISH	DESCRIPTION	PART NUMBER


PRELIMINARY PART- NOT RELEASED FOR PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03AUG2010 M.E. COWHER	STE TE Connectivity	
DIMENSIONS: mm		CHK 03AUG2010 M.D. MORRISON		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 03AUG2010 M.D. MORRISON		
0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ±0.25 4 PLC ±0.25 ANGLES ±0.5 FINISH		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -		
MATERIAL SEE NOTES		NAME RECEPTACLE HOUSING SUB-ASSEMBLY 84 POSITION, CXP		
SEE TABLE		SIZE A200779	CAGE CODE C-2149448	RESTRICTED TO -
CUSTOMER DRAWING		SCALE 2:1	SHEET 1 OF 3	REV 4

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-



2149448-1
SCALE 4:1



DETAIL A
RECOMMENDED PIN CALLOUT
SCALE 8:1

PRELIMINARY PART- NOT RELEASED FOR PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

SEE NOTES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.25
1 PLC	±0.25
2 PLC	±0.25
3 PLC	±0.25
4 PLC	±0.25
ANGLES	±0.5
FINISH	

SEE TABLE

DWN
M.E. COWHER
03AUG2010

CHK
M.D. MORRISON
03AUG2010

APVD
M.D. MORRISON
03AUG2010

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE HOUSING SUB-ASSEMBLY
84 POSITION, CXP

SIZE
A200779

CAGE CODE
C-2149448


DRAWING NO

RESTRICTED TO

SCALE 2:1

SHEET 2 OF 3

REV 4



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru