

NOTES :

1- MATERIAL : POLYESTER FIBER GLASS FILED 94-V-0
COLOR BLACK .

TERMINAL : PHOSPHOR BRONZE .


PLATINGS : FINISH 2

POST PLATE (0.00127-0.00152)/.000050-.000060

GOLD IN CONTACT AREA .

(0.00190)/.000075 MIN. PURE TIN IN TAIL AREA BOTH

OVER (0.00127)/.000050 MIN. NICKEL OVERALL .



2- PC BOARD THICKNESS : (1.57) / .062 .

3- JACK FOR MATING WITH F.C.C. 68 PLUGS 90075 MOLEX SERIES .






4- PRODUCT SPECIFICATION PS-95009.

5- APPLICATION SPECIFICATION AS-95001.

6- PACKAGING SPECIFICATION PK-95029.

MOUNTING HOLE PATTERNS

(SEE FROM COMPONENT SIDE)




ENTER DESCRIPTION	REV	DESCRIPTION
EC NO: MG2005-0155	1	DRWN:CEBASTI 2004/11/12
CHKD:FCARABET 2004/11/15	2	APPR:KNOLLER 2004/11/15

QUALITY SYMBOLS
▽=0
▽=0


GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .014
1 PLACE	± 0.35	± ---
ANGULAR ±1/2°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM/IN	4:1	METRIC	
DRAWN BY	DATE	TITLE	
DP	86/10/23	FLUSH MOUNT RIGHT ANGLE MODULAR JACK ASSEMBLY THROUGH HOLE VERSION	
CHECKED BY	DATE	MOLEX INCORPORATED	
APPROVED BY	DATE	SDA-95009-F	
MATERIAL NO.	DOCUMENT NO.	SHEET NO.	
SEE CHART SHT 2	SDA-95009-F	1 OF 4	


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




PART NUMBERS FOR JACK I RIB .

	TYPE		POS. 4	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 8	TOOLED	POS. 8	TOOLED	POS. 8	TOOLED
			4 CKTS.		2 CKTS.		4 CKTS.		6 CKTS.		4 CKTS.		6 CKTS.		8 CKTS.	
	FINISH 2	MOLEX STANDARD	95009-244I	X	95009-262I		X	95009-264I	X	95009-266I	X	95009-284I		95009-286I	X	95009-288I

PART NUMBERS FOR JACK NO RIB.

	TYPE		POS. 4		TOOLED	POS. 6		TOOLED	POS. 6		TOOLED	POS. 8		TOOLED	POS. 8		TOOLED	POS. 8		TOOLED
			4 CKTS.			2 CKTS.			4 CKTS.			6 CKTS.			4 CKTS.			6 CKTS.		
	FINISH 2	MOLEX STANDARD	95009-2447	X	95009-2627		95009-2647	X	95009-2667	X	95009-2847		95009-2867	X	95009-2887	X				

DIM.	TYPE	POS. 4	POS. 6				POS. 8		
		4 CKTS.	2 CKTS.	4 CKTS.	6 CKTS.		4 CKTS.	6 CKTS.	8 CKTS.
A		(11.18) / .440	(13.21) / .520	(13.21) / .520	(13.21) / .520		(15.24) / .600	(15.24) / .600	(15.24) / .600
B	(±0.10)/±.004	(7.62) / .300	(10.16) / .400	(10.16) / .400	(10.16) / .400		(11.43) / .450	(11.43) / .450	(11.43) / .450
C	(±0.10)/±.004	(3.81) / .150	(1.27) / .050	(3.81) / .150	(6.35) / .250		(3.81) / .150	(6.35) / .250	(8.89) / .350
D	(+0.38/-0)/±.015	(11.56) / .455	(13.59) / .535	(13.59) / .535	(13.59) / .535		(15.62) / .615	(15.62) / .615	(15.62) / .615



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru