








NOTES:

1. MATERIAL: HOUSING -LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED. UL 94 V-0. COLOR: BLACK. SIGNAL & SHIELD -COPPER ALLOY.
2. FINISHES: SELECTIVE GOLD (Au) ON CONTACT AREA, SELECTIVE TIN/LEAD (Sn/Pb) OR SELECTIVE MATTE TIN (Sn) ON TAILS, NICKEL (Ni) OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-74031-999.
4. FOR MIXED CONTACT MATING LENGTHS CONSULT MOLEX FOR AVAILABILITY.
5. FOR SPECIFIC PART NUMBER AND MATING INFORMATION REFER TO SHEET 2.
6. PACKAGE PER PK-74696-003.
7. EITHER MARK PART NUMBER AND DATE CODE APPROXIMATELY WHERE SHOWN OR PLACE LABEL ON THE TUBE.
8. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF MOLEX COSMETIC SPECIFICATION PS-45499-002.

ADD LEAD-FREE P/Ns EC NO: UCP2012-1674 2011/11/23 DRAWN:MMOLFE CHKD:SDANIELLEY 2011/11/23 APPR:SWILLER 2011/12/02		QUALITY SYMBOLS	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION									
						MM ONLY		2.5:1	METRIC										
D	REV	$\nabla = 0$ $\nabla = 0$ $\nabla = 0$		4 PLACES	$\pm \text{---}$	$\pm \text{---}$	DRAWN BY	DATE	TITLE	HSD SALES ASSEMBLY ADVANCED MATE 5 ROW SHIELD END BACKPLANE									
							3 PLACES	$\pm \text{---}$			$\pm \text{---}$	CHECKED BY	DATE						
												2 PLACES	$\pm \text{---}$	$\pm \text{---}$	MAINT IN	DATE			
															1 PLACE	$\pm \text{---}$	$\pm \text{---}$	APPROVED BY	DATE
																		CBIXLER	2001/10/12
				ANGULAR $\pm 1/2^\circ$		MATERIAL NO.		DOCUMENT NO.	SHEET NO.										
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-74697-003		1 OF 2									
						SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
						B													


P/N 74697-()	-**0*	-**1*	-**2*	-**3*	-**4*	-**5*	-**6*	-**7*	-**8*
KEYING PIN ORIENTATION	0	A	B	C	D	E	F	G	H

74697-***

NUMBER OF COLUMNS/PLATING

11 = 10 COLUMN TIN/LEAD
26 = 25 COLUMN TIN/LEAD
91 = 10 COLUMN MATTE TIN
86 = 25 COLUMN MATTE TIN

CONTACT LOAD
(PIN LENGTH)
1 & 6 = 4.75
2 & 7 = 6.25
3 & 8 = 4.25
4 & 9 = 5.15



PART NUMBER	COLUMN	NUMBER OF SIGNALS	NUMBER OF SHIELDS	A	B	M	Au (um) THICKNESS	Sn (um) THICKNESS
74697-✱1✱1	10	40	10	27.00	18.00	4.75	0.76	0.76-1.52
74697-✱1✱6							1.27	
74697-✱6✱1	25	100	25	57.00	48.00		0.76	
74697-✱6✱6							1.27	
74697-✱1✱2	10	40	10	27.00	18.00	6.25	0.76	
74697-✱1✱7							1.27	
74697-✱6✱2	25	100	25	57.00	48.00		0.76	
74697-✱6✱7							1.27	
74697-✱1✱3	10	40	10	27.00	18.00	4.25	0.76	
74697-✱1✱8							1.27	
74697-✱6✱3	25	100	25	57.00	48.00		0.76	
74697-✱6✱8							1.27	
74697-✱1✱4	10	40	10	27.00	18.00	5.15	0.76	
74697-✱1✱9							1.27	
74697-✱6✱4	25	100	25	57.00	48.00		0.76	
74697-✱6✱9							1.27	

ADD LEAD-FREE P/Ns EC NO: UCP2012-1674 D	QUALITY SYMBOLS F=0 F=0 F=0	DESCRIPTION 2011/11/23 DRAWN:MWOLF 2011/11/23 CHKD:SDANNELLEY 2011/11/23 APPR:SMILLER 2011/12/02	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><th></th><th>mm</th><th>INCH</th></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ±1/2°</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	ANGULAR ±1/2°			DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>MOWANG</td><td>2001/10/10</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>NMARTIN</td><td>2001/10/12</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>CBIXLER</td><td>2001/10/12</td></tr><tr><td colspan="2">MATERIAL NO.</td></tr></table>	DRAWN BY	DATE	MOWANG	2001/10/10	CHECKED BY	DATE	NMARTIN	2001/10/12	APPROVED BY	DATE	CBIXLER	2001/10/12	MATERIAL NO.		SCALE 2.5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE HSD SALES ASSEMBLY ADVANCED MATE 5 ROW SHIELD END BACKPLANE MOLEX INCORPORATED	DOCUMENT NO. SD-74697-003	SHEET NO. 2 OF 2
					mm	INCH																																				
				4 PLACES	± ---	± ---																																				
				3 PLACES	± ---	± ---																																				
				2 PLACES	± ---	± ---																																				
1 PLACE	± ---	± ---																																								
ANGULAR ±1/2°																																										
DRAWN BY	DATE																																									
MOWANG	2001/10/10																																									
CHECKED BY	DATE																																									
NMARTIN	2001/10/12																																									
APPROVED BY	DATE																																									
CBIXLER	2001/10/12																																									
MATERIAL NO.																																										
REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																						

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru