

F




E

D

C

B

A



F

E

D

C

B

A

- NOTES:
1. RETRACTORS ARE 100% INSPECTED & PRE-TENSIONED AT FACTORY.
 2. HOUSINGS ARE MADE OF GENERAL PURPOSE ABS TO MEET HARSH INDUSTRIAL ENVIRONMENTS.
 3. ALWAYS READ INSTRUCTIONS MANUAL BEFORE USING RETRACTORS.
 4. RETRACTORS ARE NOT TO BE USED AS BALANCERS THEIR MAIN PURPOSE BEING TO RETRACT A LOAD AND NOT TO BALANCE ONE.
 5. OVERALL DIMENSIONS ARE FOR REFERENCE ONLY.
 6. STANDARD CATALOG RETRACTORS ARE NOT EQUIPED WITH SAFETY CHAIN, BUT IF APPLICATION REQUIRES A SAFETY CHAIN ADD "SC" SUFFIX TO STANDARD BALANCER P/N. EXAMPLE RF6SC. ON MAIN MATERIAL NUMBERS TABLE.
 7. RETRACTORS COME WITH A CLEVIS PIN & A COTTER PIN

RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/30 CHKD: DT APPR: DTITUS 2010/04/01	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
								RF" SERIES OF RETRACTORS ----	
A	REV	ANGULAR ±1°		APPROVED BY DTITUS 2010/03/31		MATERIAL NO. SEE TABLE		MOLEX INCORPORATED	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DATE 2010/03/30		DOCUMENT NO. SD-130173-002		SHEET NO. 1 OF 2	

	10	9	8	7	6	5	4	3	2	1																																																																									
F	<table><tr><td>Material Number:</td><td>Engineering Number:</td><td>Description:</td><td>Weight Range in (KG):</td><td>Cable Travel in (M):</td><td>Weight Range in (LB):</td><td>Cable Travel in (FT):</td><td>Color:</td></tr><tr><td>1301730055</td><td>RF6</td><td>RF6 RETRACTOR[4-6LB/1.8-2.7KG], 6.6FT</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730061</td><td>RF8</td><td>RF8 RETRACTOR[6-8LB/2.7-3.6KG], 6.6FT</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730069</td><td>RFL6</td><td>RF6 [4-6LB/1.8-2.7KG] W/RATCHET LOCK</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730074</td><td>RFL8</td><td>RF8 [6-8LB/2.7-3.6KG] W/RATCHET LOCK</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730057</td><td>RF6SC</td><td>RF6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730065</td><td>RF8SC</td><td>RF8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730071</td><td>RFL6SC</td><td>RFL6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN</td><td>1.8 - 2.7</td><td>2.0</td><td>4.0 - 6.0</td><td>6.6</td><td>PUTTY</td></tr><tr><td>1301730086</td><td>RFL8SC</td><td>RFL8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN</td><td>2.7 - 3.6</td><td>2.0</td><td>6.0 - 8.0</td><td>6.6</td><td>PUTTY</td></tr></table>										Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:	1301730055	RF6	RF6 RETRACTOR[4-6LB/1.8-2.7KG], 6.6FT	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730061	RF8	RF8 RETRACTOR[6-8LB/2.7-3.6KG], 6.6FT	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	1301730069	RFL6	RF6 [4-6LB/1.8-2.7KG] W/RATCHET LOCK	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730074	RFL8	RF8 [6-8LB/2.7-3.6KG] W/RATCHET LOCK	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	1301730057	RF6SC	RF6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730065	RF8SC	RF8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	1301730071	RFL6SC	RFL6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY	1301730086	RFL8SC	RFL8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY	F
Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:																																																																												
1301730055	RF6	RF6 RETRACTOR[4-6LB/1.8-2.7KG], 6.6FT	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730061	RF8	RF8 RETRACTOR[6-8LB/2.7-3.6KG], 6.6FT	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
1301730069	RFL6	RF6 [4-6LB/1.8-2.7KG] W/RATCHET LOCK	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730074	RFL8	RF8 [6-8LB/2.7-3.6KG] W/RATCHET LOCK	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
1301730057	RF6SC	RF6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730065	RF8SC	RF8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
1301730071	RFL6SC	RFL6 [4-6LB/1.8-2.7KG] W/SAFETY CHAIN	1.8 - 2.7	2.0	4.0 - 6.0	6.6	PUTTY																																																																												
1301730086	RFL8SC	RFL8 [6-8LB/2.7-3.6KG] W/SAFETY CHAIN	2.7 - 3.6	2.0	6.0 - 8.0	6.6	PUTTY																																																																												
E											E																																																																								
D											D																																																																								
C											C																																																																								
B											B																																																																								
A	<table><tr><td rowspan="5">RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/30 CHKD: DT APPR: DTTUS 2010/04/01</td><td rowspan="5">DESCRIPTION QUALITY SYMBOLS ▽=0 ∇C=0 </td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE NTS</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>4 PLACES</td><td>±-</td><td>±-</td><td>DRAWN BY DATE</td><td colspan="5" rowspan="3">RF" SERIES OF RETRACTORS ----- MOLEX INCORPORATED</td></tr><tr><td>3 PLACES</td><td>±-</td><td>±-</td><td>CHECKED BY DATE</td></tr><tr><td>2 PLACES</td><td>±-</td><td>±-</td><td>APPROVED BY DATE</td></tr><tr><td>1 PLACE</td><td>±-</td><td>±-</td><td colspan="2">ANGULAR ±1°</td><td>DTITUS 2010/03/31</td><td>MATERIAL NO. SEE TABLE</td><td colspan="2">DOCUMENT NO. SD-130173-002</td><td>SHEET NO. 2 OF 2</td></tr><tr><td>A</td><td>REV</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE B</td><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/30 CHKD: DT APPR: DTTUS 2010/04/01	DESCRIPTION QUALITY SYMBOLS ▽=0 ∇C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES	±-	±-	DRAWN BY DATE	RF" SERIES OF RETRACTORS ----- MOLEX INCORPORATED					3 PLACES	±-	±-	CHECKED BY DATE	2 PLACES	±-	±-	APPROVED BY DATE	1 PLACE	±-	±-	ANGULAR ±1°		DTITUS 2010/03/31	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-130173-002		SHEET NO. 2 OF 2	A	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					A																									
RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/30 CHKD: DT APPR: DTTUS 2010/04/01	DESCRIPTION QUALITY SYMBOLS ▽=0 ∇C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																																											
		4 PLACES	±-	±-	DRAWN BY DATE	RF" SERIES OF RETRACTORS ----- MOLEX INCORPORATED																																																																													
		3 PLACES	±-	±-	CHECKED BY DATE																																																																														
		2 PLACES	±-	±-	APPROVED BY DATE																																																																														
		1 PLACE	±-	±-	ANGULAR ±1°		DTITUS 2010/03/31	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-130173-002		SHEET NO. 2 OF 2																																																																								
A	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																														
	10	9	8	7	6	5	4	3	2	1																																																																									

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru