







NOTES:

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP)
GLASS-FILLED, UL 94V-O, COLOR: BLACK
SIGNAL PIN & SHIELD - COPPER ALLOY
2. FINISHES: SELECTIVE GOLD (Au) IN CONTACT AREA,
SELECTIVE TIN/LEAD (Sn/Pb) OR SELECTIVE MATTE
TIN (Sn) ON PCB TAILS AND
NICKEL (Ni) OVERALL
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION
PS-74031-999.
4. FOR MIXED CONTACT MATING LENGTHS, CONSULT MOLEX
FOR AVAILABILITY.
5. FOR SPECIFIC MATERIAL NUMBERS AND MATING INFORMATION
REFER TO SHEET 2.
6. PACKAGE PER PK-74061-003.
7. EITHER MARK PARTS WITH PART NUMBER AND DATE CODE
APPROXIMATELY WHERE SHOWN OR PLACE LABEL ON THE TUBE.

ADD LEADFREE P/NS EC NO: UCP2012-1899 DRAWN:MOLFE 2011/12/13 CHKD:SDANNELLEY 2011/12/13 APPR:SMILLER 2012/01/17	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	VHDM BACKPLANE 8 ROW SIGNAL-PIN END SALES DRAWING	SHEET NO. 1 OF 2
				mm	INCH	DRAWN BY JMELTON	DATE 2010/04/09	TITLE MOLEX MOLEX INCORPORATED			
			4 PLACES	± ---	± ---	CHECKED BY SDANNELLEY	DATE 2010/04/12				
			3 PLACES	± ---	± ---	APPROVED BY SMILLER	DATE 2010/04/19				
			2 PLACES	± 0.25	± ---	MATERIAL NO.	DOCUMENT NO.				
			1 PLACE	± 0.38	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					
REV					SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

PART NUMBER	COLUMN	NUMBER OF SIGNAL PIN	NUMBER OF SHIELD	A MAX	B	M	Au (um) THICKNESS	Sn (um) THICKNESS
74457-**-01	10	80	10	27.00	18.00	4.75	0.76	0.38-1.52
74457-**-06							1.27	
74457-**-01	25	200	25	57.00	48.00	4.75	0.76	
74457-**-06							1.27	
74457-**-02	10	80	10	27.00	18.00	6.25	0.76	
74457-**-07							1.27	
74457-**-02	25	200	25	57.00	48.00	6.25	0.76	
74457-**-07							1.27	
74457-**-03	10	80	10	27.00	18.00	4.25	0.76	
74457-**-08							1.27	
74457-**-03	25	200	25	57.00	48.00	4.25	0.76	
74457-**-08							1.27	
74457-**-04	10	80	10	27.00	18.00	5.15	0.76	
74457-**-09							1.27	
74457-**-04	25	200	25	57.00	48.00	5.15	0.76	
74457-**-09							1.27	





MATERIAL NUMBER ASSIGNMENT

74457-**-0*

NUMBER OF COLUMNS/ PIN LENGTH
PLATING
1 & 6 = 4.75
2 & 7 = 6.25
3 & 8 = 4.25
4 & 9 = 5.15
10 = 10 COLUMN TIN/LEAD
25 = 25 COLUMN TIN/LEAD
90 = 10 COLUMN MATTE TIN
85 = 25 COLUMN MATTE TIN

ADD LEADFREE P/N EC NO: UCP2012-1899 G DRAWN: MWOLFE 2011/12/13 CHKD: SDANNELLEY 2011/12/13 APPR: SMILLER 2012/01/17	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± 0.38</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ± ---°</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.25	± ---	1 PLACE	± 0.38	± ---	ANGULAR ± ---°			DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
				mm	INCH																			
			4 PLACES	± ---	± ---																			
			3 PLACES	± ---	± ---																			
			2 PLACES	± 0.25	± ---																			
			1 PLACE	± 0.38	± ---																			
ANGULAR ± ---°																								
DRAWN BY DATE JMETLON 2010/04/09		TITLE VHDM BACKPLANE 8 ROW SIGNAL-PIN END SALES DRAWING																						
CHECKED BY DATE SDANNELLEY 2010/04/12																								
APPROVED BY DATE SMILLER 2010/04/19		MOLEX MOLEX INCORPORATED																						
MATERIAL NO.																								
SEE TABLE		DOCUMENT NO. SD-74457-002																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SHEET NO. 2 OF 2																						
SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																						



PART NUMBER	COLUMN	NUMBER OF SIGNAL OF PIN	NUMBER OF SHIELD OF	A MAX	B	M	Au (um) THICKNESS	Sn/Ph (um) THICKNESS
74457-1001	10	80	10	27.00	18.00	4.75	0.76	0.38-1.52
74457-1006							1.27	
74457-2501	25	200	25	57.00	48.00		0.76	
74457-2506							1.27	
74457-1002	10	80	10	27.00	18.00	6.25	0.76	
74457-1007							1.27	
74457-2502	25	200	25	57.00	48.00		0.76	
74457-2507							1.27	
74457-1003	10	80	10	27.00	18.00	4.25	0.76	
74457-1008							1.27	
74457-2503	25	200	25	57.00	48.00		0.76	
74457-2508							1.27	
74457-1004	10	80	10	27.00	18.00	5.15	0.76	
74457-1009							1.27	
74457-2504	25	200	25	57.00	48.00		0.76	
74457-2509							1.27	

REVISED EC NO: UDT2002-0443 DRWN: MWANG 01/03/18 CHK: NMARTIN 01/19/18 APPR: CBIXLER 01/09/18	QUALITY SYMBOLS MAJOR = 0 CRITICAL = 0	GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE 2.5:1	DESIGN UNITS ☒ mm ☐ INCH	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY		SHT	REV			
REV	DESCRIPTION	DRAWN BY & DATE MWANG 00/03/10		CHECKED BY & DATE JLAURX 00/03/10		TITLE: VHDM BACKPLANE 8 ROW SIGNAL-PIN END SALES DRAWING							
		APPROVED BY & DATE CBIXLER 00/03/10		MATERIAL NO. SEE SHEET 2		DRAWING NO. SD-74457-002		SHEET NO. 2					
		CAD FILENAME SD-74457-002.DGN		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		MOLEX INCORPORATED							
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B									

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru