

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0197134001](#)
Status: **Active**
Description: PCB Tab Right Angle Quick Disconnect, Male, for Wire, Box, Tab 6.35mm (.250") x 0.81mm (.032")

Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-19902-010 \(PDF\)](#)

Agency Certification
UL E79133


General
Product Family Quick Disconnects
Series [19713](#)
Crimp Quality Equipment Yes
Product Name PCB Tab
Type Quick Disconnect

Physical
Barrel Type Closed
Gender Male
Glow-Wire Compliant No
Insulation None
Lock to Mating Part None
Material - Metal Brass
Material - Plating Mating Tin
Material - Plating Termination Tin
Orientation PCB Flag Tab
Packaging Type Bag
Plating min: Mating (µin) 150
Plating min: Mating (µm) 3.75
Plating min: Termination (µin) 150
Plating min: Termination (µm) 3.75
Polarized to Mating Part No
Tab Thickness 0.81mm (.032")
Tab Width 6.35mm (.250")
Wire Insulation Diameter N/A
Wire Size AWG N/A

Electrical
Voltage - Maximum N/A

Material Info

Reference - Drawing Numbers
Product Specification PS-19902-010





EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Halogen-Free





Need more information on product environmental compliance?
Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)
Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[19713Series](#)

PIN ORIENTATION	MATERIAL NUMBER	ENGINEERING NUMBER	CUSTOMER NUMBER	CARRIER	SEE PLATING NOTE 6 & 7.	DIMENSION 'A'	DIMENSION 'B'
TAB FIRST	197134001	19713-4001	4000	LOOSE	TIN/LEAD	.355	.250
TAB FIRST	197134003	19713-4003	-	STRIP	TIN/LEAD	.355	.250
PINS FIRST	197134004	19713-4004	-	STRIP	TIN/LEAD	.355	.250




ISOMETRIC VIEW



RECOMMENDED P.W.B.
HOLE LAYOUT

- NOTES:
1. BARE EDGES PERMISSIBLE AT CARRIER CUT OFF.
 2. MATERIAL: BRASS.
 3. MATERIAL THICKNESS: .032 $\pm$.001/0.813 $\pm$.0031
 4. TAB CONFORMS TO NEMA SPECIFICATIONS.
 5. ALL DIMENSIONS AND NOTES ARE REFERENCE ONLY UNLESS NOTED.
 6. PLATING: 90/10 TIN LEAD 150M INCHES MIN THICKNESS.
 7. FINISH MATTE



CUSTOMER DRAWING

CHANGED FINISH ETC/05/132 BRI 05/21/2000	
FINISH CHANGE ETC/05/132 2000/04/29 WEB	
ADDED ORIENTATION ETC/05/132 04/16/2000 BPE	
ADD PART NO. 04/24/00 ET1999-0062	
REMOVE NON-PLATED PARTS FROM CARRIER ETC/05/132 ET/S JH	
RELEASE TO ET/05/132 ET/BOUN 05/05 JH	
LTR REVISIONS	
REVISE ONLY ON CAD SYSTEM	
QUICK DISCONNECT PCB MOUNTABLE 250 X .032 TAB	
ETC INC. PART NO. 1 OF 1 98/04/28	
SEE CHART SD-19713-400	
ALL DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE SPECIFIED	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru