

SIDE ROTARY




FIGURE 1 - SIDE ROTARY HEAD WITH GLZ51 SERIES LEVER

LEVER	ROLLER MATL	X DIM	Y DIM	Z DIM
GLZ51A	NYLON	19.1 .75	55.9 2.20	6.4 .25
GLZ51B	STEEL	19.1 .75	55.9 2.20	6.4 .25
GLZ51C	NYLON	24.5 1.00	59.1 2.33	12.7 .50
GLZ51Y	RUBBER	50.0 1.97	66.1 2.60	10.0 .39
GLZ51T	STAINLESS STEEL	19.1 .75	56.8 2.24	8.8 .345

GLZ54J: 200.00 / 7.870 MAX
GLZ54K: 140.00 / 5.510 MAX
ALUMINUM ROD




FIGURE 2 - SIDE ROTARY HEAD WITH GLZ54 SERIES LEVER OTHERWISE REFER TO FIGURE 1

FIGURE	CATALOG LISTING	CONDUIT ENTRY
1A	GL*A SERIES	1/2-14 NPT
1B	GL*B SERIES	PG13.5
1C	GL*C SERIES	20mm
1D	GL*D SERIES	PF1/2

ELECTRICAL RATING		5 8		GOLD PLATED CONTACTS
AC		DC		
A600 Ue	AC15 Ie	Q300 Ue	DC13 Ie	
(VOLTS)	(AMPS)	(VOLTS)	(AMPS)	1V 10µA MIN 50V 100mA MAX
120	6	24	2.8	
240	3	125	.55	
380	1.9	250	.27	
480	1.5			
500	1.4			
600	1.2			

ENVIRONMENTAL RATING
IP67
NEMA/UL TYPES 1, 4, 12, 13

CATALOG LISTING	BODY DIMENSIONS, FIGURE	HEAD DIMENSIONS, FIGURE	HEAD ACTUATION, FIGURE
GLA***	I	N/A	N/A
GLF***	I	N/A	N/A
GLH***	I	N/A	N/A
GLA***	1A	N/A	N/A
GLB***	1B	N/A	N/A
GLC***	1C	N/A	N/A
GLD***	1D	N/A	N/A
GL***A1*	I	1	8
GL***A2*	I	3	9
GL***A4*	I	2	10
GL***A5*	I		8
GL***B	I	4	11
GL***C	I	5	13A, 13B
GL***D	I	6	14A, 14B
GL***E7A	I	7A	12
GL***E7B	I	7	12
GL***E7C	I	7E	15
GL***E7D	I	7B	12
GL***K8A	I	7C	15
GL***K8B	I	7D	15
GL***K8C	I	7	15

FIGURE 3 - SIDE ROTARY HEAD WITH GLZ52 SERIES LEVERS OTHERWISE REFER TO FIGURE 1

LEVER	ROLLER MATL	X DIM	Y DIM	Z DIM
GLZ52A	NYLON	19.1 .75	65.9 2.59	6.4 .25
GLZ52B	STEEL	19.1 .75	65.9 2.59	6.4 .25
GLZ52D	NYLON	38.1 1.5	65.9 2.59	6.4 .25
GLZ52E	NYLON	19.1 .75	79.37 3.125	33.07 1.300
GLZ52W	RUBBER	40.0 1.6	71.5 2.81	12.7 .5
GLZ52Y	RUBBER	50.0 1.97	68.8 2.71	10.0 .39

NOTES
1 - HEADS MAY BE INDEXED IN 90° INCREMENTS.
2 - LEVERS MAY BE KEYED TO THE SHAFT AT 90° INCREMENTS. THEY MAY ALSO BE ATTACHED, BUT NOT KEYED ANYWHERE ON THE SHAFT.
3 - FOR ADDITIONAL LEVERS SEE "M" DRAWING CHART GLZ5
4 - THE LEFT INDICATOR IS GREEN AND INDICATES "POWER ON" IT IS ON GLH SERIES PRODUCTS ONLY. THE RIGHT INDICATOR IS YELLOW AND INDICATES "OUTPUT STATUS" IT IS ON GLF AND GLH SERIES PRODUCTS ONLY.
5 - THE MAXIMUM VOLTAGE, V_e OF GLF AND GLH SERIES PRODUCTS IS THE MAXIMUM RATED VOLTAGE OF INDICATION LIGHTS
6 - FREE POSITION, OPERATE POINT, OVERTRAVEL AND PRETRAVEL ALL TO EN50041
7 - CAM TRAVEL FOR FIG 9 ONLY APPLIES WHEN LEVER IS ADJUSTED TO 38.1 / 1.50
8 - THE MAXIMUM VOLTAGE, V_e OF "06" AND "36" BASIC SWITCH CODE IS 300V (A300)
9 - TEMPERATURE RANGE
(ALL PRODUCTS EXCEPT w/SIDE ROTARY OPERATING HEAD)
OPERATING: -25°C TO +85°C / -13°F TO +185°F
STORAGE: -40°C TO +85°C / -40°F TO +185°F
(PRODUCTS w/SIDE ROTARY OPERATING HEAD)
OPERATING: -40°C TO +85°C / -40°F TO +185°F
STORAGE: -40°C TO +85°C / -40°F TO +185°F

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.

FED. MFG. CODE 91929

MICRO SWITCH
a Honeywell Division

SWITCH, ENCLOSED

CATALOG LISTING

GL SERIES CHART 1

DESIGN UNITS

WEIGHT

THIRD ANGLE PROJECTION

SCALE 1:1

DO NOT SCALE PRINT

TOLERANCES

APPLY TO DESIGN UNITS. CONVERSIONS ARE ONLY FOR REFERENCE. UNLESS NOTED, TOLERANCES ARE:

NO PLACES ONE PLACE TWO PLACES THREE PLACES ANGLES

SI METRIC

US CUSTOMARY




FIGURE 4 - TOP PIN PLUNGER HEAD
OTHERWISE REFER TO
FIGURE 1




FIGURE 5 - TOP ROLLER PLUNGER HEAD
OTHERWISE REFER TO
FIGURE 1




FIGURE 6 - TOP LEVER HEAD,
OTHERWISE REFER TO
FIGURE 1

[illegible]

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.					
FED. MFG. CODE 91929	CATALOG LISTING				
MICRO SWITCH a Honeywell Division	SWITCH, ENCLOSED				
GL SERIES CHART 1					
DESIGN UNITS				SI METRIC ☒	US CUSTOMARY ☐
WEIGHT					









FIGURE 7A -
WOBBLE HEAD,
PLASTIC ACTUATOR,
OTHERWISE SAME AS FIGURE 7

FIGURE 7B -
WOBBLE HEAD
STAINLESS STEEL SPRING
ACTUATOR, OTHERWISE
SAME AS FIGURE 7

FIGURE 7C -
CAT WHISKER ACTUATOR,
STAINLESS STEEL SPRING,
OTHERWISE SAME AS FIGURE 7

FIGURE 7D -
CAT WHISKER ACTUATOR,
STAINLESS STEEL
SPRING, OTHERWISE
SAME AS FIGURE 7

FIGURE 7E -
CABLE WOBBLE
ACTUATOR, OTHERWISE
SAME AS FIGURE 7

FIGURE 7 - WOBBLE HEAD, AND CAT WISKER HEAD
COIL ACTUATOR,
OTHERWISE REFER TO
FIGURE 1

DRAWN		DATE		BY		CHECK		APPROVED		REPLACES	
SA V T MAY 96		SA V T MAY 96		SA V T MAY 96		SA V T MAY 96		SA V T MAY 96		SA V T MAY 96	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808		R 087808	
S 0037216		S 0037216		S 0037216		S 0037216		S 0037216		S 0037216	
T 0021359		T 0021359		T 0021359		T 0021359		T 0021359		T 0021359	
U 0002986		U 0002986		U 0002986		U 0002986		U 0002986		U 0002986	
V 0000401		V 0000401		V 0000401		V 0000401		V 0000401		V 0000401	
W 0000000		W 0000000		W 0000000		W 0000000		W 0000000		W 0000000	
X 0000000		X 0000000		X 0000000		X 0000000		X 0000000		X 0000000	
Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000	
Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808		R 087808	
S 0037216		S 0037216		S 0037216		S 0037216		S 0037216		S 0037216	
T 0021359		T 0021359		T 0021359		T 0021359		T 0021359		T 0021359	
U 0002986		U 0002986		U 0002986		U 0002986		U 0002986		U 0002986	
V 0000401		V 0000401		V 0000401		V 0000401		V 0000401		V 0000401	
W 0000000		W 0000000		W 0000000		W 0000000		W 0000000		W 0000000	
X 0000000		X 0000000		X 0000000		X 0000000		X 0000000		X 0000000	
Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000	
Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808		R 087808	
S 0037216		S 0037216		S 0037216		S 0037216		S 0037216		S 0037216	
T 0021359		T 0021359		T 0021359		T 0021359		T 0021359		T 0021359	
U 0002986		U 0002986		U 0002986		U 0002986		U 0002986		U 0002986	
V 0000401		V 0000401		V 0000401		V 0000401		V 0000401		V 0000401	
W 0000000		W 0000000		W 0000000		W 0000000		W 0000000		W 0000000	
X 0000000		X 0000000		X 0000000		X 0000000		X 0000000		X 0000000	
Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000	
Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808		R 087808	
S 0037216		S 0037216		S 0037216		S 0037216		S 0037216		S 0037216	
T 0021359		T 0021359		T 0021359		T 0021359		T 0021359		T 0021359	
U 0002986		U 0002986		U 0002986		U 0002986		U 0002986		U 0002986	
V 0000401		V 0000401		V 0000401		V 0000401		V 0000401		V 0000401	
W 0000000		W 0000000		W 0000000		W 0000000		W 0000000		W 0000000	
X 0000000		X 0000000		X 0000000		X 0000000		X 0000000		X 0000000	
Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000	
Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808		R 087808	
S 0037216		S 0037216		S 0037216		S 0037216		S 0037216		S 0037216	
T 0021359		T 0021359		T 0021359		T 0021359		T 0021359		T 0021359	
U 0002986		U 0002986		U 0002986		U 0002986		U 0002986		U 0002986	
V 0000401		V 0000401		V 0000401		V 0000401		V 0000401		V 0000401	
W 0000000		W 0000000		W 0000000		W 0000000		W 0000000		W 0000000	
X 0000000		X 0000000		X 0000000		X 0000000		X 0000000		X 0000000	
Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000	
Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808		R 087808	
S 0037216		S 0037216		S 0037216		S 0037216		S 0037216		S 0037216	
T 0021359		T 0021359		T 0021359		T 0021359		T 0021359		T 0021359	
U 0002986		U 0002986		U 0002986		U 0002986		U 0002986		U 0002986	
V 0000401		V 0000401		V 0000401		V 0000401		V 0000401		V 0000401	
W 0000000		W 0000000		W 0000000		W 0000000		W 0000000		W 0000000	
X 0000000		X 0000000		X 0000000		X 0000000		X 0000000		X 0000000	
Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000	
Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808		R 087808	
S 0037216		S 0037216		S 0037216		S 0037216		S 0037216		S 0037216	
T 0021359		T 0021359		T 0021359		T 0021359		T 0021359		T 0021359	
U 0002986		U 0002986		U 0002986		U 0002986		U 0002986		U 0002986	
V 0000401		V 0000401		V 0000401		V 0000401		V 0000401		V 0000401	
W 0000000		W 0000000		W 0000000		W 0000000		W 0000000		W 0000000	
X 0000000		X 0000000		X 0000000		X 0000000		X 0000000		X 0000000	
Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000		Y 0000000	
Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000		Z 0000000	
1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12		1200 T 12	
SBH		SBH		SBH		SBH		SBH		SBH	
N 0094510		N 0094510		N 0094510		N 0094510		N 0094510		N 0094510	
D 1251009		D 1251009		D 1251009		D 1251009		D 1251009		D 1251009	
K 0070059		K 0070059		K 0070059		K 0070059		K 0070059		K 0070059	
O 971809		O 971809		O 971809		O 971809		O 971809		O 971809	
P 0730606		P 0730606		P 0730606		P 0730606		P 0730606		P 0730606	
R 087808		R 087808		R 087808		R 087808		R 087808			

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.		DIM. mm TOL. mm NO PLACES 3 ±.000 ONE PLACE 2 X .X 1.000 TWO PLACES 1 X .X 0.400 THREE PLACES .X .X .000 ANGLES ±.000 SI METRIC ☒		DIM. in. TOL. in. NO PLACES 3 ±.000 ONE PLACE 2 X .X 1.000 TWO PLACES 1 X .X 0.004 THREE PLACES .X .X .000 ANGLES ±.000 US CUSTOMARY ☐	
FED. MFG. CODE 91929		CATALOG LISTING			
MICRO SWITCH a Honeywell Division		SWITCH, ENCLOSED GL SERIES CHART 1			
		DESIGN UNITS ☒		WEIGHT	




FIGURE 8




FIGURE 9




FIGURE 10

PTC/CAD		DRAWN		MIGL SERIES CHART 1		DRAWING NUMBER	
38H 20C112		N 0094570		J 0004041		16	
DIN 07AUG66		L 0984805		H 0203759		ISSUE	
CHECK		O 0700553		K 0043629		REVISIONS	
SA V 2MAR66		N 2300121		J 0004041		F 0000401	
DIN 07AUG66		L 0984805		H 0203759		G L H	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 0043629		210003	
SA V 2MAR66		N 2300121		J 0004041		0002986	
DIN 07AUG66		L 0984805		H 0203759		SS	
CHECK		O 0700553		K 00			


REVISONS		05OCT10	
F	0000401	CHECK	CMH
GLH 2JUN03			
G	0002986		
RS 20 JAN04			
H	0023759		
RKP 07AUG06			
J	0037216		
BS 00FEB08			
K	0034629		
SS 12SEP08			
L	0048605	07AUG06	AVM
VRS 09FEB09			
M	0070059		
DN 05OCT10			
N	0094570		
SBH 12OCT12			

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.

FED. MFG. CODE 91929
MICRO SWITCH
a Honeywell Division

SWITCH, ENCLOSED

GL SERIES CHART 1

THIRD ANGLE PROJECTION			
			
SCALE	1 : 1		
DO NOT SCALE PRINT			
TOLERANCES			
APPLY TO DESIGN UNITS. CONVERSIONS ARE ONLY FOR REFERENCE. UNLESS NOTED, TOLERANCES ARE :			
DIM mm	TOL mm	DIM in	TOL in
NO PLACES	± 0.04	1.0	0.003
ONE PLACE	0.07, 0.08	1.0	0.005, 0.006
TWO PLACES	0.02, 0.03	1.0	0.002, 0.003
THREE PLACES	0.01, 0.015	1.0	0.001, 0.0015
ANGLES	± 2°		
SI METRIC		US CUSTOMARY	
DESIGN UNITS 			
WEIGHT			

FIGURES 8, 9, 10 SIDE ROTARY HEAD, ANGULAR ACTUATION							
CATALOG LISTING	CONTACT BLOCK DIAGRAM	NOMINAL TRAVELS AND RELATED TERMINALS ■ - CONTACT CLOSED, □ - CONTACT OPEN, ▨ - CONTACT CLOSED DIFFERENTIAL TRAVEL, ** POSITIVE OPENING TO IEC 947-5-1	MAXIMUM OPERATING TORQUE $\frac{N \cdot m}{LB \cdot IN}$	MAXIMUM DISCONNECT TORQUE $\frac{N \cdot m}{LB \cdot IN}$	MAX. OPERATE DEGREE/S	MIN. OPERATE DEGREE/S	MAX. OPERATE FREQUENCY OPS/MIN
GL**01A GL**07A	SNAP - ACTION CONTACTS SINGLE POLE 	 21-22 26° 55**° 85° 13-14 12° DIFFERENTIAL TRAVEL	$\frac{.330}{2.9}$	$\frac{.385}{3.4}$	1290	13	250
GL**03A GL**33A	SLOW ACTING BREAK BEFORE MAKE 	 21-22 26**° 85° 13-14 38°	$\frac{.330}{2.9}$	$\frac{.385}{3.4}$	1290	13	250
GL**04A GL**34A	SLOW ACTING MAKE BEFORE BREAK 	 21-22 38**° 85° 13-14 26°	$\frac{.330}{2.9}$	$\frac{.400}{3.5}$	1290	13	250
GL**05A GL**35A	SLOW ACTING 	 13-14 38° 85° 23-24	$\frac{.330}{2.9}$	$\frac{.385}{3.4}$	1290	13	250
GL**06A GL**36A	SLOW ACTING 	 11-12 26**° 85° 21-22	$\frac{.330}{2.9}$	$\frac{.385}{3.4}$	1290	13	250
GL**20A GL**22A GL**24A GL**32A	SNAP ACTION CONTACTS DOUBLE POLE 	 11-12, 21-22 26° 55**° 85° 13-14, 23-24 12° DIFFERENTIAL TRAVEL	$\frac{.330}{2.9}$	$\frac{.385}{3.4}$	1290	13	250
GL**21A GL**25A GL**28A GL**31A	STEP 1 STEP 2 SNAP ACTION CONTACTS DOUBLE POLE SEQUENTIAL 	 11-12 27 42 13-14 21-22 23-24 8 DIFFERENTIAL TRAVEL 8 DIFFERENTIAL TRAVEL	$\frac{.330}{2.9}$	N/A	1290	13	250

SIDE ROTARY HEAD, CAM ACTUATION PER EN50041, FIGURES 8 AND 9							
CATALOG LISTING	CONTACT BLOCK DIAGRAM	NOMINAL TRAVELS AND RELATED TERMINALS ■ - CONTACT CLOSED, □ - CONTACT OPEN, ▨ - CONTACT CLOSED DIFFERENTIAL TRAVEL, ** POSITIVE OPENING TO IEC 947-5-1 DIMENSIONS IN mm	MAXIMUM OPERATING FORCE $\frac{N}{LB}$	MAXIMUM DISCONNECT FORCE $\frac{N}{LB}$	MAX. OPERATE VEL $\frac{m/s}{in/s}$	MIN. OPERATE VEL $\frac{mm/s}{in/s}$	MAX. OPERATE FREQUENCY OPS/MIN
GL**01A GL**07A	SNAP - ACTION CONTACTS SINGLE POLE 	 21-22 0 20 56** 13-14 12 DIFFERENTIAL TRAVEL	$\frac{9.7}{2.2}$	$\frac{11.4}{2.6}$	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250
GL**03A GL**33A	SLOW ACTING BREAK BEFORE MAKE 	 21-22 0 20** 13-14 32	$\frac{9.7}{2.2}$	$\frac{11.4}{2.6}$	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250
GL**04A GL**34A	SLOW ACTING MAKE BEFORE BREAK 	 21-22 0 32 13-14 20	$\frac{9.7}{2.2}$	$\frac{11.4}{2.6}$	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250
GL**05A GL**35A	SLOW ACTING 	 13-14 0 32° 85° 23-24	$\frac{9.7}{2.2}$	$\frac{11.4}{2.6}$	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250
GL**06A GL**36A	SLOW ACTING 	 11-12 0 20** 21-22	$\frac{9.7}{2.2}$	$\frac{11.4}{2.6}$	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250
GL**20A GL**22A GL**24A GL**32A	SNAP ACTION CONTACTS DOUBLE POLE 	 11-12, 21-22 0 20 56** 13-14, 23-24 12 DIFFERENTIAL TRAVEL	$\frac{9.7}{2.2}$	$\frac{11.8}{2.7}$	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250
GL**21A GL**25A GL**28A GL**31A	STEP 1 STEP 2 SNAP ACTION CONTACTS DOUBLE POLE SEQUENTIAL 	 11-12 0 20 38.5 13-14 21-22 23-24 8.5 DIFFERENTIAL TRAVEL 7 DIFFERENTIAL TRAVEL	$\frac{9.7}{2.2}$	N/A	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250
GL**26J GL**27J GL**29J GL**30J	CCW CW SNAP ACTION CONTACTS DOUBLE POLE CENTER NEUTRAL 	 11-12 0 16 13-14 21-22 23-24 8 DIFFERENTIAL TRAVEL 8 DIFFERENTIAL TRAVEL	$\frac{9.7}{2.2}$	N/A	$\frac{.85}{33.5}$	$\frac{8.5}{.33}$	250




FIGURE 11




FIGURE 12

PTC/CAD		3D		DRAWING NUMBER		PAGE		RELEASE NO.		REPLACES	
				16		6 OF 13		PR-20182			
				ISSUE		CMH		CHECK		CMH	
				REVIS IONS		CMH		CHECK		CMH	
				1		0000401		01		JUN03	
				2		0002986		01		JUN03	
				3		0002986		01		JUN03	
				4		0002986		01		JUN03	
				5		0002986		01		JUN03	
				6		0002986		01		JUN03	
				7		0002986		01		JUN03	
				8		0002986		01		JUN03	
				9		0002986		01		JUN03	
				10		0002986		01		JUN03	
				11		0002986		01		JUN03	
				12		0002986		01		JUN03	
				13		0002986		01		JUN03	
				14		0002986		01		JUN03	
				15		0002986		01		JUN03	
				16		0002986		01		JUN03	
				17		0002986		01		JUN03	
				18		0002986		01		JUN03	
				19		0002986		01		JUN03	
				20		0002986		01		JUN03	
				21		0002986		01		JUN03	
				22		0002986		01		JUN03	
				23		0002986		01		JUN03	
				24		0002986		01		JUN03	
				25		0002986		01		JUN03	
				26		0002986		01		JUN03	
				27		0002986		01		JUN03	
				28		0002986		01		JUN03	
				29		0002986		01		JUN03	
				30		0002986		01		JUN03	
				31		0002986		01		JUN03	
				32		0002986		01		JUN03	
				33		0002986		01		JUN03	
				34		0002986		01		JUN03	
				35		0002986		01		JUN03	
				36		0002986		01		JUN03	
				37		0002986		01		JUN03	
				38		0002986		01		JUN03	
				39		0002986		01		JUN03	
				40		0002986		01		JUN03	
				41		0002986		01		JUN03	
				42		0002986		01		JUN03	
				43		0002986		01		JUN03	
				44		0002986		01		JUN03	
				45		0002986		01		JUN03	
				46		0002986		01		JUN03	
				47		0002986		01		JUN03	
				48		0002986		01		JUN03	
				49		0002986		01		JUN03	
				50		0002986		01		JUN03	
				51		0002986		01		JUN03	
				52		0002986		01		JUN03	
				53		0002986		01		JUN03	
				54		0002986		01		JUN03	
				55		0002986		01		JUN03	
				56		0002986		01		JUN03	
				57		0002986		01		JUN03	
				58		0002986		01		JUN03	
				59		0002986		01		JUN03	
				60		0002986		01		JUN03	
				61		0002986		01		JUN03	
				62		0002986		01		JUN03	
				63		0002986		01		JUN03	
				64		0002986		01		JUN03	
				65		0002986		01		JUN03	
				66		0002986		01		JUN03	
				67		0002986		01		JUN03	
				68		0002986		01		JUN03	
				69		0002986		01		JUN03	
				70		0002986		01		JUN03	
				71		0002986		01		JUN03	
				72		0002986		01		JUN03	
				73		0002986		01		JUN03	
				74		0002986		01		JUN03	
				75		0002986		01		JUN03	
				76		0002986		01		JUN03	
				77		0002986		01		JUN03	
				78		0002986		01		JUN03	
				79		0002986		01		JUN03	
				80		0002986		01		JUN03	
				81		0002986		01		JUN03	
				82		0002986		01		JUN03	
				83		0002986		01		JUN03	
				84		0002986		01		JUN03	
				85		0002986		01		JUN03	
				86		0002986		01		JUN03	
				87		0002986		01		JUN03	
				88		0002986		01		JUN03	
				89		0002986		01		JUN03	
				90		0002986		01		JUN03	
				91		0002986		01		JUN03	
				92		0002986		01		JUN03	
				93		0002986		01		JUN03	
				94		0002986		01		JUN03	
				95		0002986		01		JUN03	
				96		0002986		01		JUN03	
				97		0002986		01		JUN03	
				98		0002986		01		JUN03	
				99		0002986		01		JUN03	
				100		0002986		01		JUN03	
				101		0002986		01		JUN03	
				102		0002986		01		JUN03	
				103		0002986		01		JUN03	
				104		0002986		01		JUN03	
				105		0002986		01		JUN03	
				106		0002986		01		JUN03	
				107		0002986		01		JUN03	
				108		0002986		01		JUN03	
				109		0002986		01		JUN03	
				110		0002986		01		JUN03	
				111		0002986		01		JUN03	
				112		0002986		01		JUN03	
				113		0002986		01		JUN03	
				114		0002986		01		JUN03	
				115		0002986		01		JUN03	
				116		0002986		01		JUN03	
				117		0002986		01		JUN03	
				118		0002986		01		JUN03	
				119		0002986		01		JUN03	
				120		0002986		01		JUN03	
				121		0002986		01		JUN03	
				122		0002986		01		JUN03	
				123		0002986		01		JUN03	
				124		0002986		01		JUN03	
				125		0002986		01		JUN03	
				126		0002986		01		JUN03	
				127		0002986		01		JUN03	
				128		0002986		01		JUN03	
				129		0002986		01		JUN03	
				130		0002986		01		JUN03	
				131		0002986		01		JUN03	
				132		0002986		01		JUN03	
				133		0002986		01		JUN03	
				134		0002986		01		JUN03	
				135		0002986		01		JUN03	
				136		0002986		01		JUN03	
				137		0002986		01		JUN03	
				138		0002986		01		JUN03	
				139		0002986		01		JUN03	
				140		0002986		01		JUN03	
				141		0002986		01		JUN03	
				142		0002986		01		JUN03	
				143		0002986		01		JUN03	
				144		0002986		01		JUN03	
				145		0002986		01		JUN03	
				146		0002986		01		JUN03	
				147		0002986		01		JUN03	
				148		0002986		01		JUN03	
				149		0002986		01		JUN03	
				150		0002986		01		JUN03	
				151		0002986		01		JUN03	
				152		0002986		01		JUN03	
				153		0002986		01		JUN03	
				154		0002986		01		JUN03	
				155		0002986		01		JUN03	
				156		0002986		01		JUN03	
				157		0002986		01		JUN03	
				158		0002986		01		JUN03	
				159		0002986		01		JUN03	
				160		0002986		01		JUN03	
				161		0002986		01		JUN03	
				162		0002986		01		JUN03	
				163		0002986		01		JUN03	
				164		0002986		01		JUN03	
				165		0002986		01		JUN03	
				166		0002986		01		JUN03	
				167		0002986		01		JUN03	
				168		0002986		01		JUN03	
				169		0002986		01		JUN03	
				170		0002986		01		JUN03	
				171		0002986		01		JUN03	
				172		0002986		01		JUN03	
				173		0002986		01		JUN03	
				174		0002986		01		JUN03	
				175		0002986		01		JUN03	
				176		0002986		01		JUN03	
				177		0002986		01		JUN03	
				178		0002986		01		JUN03	
				179		0002986		01		JUN03	
				180		0002986		01		JUN03	
				181		0002986		01		JUN03	
				182		0002986		01		JUN03	
				183		0002986		01		JUN03	
				184		0002986		01		JUN03	
				185		0002986		01		JUN03	
				186		00					




FIGURE 13A




FIGURE 13B

MGL SERIES CHART 1			
DRAWING NUMBER		PAGE	8 OF 13
16		RELEASE NO.	PR-20782
ISSUE	CHECK	CMH	12OCT12
REVISIONS			
A	0005047		
B	01		
C	0007986		
D	0046864		
E	0023759		
F	0741606		
G	0037216		
H	0018808		
I	0043629		
J	0055008		
K	0048605		
L	0071809		
M	0073059		
N	0001110		
O	0094510		
P	0012012		
DRAWN			
PTC/CAD	W.L.S.	20APR83	CHECK
CMH			

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.			
FED. MFG. CODE 91929		CATALOG LISTING	
MICRO SWITCH a Honeywell Division		SWITCH, ENCLOSED	
GL SERIES CHART 1		WEIGHT	
THIRD ANGLE PROJECTION			
SCALE 1:1			
DO NOT SCALE PRINT			
TOLERANCES			
APPLY TO DESIGN UNITS. CONVERSIONS ARE ONLY FOR REFERENCE. UNLESS NOTED, TOLERANCES ARE 1			
NO PLACES	DM	TOL	DM
ONE PLACE	MM	0.04	0.001
TWO PLACES	MM	0.01	0.0005
THREE PLACES	MM	0.001	0.0001
ANGLES	DEG	0.1	0.001
DESIGN UNITS	SI METRIC	US CUSTOMARY	
	X		




FIGURE 14A




FIGURE 14B

DRAWING NUMBER		PAGE		10 OF 13		REPLACES	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16		16		16	
16		16					

FIGURE 14B, TOP ROLLER LEVER HEAD WITH CAM ACTUATION

CATALOG LISTING	CONTACT BLOCK DIAGRAM	NOMINAL TRAVELS AND RELATED TERMINALS ■ - CONTACT CLOSED, □ - CONTACT OPEN, ▨ - CONTACT CLOSED DIFFERENTIAL TRAVEL, ** POSITIVE OPENING TO IEC 947-5-1	MAXIMUM OPERATING FORCE N LB	MAXIMUM DISCONNECT FORCE N LB	MAX OPERATE VEL M/S in/S	MIN OPERATE VEL mm/S in/S	MAX OPERATE FREQUENCY OPS/MIN
GL**01D GL**07D	SNAP - ACTION CONTACTS SINGLE POLE 		5.5 1.2	7.0 1.6	0.29 11.4	2.9 .11	250
GL**03D GL**33D	SLOW ACTING BREAK BEFORE MAKE 		5.5 1.2	7.0 1.6	0.29 11.4	2.9 .11	250
GL**04D GL**34D	SLOW ACTING MAKE BEFORE BREAK 		5.5 1.2	9.6 2.2	0.29 11.4	2.9 .11	250
GL**05D GL**35D	SLOW ACTING 		5.5 1.2	7.0 1.6	0.29 11.4	2.9 .11	250
GL**06D GL**36D	SLOW ACTING 		5.5 1.2	7.0 1.6	0.29 11.4	2.9 .11	250
GL**20D GL**22D GL**24D GL**32D	SNAP ACTION CONTACTS DOUBLE POLE 		5.5 1.2	7.0 1.6	0.29 11.4	2.9 .11	250
GL**21D GL**25D GL**28D GL**31D	STEP 1 STEP 2 SNAP ACTION CONTACTS DOUBLE POLE SEQUENTIAL 		5.5 1.2	N/A	0.29 11.4	2.9 .11	250

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.		
FED. MFG. CODE 91929	SWITCH, ENCLOSED	CATALOG LISTING
MICRO SWITCH a Honeywell Division		GL SERIES CHART

GL SERIES CHART 1


THIRD ANGLE PROJECTION			
			
SCALE _____			
DO NOT SCALE PRINT			
TOLERANCES			
APPLY TO DESIGN UNITS, CONVERSIONS ARE ONLY FOR REFERENCE, UNLESS NOTED, TOLERANCES ARE:			
DIM	TOL	DIM	TOL
mm	mm/16	in	in/64
NO PLACES	0.15/04	0.001	0.001/03
ONE PLACE	0.1/04	0.001	0.001/03
TWO PLACES	0.05/04	0.001	0.001/03
THREE PLACES	0.01/04	0.001	0.001/03
ANGLES	± 2°		
SI METRIC		US CUSTOMARY	
DESIGN UNITS 			

FIGURE 15, CAT WISKER HEAD, ANGULAR ACTUATION							
CATALOG LISTING	CONTACT BLOCK DIAGRAM	NOMINAL TRAVELS AND RELATED TERMINALS ■ - CONTACT CLOSED, □ - CONTACT OPEN, ▨ - CONTACT CLOSED DIFFERENTIAL TRAVEL	MAXIMUM OPERATING TORQUE $\frac{N \cdot m}{LB \cdot IN}$	MAXIMUM DISCONNECT TORQUE $\frac{N \cdot m}{LB \cdot IN}$	MAX OPERATE DEGREE/S	MIN OPERATE VELOCITY DEGREE/S	MAX OPERATE RATE CYCLES/MIN
GL**01K GL**07K	SNAP - ACTION CONTACTS SINGLE POLE 	 18° 8° DIFFERENTIAL TRAVEL	$\frac{0.1}{.9}$	N/A	360	8	100
GL**03K GL**33K	SLOW ACTING BREAK BEFORE MAKE 	 18° 25	$\frac{0.1}{.9}$	N/A	360	8	100
GL**04K GL**34K	SLOW ACTING MAKE BEFORE BREAK 	 25° 18°	$\frac{0.1}{.9}$	N/A	360	8	100
GL**05K GL**35K	SLOW ACTING 	 25°	$\frac{0.1}{.9}$	N/A	360	8	100
GL**06K GL**36K	SLOW ACTING 	 18°	$\frac{0.1}{.9}$	N/A	360	8	100
GL**20K GL**22K GL**24K GL**32K	SNAP ACTION CONTACTS DOUBLE POLE 	 18° 8° DIFFERENTIAL TRAVEL	$\frac{0.1}{.9}$	N/A	360	8	100

FIGURE 15, CAT WISKER HEAD, SIDE ACTUATION AT 100mm							
CATALOG LISTING	CONTACT BLOCK DIAGRAM	NOMINAL TRAVELS AND RELATED TERMINALS ■ - CONTACT CLOSED, □ - CONTACT OPEN, ▨ - CONTACT CLOSED DIFFERENTIAL TRAVEL	MAXIMUM OPERATING FORCE $\frac{N}{LB}$	MAXIMUM DISCONNECT FORCE $\frac{N}{LB}$	MAX OPERATE VEL $\frac{M/S}{IN/S}$	MIN OPERATE VEL $\frac{mm/S}{IN/S}$	MAX OPERATE FREQUENCY OPS/MIN
GL**01K GL**07K	SNAP - ACTION CONTACTS SINGLE POLE 	 26 12 DIFFERENTIAL TRAVEL	$\frac{1.3}{.3}$	N/A	$\frac{.5}{19.7}$	$\frac{11}{.43}$	100
GL**03K GL**33K	SLOW ACTING BREAK BEFORE MAKE 	 26.5 38.1	$\frac{1.3}{0.3}$	N/A	$\frac{.5}{19.7}$	$\frac{11}{.43}$	100
GL**04K GL**34K	SLOW ACTING MAKE BEFORE BREAK 	 26.5 38.1	$\frac{1.3}{0.3}$	N/A	$\frac{.5}{19.7}$	$\frac{11}{.43}$	100
GL**05K GL**35K	SLOW ACTING 	 38.1	$\frac{1.3}{0.3}$	N/A	$\frac{.5}{19.7}$	$\frac{11}{.43}$	100
GL**06K GL**36K	SLOW ACTING 	 26.5	$\frac{1.3}{0.3}$	N/A	$\frac{.5}{19.7}$	$\frac{11}{.43}$	100
GL**20K GL**22K GL**24K GL**32K	SNAP ACTION CONTACTS DOUBLE POLE 	 26 12 DIFFERENTIAL TRAVEL	$\frac{1.3}{0.3}$	N/A	$\frac{.5}{19.7}$	$\frac{11}{.43}$	100

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru