

# D-SUB plug connector - VS-09-PROFIB-SC - 1654549

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



D-SUB complete connector, for PROFIBUS, shell size 1, pin, screw connection, shielded, IP67 degree of protection, gray, with integrated termination resistor



## Key commercial data

Packing unit	1
Minimum order quantity	1
Catalog page	Page 382 (PC-2011)
GTIN	 4 017918 955083
Custom tariff number	85366990
Country of origin	GERMANY

## Technical data

### Mechanical characteristics

Number of positions	9
Shielded	Yes
Insertion/withdrawal cycles	≥ 200
Connection method	Screw connection
Conductor cross section	0.14 mm <sup>2</sup> ... 1.5 mm <sup>2</sup> (solid)
Conductor cross section	0.14 mm <sup>2</sup> ... 1 mm <sup>2</sup> (stranded)
Connection cross section AWG	26 ... 16 (solid)
Connection cross section AWG	26 ... 18 (stranded)
External cable diameter	5 mm ... 9 mm
Cable exit	Angled
Color	gray
Ambient temperature (operation)	-20 °C ... 75 °C

### Material data

Inflammability class according to UL 94	V0
Housing material	PA
Contact carrier material	PBTP
Contact material	Copper alloy

# D-SUB plug connector - VS-09-PROFIB-SC - 1654549

## Technical data

### Material data

Contact surface material	Gold over nickel
Cable seal material	CR/NBR
Degree of protection	IP67

### Electrical characteristics

Rated voltage (III/3)	50 V
Rated surge voltage	0.5 kV
Rated current	1 A

## Classifications

### eclass

eCl@ss 4.0	27140816
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260705
eCl@ss 7.0	27440309

### etim

ETIM 2.0	EC001121
ETIM 3.0	EC001132
ETIM 4.0	EC001132
ETIM 5.0	EC001121

### unspsc

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Accessories

### Accessories

#### Protective covers

D-SUB protective cover - VS-09-SD - 1887086

D-SUB protective cover, shell size 1, IP54 degree of protection, for panel mounting frame and sleeve housing VS-09-...



## D-SUB plug connector - VS-09-PROFIB-SC - 1654549

### Drawings

Dimensioned drawing

D-SUB connector

---

© Phoenix Contact 2012 - all rights reserved  
<http://www.phoenixcontact.com>

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)