


**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP





## **Features:**

- Wide Bandwidth VHF, UHF, 7/800
  - 132-174 MHz
  - 380-570 MHz
  - 700-960 MHz
- Aesthetically pleasing:
  - 1.5mm (0.060 inch) thickness to ceilina.
- VSWR < 2:1
- Optimized to low frequency inbuilding environments.
- Weatherproof IP65 model available

# **Applications:**

- In Building Repeater Systems
  - · Bi-Directional Amplifiers
- Police, Fire, Government critical communication enhancement
- Low-profile ceiling mounting
- Enhanced for In-building:
  - Modest Gain
  - Multi-Floor coverage
  - · Avoid nulls of traditional dipoles.

All dimensions are in mm / inches

Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 LISA Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP

# This document covers all product variants of the following product family

Product	Ingress Protection
PSIBVU78	N.A
PSIBVU78IP	IP65

#### Note:

PSIBVU78IP is same as PSIBVU78 except applying additional epoxy to seal the antenna (PSIBVU78IP) cover to meet the IP65 rated ingress protection requirement.

Both of these 2 antennas have the same antenna performance and form factor.







**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP

### **ELECTRICAL SPECIFICATIONS.**

Frequency 132-174 / 380-570 / 700-960 MHz

Nominal Impedance  $50 \Omega$ 

VSWR 2:1\*

Power Withstand 25 watts

Connector Type N Female

Cable Type Ø 4mm / 0.16"

Cable length 500mm / 19.7"

This antenna cannot be mounted directly on metal surface. Contact *PulseLarsen* at <a href="mailto:antennas.us@pulseelectronics.com">antennas.us@pulseelectronics.com</a> for any needed technical installation supports



<sup>\*</sup>antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame



**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP

### MECHANICAL SPECIFICATIONS.

Color White

Weight: 675 grams

Cable retention: Pull off 30 N

Fixing system 4pcs M6 hex slot bolt & nut

### **ENVIRONMENTAL SPECIFICATIONS**

Operating temperature -40 - 85° C

Storage temperature MIL STD 801G: 24h at

85C and 24h at -40C

Temperature shock MIL STD 810G: Method

503.5, -40 for 1 hr to +85

C for 1 hr @ 15

deg.C/min rate of change;

3 cycles

Humidity MIL STD 810G: 24h at

60C and 95%RH

Vibration MIL STD 810G: 514.6 C-II

Chemical resistance MIL STD 810G

Drop test Top, bottom, side. 3

times/orientation, 40"

Package drop All faces & corners, 40"








**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP

### **MECHANICAL DRAWING**



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz


Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP

# CHARTS - antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame



### Total efficiency, % - 132-174MHz



Issue: 1907






**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8


PART NUMBER: PSIBVU78 / PSIBVU78IP

## CHARTS - antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame

Total efficiency, % - 380-570MHz



Total efficiency, % - 700-960MHz



Issue: 1907

ROHS




**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8


PART NUMBER: PSIBVU78 / PSIBVU78IP

## CHARTS - antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame

### Vertical plane 132-174MHz



### Horizontal plane 132-174MHz






**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8


PART NUMBER: PSIBVU78 / PSIBVU78IP

## CHARTS - antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame

Vertical plane 380-570MHz



### Horizontal plane 380-570MHz






**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8


PART NUMBER: PSIBVU78 / PSIBVU78IP

## CHARTS - antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame

Vertical plane 700-960MHz



### Horizontal plane 700-960MHz



Issue: 1907






**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP



<sup>\*</sup> Spacer to be used in gypsum & concrete installations

Issue: 1907

ROHS



**Description**: In Building Public Safety Antenna 132-174 / 380-570 / 700-960 MHz

Series: V-Thinity V/H/7/8

PART NUMBER: PSIBVU78 / PSIBVU78IP

# **Packaging**

- Each antenna packed in a plastic bag and a single box
- 1 label on each antenna with Part number, Description, Serial number, date code
- 34 single boxes of antennas packed in a master carton.
- 1 label on each carton with Qty, Part number, Date code.



Issue: 1907



OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

#### Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru