







REVISION RECORD		
REV	DESCRIPTION	DRFT



NOTES:

ELECTRICAL CHARACTERISTICS:


1. LOW LEVEL CONTACT RESISTANCE:
INITIAL:40m Ω FOR ALL CONTACT MAX.
AFTER : 10m Ω MAX. CHANGE.
2. DIELECTRIC WITHSTANDING VOLTAGE:
100 VAC FOR 1 MINUTE SEA LEVEL.
3. INSULATION RESISTANCE:
100M Ω MIN.
- 4.CURRENT RATING:
VBUS AND GND CONTACTS RATED AT 1.25A EA.
PARALLELED FOR A TOTAL OF 5A

MECHANICAL CHARACTERISTICS:


1. INSERTION FORCE: 20N MAX
2. EXTRACTION FORCE 1-1000 CYCLES 8N MIN. 20N MAX.
EXTRACTION FORCE 1001-10000 CYCLES 6N MIN. 20N MAX.
3. DURABILITY : 10,000 CYCLES
4. PLATING OF CONTACT:
GOLD FLASH ON CONTACT AREA.
5. OPERATING TEMPERATURE: -55°C TO +85°C

DETACHED LISTS	MM (INCH)		RoHS Compliant		Pulse Electronics		
	TOLERANCES EXCEPT AS NOTED		TITLE USB TYPE - C CONN RECEPTACLE - TOP MOUNT TYPE				
	MM						
	.0 ± 0.25	±					
	.00 ± 0.20	±					
	.000 ± 0.10	±					
ANGLES ± 1°		DFTD : LYNN	DRAWING NO. CE8124-015-01		SIZE A3	REV 0	
 THIRD ANGLE PROJECTION		DATE : 06/23/2015	/PART NO. E8124-015-01				
		SCALE : 1:1	DO NOT SCALE DRAWING		SHEET 1 OF 2		

REVISION RECORD		
REV	DESCRIPTION	DRFT



RECOMMENDED PCB LAYOUT
THICKNESS IS 0.9mm
TOLERANCE ± 0.05



DETAIL A
SCALE 7:1

DETACHED LISTS	MM (INCH)		RoHS Compliant				
	TOLERANCES EXCEPT AS NOTED		TITLE				
	MM		USB TYPE - C CONN				
	.0 ± 0.25	±	RECEPTACLE - TOP MOUNT TYPE				
	.00 ± 0.20	±					
	.000 ± 0.10	±					
ANGLES ± 1°		DFTO :	LYNN	DRAWING NO.	CE8124-015-01	SIZE	REV
		DATE :	06/23/2015	/PART NO.	E8124-015-01	A3	0
THIRD ANGLE PROJECTION		SCALE :	1:1	DO NOT SCALE DRAWING		SHEET	2 OF 2

8

7

6

5

4

3

2

1

H

G

F

E

D

C

B

A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru