

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

E1

REVISED. ECR-12-013026

25MAR13

K.M

E.T



MATERIALS:

HOUSING- PPA RESIN, BLACK, MOLDING COMPOUND.
CONTACTS- PHOSPHOR BRONZE PLATED WITH
MINIMUM THICK (SEE TABLE) GOLD IN CONTACT
AREA AND 3.8μm [.000150] MINIMUM THICK
MATTE TIN ON SOLDER TINES OVER 1.27μm [.000050]
MINIMUM THICK NICKEL UNDERPLATE.

RETENTION LEG- BRASS PLATED WITH 3.8μm [.000150] MINIMUM
TIN-Cu OVER 1.3μm [.000051] MINIMUM
NICKEL UNDERPLATE.



G, J, AND H INDICATE NUMBER OF POSITION
MARKED ON ASSEMBLY. ALSO SEE TABLE.



ALL DIMENSIONS SHOWN ARE MAXIMUM UNLESS
OTHERWISE SPECIFIED.



4. 60 POSITION AS SHOWN.



RETENTION LEGS NOT PRESENT.



TOP OF RETENTION LEG MAY NOT PROTRUDE ABOVE THIS SURFACE.



HOUSING BOW UP TO 0.30 [.012] ALLOWED.



CONNECTOR WILL ACCOMMODATE MATING PRINTED
CIRCUIT BOARD OF 1.6±0.07 [.063±.003] THICKNESS.



9. ALWAYS RoHS/ELV COMPLIANT.



10. WAVE SOLDER CAPABLE TO 265 C PER TE SPEC 109-202, CONDITION B.



REMOVE CONTACT POSITION FROM #11~#17 AND #36~#42.




RECOMMEND CARD EDGE DIM. (PAGE2)







GOLD FLASH OVER
0.762μm [30μ"] MIN. PALLADIUM-NICKEL PLATED.



OBSOLETE



DATE CODE




SEE DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL

SEE NOTE

FINISH

SEE NOTE

DWN

F. YANG

31MAR2009

CHK

S. CHIEN

31MAR2009

APVD

W. KODAMA

31MAR2009

PRODUCT SPEC

108-57876

QUALIFICATION TEST REPORT

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME

RECEPTACLE ASSEMBLY,
VERTICAL, BOARD-TO-BOARD,
CHAMP.050, SERIES I,

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734101

SCALE




SHEET

1 OF 4


REV

E1


LOC	DIST	REVISIONS			
DW		P	LTR	DESCRIPTION	DATE
				SEE SHEET 1.	




VERTICAL RECEPTACLE ASSEMBLY MATED TO VERTICAL PLUG ASSEMBLY



SECTION E-E
SCALE 8:1







VERTICAL RECEPTACLE ASSEMBLY MATED TO VERTICAL PLUG ASSEMBLY



DETAIL D
SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity	
		CHK			
DIMENSIONS:		APVD		NAME RECEPTACLE ASSEMBLY, VERTICAL, BOARD-TO-BOARD, CHAMP.050, SERIES I,	
MM		PRODUCT SPEC			
		—			
		QUALIFICATION TEST REPORT			
		—		SIZE	
MATERIAL		WEIGHT		CAGE CODE	
		—		DRAWING NO	
FINISH		CUSTOMER DRAWING		RESTRICTED TO	
				A300779	
				C=1734101	
				SCALE	
				SHEET	
				2 of 4	
				REV E1	

LOC		DIST		REVISIONS				
DW		P	LTR	DESCRIPTION	DATE	DWN	APVD	
SEE SHEET 1.								



E1	OBSOLETE						5-1734101-3	120
							3-1734101-3	
		4.21	2.89	54	8	432	1-1734101-3	
							5-1734101-2	
							3-1734101-2	
						1-1734101-2		
E1	OBSOLETE						6-1734101-1	100
							3-1734101-1	
		6.84	4.92	54	16	864	1-1734101-1	
							5-1734101-0	
							3-1734101-0	
						1-1734101-0		
E1	OBSOLETE						5-1734101-8	80
							3-1734101-8	
		5.61	4.06	54	16	864	1-1734101-8	
							4-1734101-8	
							6-1734101-8	
						1734101-8		
						4-1734101-7	68	
5.05	3.63	54	16	864	6-1734101-7			
						1734101-7		
						4-1734101-6	60	
4.28	3.11	54	16	864	6-1734101-6			
						1734101-6		
E1	OBSOLETE	4.72	3.42				2-1734101-7	50
							5-1734101-7	
							3-1734101-7	
		5.32	4.02	54	24	1296	1-1734101-7	
							4-1734101-5	
						6-1734101-5	40	
						1734101-5		
4.42	3.37	54	24	1296	4-1734101-4	6-1734101-4		
						1734101-4		
						4-1734101-3	30	
6.25	5.36	54	32	1728	6-1734101-3			
						1734101-3		
		G.W./CARTON (KG)	N.W./CARTON (KG)	PCS/TUBE	TUBES/CARTON	QUANTITY/CARTON (PCS)	PART NUMBER	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN			
DIMENSIONS: MM				CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD			
0 PLC ± -				PRODUCT SPEC			
1 PLC ± -				QUALIFICATION TEST REPORT			
2 PLC ± -				WEIGHT			
3 PLC ± -				CUSTOMER DRAWING			
4 PLC ANGLES ± -				SCALE			
MATERIAL				SHEET			
FINISH				REV			

TE Connectivity			
RECEPTACLE ASSEMBLY, VERTICAL, BOARD-TO-BOARD, CHAMP.050, SERIES I,			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1734101	
3 OF 4		E1	

4


3

2

1

THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
AUG. 2006.
© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
P	LTR	DESCRIPTION			DATE	DWN	APVD		
		SEE SHEET 1.							



E1	OBSOLETE						5-1734101-6	200
							3-1734101-6	
		2.69	1.71	16	10	160	1-1734101-6	
							6-1734101-6	
							3-1734101-5	
E1	OBSOLETE						1-1734101-6	160
		2.37	1.39	16	10	160	5-1734101-4	
							3-1734101-4	
							1-1734101-4	
							4-1734101-9	
		2.48	1.50	32	10	320	6-1734101-9	80
							1734101-9	
		G.W./CARTON (KG)	N.W./CARTON (KG)	PCS/TRAY	TRAYS/CARTON	QUANTITY/CARTON (PCS)	PART NUMBER	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity	
		CHK			
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± -		PRODUCT SPEC	
		1 PLC ± -		QUALIFICATION TEST REPORT	
		2 PLC ± -		WEIGHT	
MATERIAL		FINISH		SIZE	
				A300779	
				DRAWING NO	
				C=1734101	
				RESTRICTED TO	
				SCALE	
				SHEET	
				4 of 4	
				REV E1	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru