


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00		D1	ADD NEW PART	21MAR2013	OL	SZ




1. HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER, COLOR: BLACK, UL 94 V-O RATED
SIGNAL CONTACT: PHOSPHOR BRONZE
SIGNAL OVERMOLD: GLASS FILLED POLYESTER
POWER CONTACT: COPPER ALLOY
BOARD LOCKS: PHOSPHOR BRONZE
2. SIGNAL CONTACT: 0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL
TAIL AREA: 0.0005mm MIN MATTE TIN

POWER CONTACT: 0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR
0.00008mm MIN GOLD OVER 0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN

BOARD LOCKS: 0.00076mm MIN MATTE TIN OVER 0.00127mm MIN NICKEL.
3. CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
4. THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS

5. DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER.
6. PC BOARD THICKNESS 1.4mm MIN, FOR WAVE SOLDER PC BOARD THICKNESS 2.62 MAX
7. SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION
8. SEE CUSTOMER DRAWING 1926720 OR 1926722 FOR MATING CONNECTOR
9. UNPLATED HOLES






2-1926721-5 SHOWN

3.875	5.375	60	30	9	5	77.14	82.74	10P X 30S X 10P	3-1926721-3
3.50	5.00	48	25	7	4	63.39	68.99	8P X 25S X 8P	2-1926721-5
4.125	5.625	36	15	5	2	49.64	55.24	6P X 15S X 6P	1-1926721-6
4.125	5.625	12	15	1	2	27.64	33.24	2P X 15S X 2P	1926721-2
DIM H	DIM G	F PLACES	E PLACES	D SPACES	C SPACES	DIM B	DIM A	DESCRIPTION	PART NUMBER
TYPICAL DIMENSIONS TO BE ESTABLISHED BY CUSTOMER FOR THIS RECEPTACLE ASSEMBLY. DIMENSIONS SHOULD BE CONTACTED FOR THE LATEST REVISION.						DWN P. BRANDBERG 26NOV07	Tyco Electronics Harrisburg, PA 17105-3608		
DIMENSIONS:						CHK N. REESER 26NOV07	NAME RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, POWER/SIGNAL/POWER, WITH BOARD LOCKS, MINIPAK HDL		
mm						APVD N. REESER 26NOV07			
						PRODUCT SPEC			
						108-2325			
TOLERANCES UNLESS OTHERWISE SPECIFIED:						APPLICATION SPEC	SIZE CAGE CODE DRAWING NO A1100779C=1926721		
0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±						114-13215			
FINISH						WEIGHT	RESTRICTED TO		
SEE NOTE 1						-			
SEE NOTE 2						Customer Drawing	SCALE 4:1	SHEET 1 OF 3	REV D1

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00	-	-	SEE SHEET 1	-	-	-

TE PART NUMBER AND DATE CODE



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND REVISION. ANY CHANGES TO THIS DRAWING MUST BE APPROVED BY TYCO ELECTRONICS CORPORATION. ANY CHANGES TO THIS DRAWING MUST BE APPROVED BY TYCO ELECTRONICS CORPORATION. ANY CHANGES TO THIS DRAWING MUST BE APPROVED BY TYCO ELECTRONICS CORPORATION.		DWN P BRANDBERG 26NOV07	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK N REESER 26NOV07	NAME RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, POWER/SIGNAL/POWER, WITH BOARD LOCKS, MINIPAK HDL	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH		APVD N REESER 26NOV07	SIZE A100779C=1926721	
MATERIAL SEE NOTE 1		PRODUCT SPEC 108-2325	RESTRICTED TO -	
SEE NOTE 2		APPLICATION SPEC 114-13215	Customer Drawing	
		WEIGHT -	SCALE 4:1 SHEET 2 OF 3 REV D1	

AMP 4805 REV 31MAR2000

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru