

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -



ALL RIGHTS RESERVED.

LOC
A1


DIST
-

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
C5	ECR-16-004045		24MAR2016	KD	RR
C6	ECR-16-010013		19JUL2016	KD	RR
C7	ECR-16-013486		26SEP2016	KD	RR
C8	ECR-17-005237		11APR2017	IZ	RR



B-B



A-A



2:1

Notes

1 OBSOLETE

2 PRELIMINARY - NOT RELEASED FOR PRODUCTION

3 CONTACT ZONE SELECTIVE
PRE SILVER PLATED MIN 1-1.5 µm

2.5	1	1241826-5	vorversilbert/PRESILVERED	CuFe2	964203-5	C
2.5	1	1241826-4	vorversilbert/PRESILVERED 1-1.5 µm	CuSn4	964203-4	C
2.5	1	1241826-3	vorversilbert/PRESILVERED 3-4.5 µm	CuSN4	964203-3	C
2.5	1	1241826-2	vorverzinnt/PRETINNED	CuSN4	964203-2	C
2.5	1	1241826-1	vorverzinnt/PRETINNED	CuFe2	964203-1	C
A		LP NO	FINISH	MATERIAL	PART NO.	REV

INSUL. RANGE Ø2.2-3.0 mm	WIRE RANGE >1-2.5 mm ²
--------------------------------	---

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±
	1 PLC ±
	2 PLC ± ±0.2
	3 PLC ±
	4 PLC ±
	ANGLES ±°
MATERIAL	FINISH

DWN	ATZMANN	06.01.94
CHK	BARTOSCH	18.01.94
APVD	Bleicher, M.	28.11.07
PRODUCT SPEC	108-18025	
APPLICATION SPEC	114-18037	
WEIGHT	0.82 g	

TE Connectivity		NAME		RESTRICTED TO
		STANDARD POWER TIMER KONTAKT (Gerade Tulpe)		
SIZE	CAGE CODE	DRAWING NO		
A3	00779	©=964203		
Customer Drawing	SCALE	SHEET	OF	REV
	5:1	1	9	C8

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -




ALL RIGHTS RESERVED.

LOC DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

ONLY FOR 3-927833-1 & 3-927833-2
OTHER DIMENSIONS SEE SHEET 1



INSUL. RANGE Ø2.7-3.7 mm	WIRE RANGE >1-2.5 mm ²	2.3±0.15	-	PRETINNED	CuSn4	3-927833-2	A
		2.3±0.15	-	PRETINNED	CuFe2	3-927833-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV

THIS DRAWING IS A CONTROLLED DOCUMENT.



DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±
	1 PLC ±
	2 PLC ±0.2
	3 PLC ±
	4 PLC ±
	ANGLES ±1°
MATERIAL	FINISH
-	-

DWN	ATZMANN	06.01.94
CHK	BARTOSCH	18.01.94
APVD	Bleicher, M.	28.11.07
PRODUCT SPEC	108-18025	
APPLICATION SPEC	114-18037	
WEIGHT	0.82 g	



NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe)			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	964203	-

Customer Drawing	SCALE 5:1	SHEET 2 OF 9	REV C8
------------------	-----------	--------------	--------

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.





LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

ONLY FOR 3-927837-1, 3-927837-2,
3-927837-4 & 3-927837-5

OTHER DIMENSIONS SEE SHEET 1



2:1

INSUL. RANGE Ø2.2-3.0 mm	WIRE RANGE >1-2.5 mm ²
--------------------------------	---

2.3 ± 0.15	-	PRESILVERED	3	CuFe2	3-927837-5	A
2.3 ± 0.15	-	PRESILVERED	3	CuSn4	3-927837-4	A
2.3 ± 0.15	-	PRETINNED		CuSn4	3-927837-2	A
2.3 ± 0.15	-	PRETINNED		CuFe2	3-927837-1	A
A	LP NO	FINISH	MATERIAL	PART NO.	REV	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2 ±1°
MATERIAL	FINISH

DWN	ATZMANN	06.01.94
CHK	BARTOSCH	18.01.94
APVD	Bleicher, M.	28.11.07
PRODUCT SPEC	108-18025	
APPLICATION SPEC	114-18037	
WEIGHT	0.82 g	

		TE Connectivity	
		NAME	
STANDARD POWER TIMER KONTAKT (Gerade Tulpe)		RESTRICTED TO	
SIZE	CAGE CODE	DRAWING NO	
A3	00779	964203	
Customer Drawing	SCALE	SHEET	REV
	5:1	3 OF 9	8

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -





ALL RIGHTS RESERVED.

LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

ONLY FOR 3-927824-1 & 3-927824-2
OTHER DIMENSIONS SEE SHEET 1



2:1

INSUL. RANGE Ø3.3-4.5 mm	WIRE RANGE >2.5-4.0 >mm ²	2.3 ± 0.15	-	PRETINNED	CuSn4	3-927824-2	A
		2.3 ± 0.15	-	PRETINNED	CuFe2	3-927824-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN ATZMANN 06.01.94

CHK BARTOSCH 18.01.94

APVD Bleicher, M. 28.11.07

PRODUCT SPEC 108-18025

APPLICATION SPEC 114-18037

WEIGHT 0.82 g

Customer Drawing



NAME STANDARD POWER TIMER KONTAKT
(Gerade Tulpe)

SIZE A3 CAGE CODE 00779 DRAWING NO C-964203 RESTRICTED TO -

SCALE 5:1 SHEET 4 OF 9 REV C8

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
	ANGLES ±°
MATERIAL -	FINISH -

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

ONLY FOR 3-927829-1 & 3-927829-5,
OTHER DIMENSIONS SEE SHEET 1

Technical drawing showing the main view of the contact assembly. Dimensions include: 6.85 \pm 0.15, 0.25 \pm 0.03, 6.8, 5.2, 4, 0.4 \pm 0.05, 0.6, max 0.5, max 0.08, and 3.3 \pm 0.1. Material callout: X10CrNi188.

Cross-section B-B showing dimensions: 4.6 \pm 0.3 and 4.8 \pm 0.3. A fillet radius of ϕ 2.4 is indicated.

Cross-section A-A showing dimensions: 5.5 \pm 0.3 and 5.7 \pm 0.3. A fillet radius of ϕ 3.3 is indicated.

Isometric view of the contact assembly.

2:1

INSUL. RANGE ϕ 2.7-3.7 mm	WIRE RANGE >2.5-4.0 mm ²	2.3 \pm 0.15	-	PRESILVERED \triangle 3	CuFe2	3-927829-5	A
		2.3 \pm 0.15	-	PRETINNED	CuFe2	3-927829-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN ATZMANN 06.01.94

CHK BARTOSCH 18.01.94

APVD Bleicher, M. 28.11.07

PRODUCT SPEC

108-18025

APPLICATION SPEC

114-18037

WEIGHT = 0.82 g

Customer Drawing

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	\pm	\pm 0.2
1 PLC	\pm	
2 PLC	\pm	
3 PLC	\pm	
4 PLC	\pm	\pm 1°
ANGLES	\pm	
FINISH	-	

MATERIAL

-

FINISH

-

TE Connectivity

NAME
STANDARD POWER TIMER KONTAKT
(Gerade Tulpe)

SIZE CAGE CODE DRAWING NO

A3 00779 C-964203

RESTRICTED TO

-

SCALE 5:1

SHEET 5 OF 9

REV C8

1470-19 (3/11)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -





ALL RIGHTS RESERVED.

LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-


ONLY FOR 3-963709-1
OTHER DIMENSIONS SEE SHEET 1



2:1

INSUL. RANGE Ø4.0-5.2 mm	WIRE RANGE 4.0-6.0 mm ²	2.3±0.15	-	PRETINNED	CuFe2	3-963709-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV

THIS DRAWING IS A CONTROLLED DOCUMENT.



DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±
	1 PLC ±
	2 PLC ± ±0.2
	3 PLC ±
	4 PLC ±
ANGLES	±1°
MATERIAL	FINISH
-	-

DWN	ATZMANN	06.01.94
CHK	BARTOSCH	18.01.94
APVD	Bleicher, M.	28.11.07
PRODUCT SPEC	108-18025	
APPLICATION SPEC	114-18037	
WEIGHT	0.82 g	

TE Connectivity				NAME		RESTRICTED TO
				STANDARD POWER TIMER KONTAKT (Gerade Tulpe)		
SIZE	CAGE CODE	DRAWING NO	-			
A3	00779	964203	-			

Customer Drawing	SCALE	5:1	SHEET	6 OF 9	REV	8
------------------	-------	-----	-------	--------	-----	---

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -





ALL RIGHTS RESERVED.

LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

ONLY FOR 3-964326-1
OTHER DIMENSIONS SEE SHEET 1



2:1

INSUL. RANGE Ø2.2-3.0 mm	WIRE RANGE >1.0-2.5 mm ²
--------------------------------	---

-	PRETINNED	CuFe2	3-964326-1	A
LP NO	FINISH	MATERIAL	PART NO.	REV

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2 ±1°
MATERIAL	FINISH

DWN	ATZMANN	06.01.94
CHK	BARTOSCH	18.01.94
APVD	Bleicher, M.	28.11.07
PRODUCT SPEC	108-18025	
APPLICATION SPEC	114-18037	
WEIGHT	0.82 g	

TE Connectivity		NAME		RESTRICTED TO
		STANDARD POWER TIMER KONTAKT (Gerade Tulpe)		
SIZE	CAGE CODE	DRAWING NO	-	
A3	00779	964203	-	
Customer Drawing	SCALE	SHEET	REV	
	5:1	7 OF 9	8	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -





ALL RIGHTS RESERVED.

LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

ONLY FOR 3-964328-1
OTHER DIMENSIONS SEE SHEET 1



2:1

INSUL. RANGE Ø3.3-4.5 mm	WIRE RANGE >2.5-4.0 mm ²
--------------------------------	---

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2 ±1°
MATERIAL -	FINISH -

-	PRETINNED	CuFe2	3-964328-1	A
LP NO	FINISH	MATERIAL	PART NO.	REV
DWN ATZMANN 06.01.94	CHK BARTOSCH 18.01.94	APVD Bleicher, M. 28.11.07	NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe)	
PRODUCT SPEC 108-18025	APPLICATION SPEC 114-18037	WEIGHT 0.82 g	SIZE A3	CAGE CODE 00779
Customer Drawing			DRAWING NO C=964203	RESTRICTED TO -
SCALE 5:1		SHEET 8 OF 9		REV C8



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -





ALL RIGHTS RESERVED.

LOC DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

ONLY FOR 3-968037-2
OTHER DIMENSIONS SEE SHEET 1



INSUL. RANGE Ø3.4-3.7 mm	WIRE RANGE >2.5-4.0 mm ²
--------------------------------	---

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ±
MATERIAL	FINISH
-	-

-	PRETINNED	CuSn4	3-968037-2	A
LP NO	FINISH	MATERIAL	PART NO.	REV
DWN ATZMANN	06.01.94	TE Connectivity NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe)		
CHK BARTOSCH	18.01.94			
APVD Bleicher, M.	28.11.07			
PRODUCT SPEC 108-18025				
APPLICATION SPEC 114-18037		SIZE A3	CAGE CODE 00779	DRAWING NO C-964203
WEIGHT 0.82 g		RESTRICTED TO		
Customer Drawing	SCALE 5:1	SHEET 9 OF 9	REV C8	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru