


8		7	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	
© COPYRIGHT -		BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.	
PART NUMBER	REV	FIRST USED	CARRIER TYPE
680832-1	C	122500-1	CUT
680832-2	C	565435-5	CUT
680832-3	C	354500-1	CUT
680832-4	C	354500-1	NON-CUT



-1	LEADMAKER	POST FEED	-4	LEADMAKER	POST FEED
-2	BENCH MODEL K	PRE FEED	-	-	-
-3	BENCH MODEL G	PRE FEED	-	-	-


LOC	DIST	REVISONS			
A	66	F	LTR	DESCRIPTION	DATE
		C		ECR-07-008457	4-2007
				MY	GB

D

TERMINAL NAME: 1.5 SYSTEM SEALED CONNECTOR					
SEAL		TERMINAL	CRIMP DATA (NON-AMP TERMINAL-MFR SPEC)		
286814		286813	PAD LTR	CRIMP HEIGHT	WIRE SIZE
			A	.051 ±.002 [1.30 ±0.05mm]	1.25 mm
			B	.049 ±.002 [1.24 ±0.05mm]	1 mm
			C	.045 ±.002 [1.14 ±0.05mm]	0.85 mm
			D	.043 ±.002 [1.09 ±0.05mm]	0.6 mm
			CRIMP	SIZE	TYPE
			WIRE	.080 [2.03mm]	F
			INSUL	.140 [3.56mm]	0
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTION	SET UP GAGE	LAYOUT
.203-.234	NONE	.450	408-8040	458637-1	L2245

- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.
- 6 THIS APPLICATOR APPLIES TERMINAL WITH A SEAL
- 7 APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY #1-23419-5 LOC-TITE TO THREADS.
- 8 CUT TO LENGTH AT ASSY

B






2	2	2	2	-	4-354779-5	PIN, WIRE DISC (.3215)D	129
2	2	2	2	-	4-354779-2	PIN, WIRE DISC (.3200)C	128
2	2	2	2	-	3-354779-2	PIN, WIRE DISC (.3150)B	127
2	2	2	2	-	3-354779-0	PIN, WIRE DISC (.3140)A	126
1	1	1	1	-	986950-1	WASHER, FLAT PRECISION	125
1	1	1	1	-	217238-1	GENERAL INSTRUCTION PACKAGE	124
1	1	1	1	-	4088040	SF APPL INST 408-8040	123
							122
							121
REF	REF	REF	REF	-	1-21030-1	PIN,DOWEL(Ø.187x.50)LEVER	120
REF	REF	REF	REF	-	1-21030-6	PIN,DOWEL(Ø.187x1.25)HOUSING	119
REF	REF	REF	REF	-	21045-3	RING,RET "C"(Ø.187)FD FING PIN	118
1	1	1	1	-	21024-5	WASHER, LOCK(#10)ADJ BLOCK	117
REF	REF	REF	REF	-	21024-5	WASHER,LOCK(#10)ADJ PLATE	116
REF	REF	REF	REF	-	21024-5	WASHER,LOCK(#10)FEED GDE ROD	115
2	2	2	2	-	21024-2	WASHER,LOCK(#4)FRONT STP GUIDE	114
REF	REF	REF	REF	-	5-21028-1	PIN,SLT SPR(Ø.125x.50)ADJ ROD	113
							112
4	4	4	4	-	21024-4	WASHER,LOCK(#8)STRIPPER	111
REF	REF	REF	REF	-	21899-4	WASHER,FLAT(Ø5/16)SCREW ADJ	110
							109
1	1	1	1	-	21018-5	NUT,HEX(NO.6)HOLDDOWN	108
REF	REF	REF	REF	-	21068-5	NUT,HEX(6-32)FEED ADJ	107
							106
							105
							104
1	1	1	1	-	21009-2	SCR,SKT SET(1/4-20x.25 LW)RAM	103
2	2	2	2	-	21017-2	SCR,DRIVE(#2x.19)ID PLATE	102
REF	REF	REF	REF	-	6-23715-5	SCR,PAN HD(6-32x1.50)FEED ADJ	101
1	1	1	1	-	461264-1	PLATE, IDENTIFICATION	100
2	2	2	2	-	5-21006-6	SCR,SET(10-32x.75)DRAG	99
1	1	1	1	-	22733-8	SCR,BHC(8-32x.38 LW)ANVIL	98
REF	REF	REF	REF	-	2-21002-9	SCR,BHC(10-32x.75)CAP	97
REF	REF	REF	REF	-	2-22733-8	SCR,BHC(1/4-20x.62)HOUSING	96
REF	REF	REF	REF	-	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK	95
6	6	6	6	-	2-21002-2	SCR,BHC(8-32x.50)TERM H DWN	94
							93
1	1	1	1	-	1-21003-9	SCR,FHC(6-32x.38)DEP	92
1	1	1	1	-	1-21002-7	SCR,BHC(6-32x.38)CAM	91
							90
							89
							88
2	2	2	2	-	2-21000-7	SCR,SHC(8-32x.48)DEP-HOLD	87
1	1	1	1	-	2-22603-0	SCR,HEX HD(8-32x.31)FEED FINGER	86
2	2	2	2	-	1-21000-3	SCR,SHC(4-40x.25)F ST GUIDE	85
1	1	1	1	-	2-21000-7	SCR,SHC(8-32x.50)STRIPPER	84
REF	REF	REF	REF	-	3-21000-7	SCR,SHC(10-32x.75)FEED ROD GD	83
REF	REF	REF	REF	-	3-21000-6	SCR,SHC(10-32x.62)FD ADJ BLK	82
1	1	1	1	-	3-21000-4	SCR,SHC(10-32x.38)SG ADJ BL	81
REF	REF	REF	REF	-	3-21000-4	SCR,SHC(10-32x.38)PIVOT BLK	80
-	-	REF	-	-	455749-1	GUARD, WINDOW	79
-	REF	-	-	-	679532-1	INSERT, GUARD	78
							77
							76
							75
1	1	1	1	-	690603-1	SPRING, ASSIST	74
1	1	1	1	-	23030-1	SCR,SHC(6-32x.25 SL)INS DISC	73
REF	REF	REF	REF	-	458109-1	WASHER, SPECIAL	72
REF	REF	REF	REF	-	690517-1	SPACER	71
-4	-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO
					PARTS LIST		
					QTY REQD	PER ASSY	

REF	REF	REF	REF	-	22594-8	NUT,HEX(1/2-20)	70
REF	REF	REF	REF	-	240628-1	PLATE, ADJUSTMENT	69
REF	REF	REF	REF	-	240626-1	SHAFT, PIVOT	68
REF	REF	REF	REF	-	240633-1	BUSHING	67
REF	REF	REF	REF	-	455680-1	LEVER, INTERMEDIATE	66
REF	REF	REF	REF	-	240629-1	BLOCK, PIVOT	65
REF	REF	REF	REF	-	240632-2	SCREW, ADJ FEED ROD	64
REF	REF	REF	REF	-	240659-3	PIN, CAM ROLLER	63
REF	REF	REF	REF	-	240658-1	ROLLER, CAM	62
REF	REF	REF	REF	-	454398-2	ROD, FEED	61
REF	REF	REF	REF	-	454178-1	GUIDE, FEED ROD	60
REF	REF	REF	REF	-	454220-1	CAP, RAM	59
REF	REF	REF	REF	-	454485-1	HOUSING	58
							57
1	1	1	1	-	458537-2	PAWL, FEED	56
REF	REF	REF	REF	-	240624-1	PIN, FEED FINGER	55
REF	REF	REF	REF	-	691499-1	SPRING, FEED FINGER	54
REF	REF	REF	REF	-	690541-1	HOLDER, FEED FINGER	53
REF	REF	REF	REF	-	455679-1	LEVER, TERMINAL FEED ARM	52
1	1	1	1	-	811242-2	BUMPER, HOLDDOWN	51
1	1	1	1	-	690753-1	SPACER, TONKER	50
-	1	-	-	-	690602-6	CAM, PRE-FEED 1 5/8 ST	49
-	-	1	-	-	690602-5	CAM, PRE-FEED 1 1/8 ST	48
1	-	-	1	-	690501-4	CAM, POST-FEED 1 5/8 ST	47
1	1	1	1	-	459456-1	APPLICATOR, BASIC (SUBASSY)	46
1	1	1	1	-	690191-1	PLUG, NYLON	45
1	1	1	1	-	455673-1	RAM	44
1	1	1	1	-	690125-1	WASHER, LAMINATED	43
1	1	1	1	-	690124-1	WASHER, RAM	42
1	1	1	1	-	7-21002-9	BOLT, CRIMPER(5/16x1.00)	41
1	1	1	1	-	23241-6	BALL, STEEL	40
1	1	1	1	-	690170-1	SPRING, COMPRESSION	39
1	1	1	1	-	1-690142-0	DISC, INSULATION	38
1	1	1	1	-	354777-1	WIRE DISC, PLASTIC	37
1	1	1	1	-	22480-5	WASHER, SPRING	36
1	1	1	1	-	690212-1	POST, RAM	35
1	1	1	1	-	690786-1	SUPPORT, TERMINAL	34
REF	REF	REF	REF	-	455675-1	PLATE, BASE	33
							32
							31
REF	REF	REF	REF	-	455689-1	BLOCK, STRIP GUIDE ADJ	30
1	1	1	1	-	318756-5	STRIP GUIDE PLATE ASSY	29
1	1	1	1	-	1-455888-9	SPACER, FRONT SHEAR DEP	28
2	2	2	2	-	1-22284-0	SPRING, DRAG	27
1	1	1	1	-	690546-1	LEVER, DRAG RELEASE	26
1	1	1	1	-	217233-1	DRAG, TERMINAL	25
1	1	1	1	-	7-690504-6	GUIDE, STRIP (REAR)	24
1	1	1	1	-	1-690438-1	GUIDE, STRIP (FRONT)	23
1	-	-	1	-	690472-2	STRIPPER	22
REF	REF	REF	REF	-	4-22284-9	SPRING, FEED RETURN	21
							20
-	1	1	-	-	691353-1	STRIPPER	19
							18
							17
1	1	1	1	-	318563-1	GUARD, CHIP, FRONT	16
							15
1	-	-	-	-	679625-2	SHEAR HOLDER (NON-CUT)	14
							13
1	1	1	1	-	3-22280-3	SPRING, SHEAR	12
1	1	1	1	-	690461-2	STOP, SHEAR	11
-	1	1	1	-	1-690459-0	HOLDER, SHEAR (FRONT)	10
1	1	1	1	-	318707-3	SHEAR, FLOAT (FRONT)	9
1	1	1	1	-	3-662186-4	ANVIL	8
							7
							6
1	1	1	1	-	318701-1	DEPRESSOR, SHEAR (FRONT)	5
1	1	1	1	-	1-238011-0	SPACER, BLOCK CRIMPER	4
1	1	1	1	-	5-683454-0	CRIMPER, INSULATION	3
1	1	1	1	-	1-455888-2	SPACER, CRIMPER	2
1	1	1	1	-	2-456405-9	CRIMPER, WIRE	1
-4	-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	B.HIGMAN	19MAY99	tyco <i>Electronics</i>		Tyco Electronics Corporation Harrisburg, PA 17105-3608		
				CHK	B.HIGMAN	19MAY99					
				APVD	T.ELBIN	19MAY99	NAME		SIDE FEED HDM APPLICATOR		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC				—			
		0 PLC ± —		APPLICATION SPEC		SIZE		CAGE CODE		DRAWING NO	
		1 PLC ± .02				A1		00779		C=680832	
		2 PLC ± .02									
		3 PLC ± .02									
4 PLC ± .02		ANGLES ± —		WEIGHT				RESTRICTED TO		—	
MATERIAL		FINISH		—							
—		—									
CUSTOMER DRAWING				SCALE		—		SHEET		1 of 2	
										REV C	

LOC	DIST	REVISIONS					
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		—		SEE SHEET 1	—	—	—



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. HIGMAN	19MAY99	Tyco Electronics Corporation Harrisburg, PA 17105-3608		
		CHK B. HIGMAN	19MAY99			
		APVD T. ELBIN	19MAY99	NAME SIDE FEED HDM APPLICATOR		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
		0. PLC	± .	APPLICATION SPEC		
		1. PLC	± .			
		2. PLC	± .02			
		3. PLC	± .			
		4. PLC	± .			
		ANGLES	± .			
MATERIAL		FINISH	—	WEIGHT	F	RESTRICTED TO
				SIZE	A1	
				CAGE CODE	00779	
				DRAWING NO	680832	
				SCALE	—	
				SHEET	2	
				OF	2	
				REV	C	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru