





PRODUCT NO
SEE TABLE




spec ref	-	dr	M Srinivasan	2013/06/19	projection	MM	size	A3	scale	3:1
tolerance std	ISO 1101	eng	Noorhazelinda	2017/04/10	chr	-	ecn no	ELX-M-26592-1	rel level	Released
surface	linear	appr	Koon-Poh Tay	2017/05/17	product family	SAS	rel level	Released	rev	E
ISO 1302	angular	0°	±2°	Amphenol FCI	12G SAS RECEPTACLE	WIDE BASE HYBRID TYPE ASSY	cat. no.	-	Product - Customer Drw	sheet 1 of 4

PRODUCT NO
SEE TABLE



NOTES:

- MATERIAL:
1)HOUSING: HIGH TEMP TERMOPLASTIC, UL 94V-0
COLOR: BLACK
2)TERMINAL: COPPER ALLOY
3)HOLD DOWN: COPPER ALLOY
- FINISH
1)TERMINAL: 30μ" Au PLATING (CONTACT POINT) OVER
50μ" NICKEL
2)SOLDER TAIL: 75μ" min Sn OVER 50μ" NICKEL
3)HOLD DOWN: 75μ" min Sn OVER 50μ" NICKEL
- PER SFF REV 1.3 EXCEPT 0.8mm PITCH BUMP AREA
- PART WITH PICK-UP CAP, P/N XXXXXXXX-XXXC LF
- THE STD PACKAGING IS IN TRAY
- FOR TAPE & REEL PACKAGING, SUFFIX "-TR" ADDED AFTER
PRODUCT NUMBER (E.G. XXXXXXXX-XXXC-TRLF)
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK
TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED
OR VAPOUR PHASE REFLOW OVEN.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND
OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004
- PART NUMBERS ENDING IN "LF" MEANS FOR NOTE 8 LEAD FREE
IDENTIFICATION
- A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE
WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION
- DATE CODE LOCATION. DATE CODE NO. YYWW (E.G. 14225)
- CORING AT NON FUNCTIONAL AREAS ARE SUBJECT TO CHANGE
WITHOUT NOTICES.



PLATED HOLES (15X)
FHS - 29.5 mils
Pad - 44.5 mils

RECOMMENDED PCB LAYOUT
(WITH ROUND SHAPE PTH FOR CLIP)

spec ref -				dr M Srinivasan		2013/06/19		projection 	MM 	size A3	scale 1:1	
tolerance std ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Noorhazelinda		2017/04/10				ecn no ELX-M-26592-1		
				chr -		-						
appr Koon-Poh Tay				2017/05/17		product family -			rel level Released			
surface  ISO 1302	linear	0.X ± -		Amphenol FCI	title 12G SAS RECEPTACLE WIDE BASE HYBRID TYPE ASSY				dwg no 10120863		rev E	
		0.XX ±.20										
		0.XXX ± -										
	angular	0° ±2°			cat. no. -		Product - Customer Drw					sheet 4 of 4

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru