

G4, Bottom Pin Mount LEDs




Features:

- Designed as an ideal replacement for halogen G4 lamp
- Super bright SMD5050 LEDs as the light source
- Operating voltage range 10 to 30 V
- No mercury
- No UV, IR or other deleterious radiation
- Consumes as low as 1.3 W power
- Rated life up to 40,000 hours

Applications:

- Marine
- Automotive
- Backlighting
- Light source in fixtures

G4, Side Mount Pins, 6 LEDs, SMD5050, Small PCB



Specifications:

Cool White (MCG46BSB30DCW)

Fits Socket	: G4 / GU4
Dimensions	: 23 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 0.9 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 6 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 165 Lumens

Warm White (MCG46BSB30DWW)

Fits Socket	: G4 / GU4
Dimensions	: 23 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 1.2 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 6 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 140 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

G4 Bottom Pin Mount, 10 LEDs, SMD5050



G4, Bottom Pin Mount LEDs



Specifications:

Cool White (MCG410BSB30DCW)


Fits Socket	: G4 / GU4
Dimensions	: 30 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 2.2 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 10 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 165 Lumens

Warm White (MCG410BSB30DWW)

Fits Socket	: G4 / GU4
Dimensions	: 30 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 1.54 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 10 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 140 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

G4, Bottom Pin Mount, 15 LEDs, SMD5050, Large PCB



Dimensions : Millimetres

Specifications:

Cool White (MCG415BSB30DCW)

Fits Socket	: G4
Dimensions	: 44.3 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 3 W
LED Emitting Colour	: Cool white
CCT / Colour	: 6,000 to 7,000 K
LED Type / Quantity	: 15 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 240 Lumens

Warm White (MCG415BSB30DWW)

Fits Socket	: G4
Dimensions	: 44.3 mm (Diameter)
Input Voltage	: 10 to 30 V dc
Power (Watts)	: 3 W
LED Emitting Colour	: Warm white
CCT / Colour	: 2,800 to 3,200 K
LED Type / Quantity	: 15 × SMD
Beam Angle	: 120°
Light Output (Lumens)	: 197 Lumens

This G4 replacement LED lamp works in popular dome G4-based light fixtures. Choose warm white for interiors and cool white for exterior applications

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru