


PART NUMBER

10138940-XX



NOTES:

- EEPROM SHALL BE PARTIAL WRITE ENABLED.
- MATERIAL:
 COVERS : ZINC ALLOY/ COPPER UNDERPLATE/ NICKEL OVERPLATE
 PULL TAB : TEAR RESISTANT PLASTIC
 LATCH RELEASE: ZINC ALLOY/ COPPER UNDERPLATE/ NICKEL OVERPLATE
 DRIVE SCREWS: STAINLESS STEEL
 STRAIN RELIEF BOOT : THERMOPLASTIC
 SPRING : STAINLESS STEEL
 PCB: PRINTED CIRCUIT SUBSTRATE-FR4.
 CONTACT AREA: GOLD:0.03UM MIN,PALLADIUM:0.3UM MIN,NICKEL:5UM MIN OVER COPPER
 DUST COVER : POLY ETHYLENE
 FIBER CABLE: WHEN 0<L<=20m, USE OM2 50/125 LSZH FIBER CABLE(ORANGE COLORED JACKET)
 WHEN 20<L<=100m, USE OM3 50/125 LSZH FIBER CABLE(AQUA COLORED JACKET)
 TOP & BOTTOM BLISTER (NOT SHOWN) : PET
- THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS).DIRECTIVE 2002/95/EC.
- THIS DIMENSION IS A FINISHED PRODUCT LENGTH.
- EACH END OF FIBER CABLE SHOULD MARKED WITH A/B ON SEPARATED LABEL TO DIFFERENTIATE.

PRODUCT NUMBER DESCRIPTION:

10138940 - XX
 LENGTH
 XX= METERS
 EXAMPLE : 0E = 0.5 METERS (DIM "L")
 1E = 1.5 METERS (DIM "L")
 05 = 05 METERS (DIM "L")
 C0 = 100 METERS (DIM "L")

LENGTH TOLERANCE	
<20 M	+5% / 0
>=20 M	+/- 2%

Amphenol FCI

© 2016 AFCI

spec ref	-	dr	Tony Leng	2016/03/03	projection	mm	size	A3	scale	1:1	
tolerance std	ISO 406 ISO 1101	eng	Sun Shine	2016/11/03			ecn no	ELX-N-25266-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-			rel level	Released			
surface	linear	appr	Wei-Zhong Hu	2016/11/03	product family	-	dwg no	10138940		rev	B
	angular							Product - Customer Drw		sheet 1 of 3	
								STRAIGHT BOOT PRODUCT ASSY			
								QSFP+ AOC			
								cat. no.			

WIRING TABLE

CONNECTOR SIDE 1


CONNECTOR SIDE 2

GND(TX)	1
TX2n	2
TX2p	3
GND(TX)	4
TX4n	5
TX4p	6
GND(TX)	7
GND(RX)	13
RX3p	14
RX3n	15
GND(RX)	16
RX1p	17
RX1n	18
GND(RX)	19
GND(RX)	20
RX2n	21
RX2p	22
GND(RX)	23
RX4n	24
RX4p	25
GND(RX)	26
GND(TX)	32
TX3p	33
TX3n	34
GND(TX)	35
TX1p	36
TX1n	37
GND(TX)	38

GND(RX)	20
RX2n	21
RX2p	22
GND(RX)	23
RX4n	24
RX4p	25
GND(RX)	26
GND(TX)	32
TX3p	33
TX3n	34
GND(TX)	35
TX1p	36
TX1n	37
GND(TX)	38
GND(TX)	1
TX2n	2
TX2p	3
GND(TX)	4
TX4n	5
TX4p	6
GND(TX)	7
GND(RX)	13
RX3p	14
RX3n	15
GND(RX)	16
RX1p	17
RX1n	18
GND(RX)	19

LOW SPEED SIGNALS	
SIDE 1 AND SIDE 2	
8	ModSel1
9	Reset1
10	VccRx
11	SCL
12	SDA
27	ModPrs1
28	Int1
29	VccTx
30	Vcc1
31	LPMODE

CABLE END LABEL







PRODUCT LABEL

FCi 10138940-XX
 GNYWW-XXXXX
 Made in China, YYWW
 Class I Laser 21 CFR 1040.10 & 1040.11 CE


SN CODE (DATA MATRIX)
 FCI PN:Tahoma,Bold,Size 4.5
 SN:Tahoma,Bold,Size 4.5
 YY:2016--->16,2017--->17...
 WW:WEEK OF THE YEAR
 A0001~A9999 STANDS FOR SIDE "A"
 B0001~B9999 STANDS FOR SIDE "B"
 FONT:Tahoma,Size 4.0
 FONT:Tahoma,size:4.0

Amphenol
FCi




spec ref	-	dr	Tony Leng	2016/03/03	projection	mm	size	A3	scale	1:1
tolerance std	ISO 406 ISO 1101	eng	Sun Shine	2016/11/03			ecn no	ELX-N-25266-1	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	appr						
surface	linear	0.X	±0.3	Amphenol FCI		STRAIGHT BOOT PRODUCT ASSY		dwg no 10138940	rev B	
		0.XX	±0.10							
		0.XXX	±0.005							
	angular	0°	±2°	cat. no.	-	Product - Customer Drw		sheet 2 of 3		

TRAY LABEL




QSFP+ AOC QTY=1

PN: 10138940-XX




SN: GNYYWW-CXXXX



Made in China

Class I Laser Product
21 CFR 1040.10 & 1040.11
IEC 60825-1:2007



FONT:Tahoma,Size 9
 PRODUCT DESCRIPTION
 Tahoma,Bold,Size 9
 PN:Tahoma,Bold,Size 9

 SN:Tahoma,Bold,Size 9
 YY:2016--->16,2017--->17...
 WW:WEEK OF THE YEAR
 CXXXX:C0001~C9999

MANUFACTURING PLACE
 Tahoma,Size 9

 FONT:Tahoma,SIZE:6

CARTON LABEL



QSFP+ AOC QTY=X

PN: 10138940-XX



Made in China


Class I Laser Product
21 CFR 1040.10 & 1040.11
IEC 60825-1:2007



FONT:Tahoma,Size 9
 PRODUCT DESCRIPTION
 Tahoma,Bold,Size 9
 PN:Tahoma,Bold,Size 9

MANUFACTURING PLACE
 Tahoma,Size 9

 FONT:Tahoma,SIZE:6

spec ref	-	dr	Tony Leng	2016/03/03	projection	mm	size	A3	scale	1:1	
tolerance std	ISO 406 ISO 1101	eng	Sun Shine	2016/11/03		← →	ecn no	ELX-N-25266-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-			rel level	Released			
surface	linear	appr	Wei-Zhong Hu	2016/11/03	product family	-	dwg no	10138940		rev	B
	angular	Amphenol FCI		STRAIGHT BOOT PRODUCT ASSY							
ISO 1302	0.X ±0.3 0.XX ±0.10 0.XXX ±0.005	cat. no.		-	Product - Customer Drw		sheet 3 of 3				

Amphenol FCI

© 2016 AFCI

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru