OBID

i-*scan*® *UHF*

UHF antenna

ID ISC.ANT.U250/250-EU
ID ISC.ANT.U250/250-FCC

The UHF antennas ID ISC.ANT.U250/250-EU/-FCC are circular polarized antennas for operating frequencies in the UHF ranges 865-870 MHz (EU antenna) and 902-928 MHz (FCC antenna).

So the antenna can be used for UHF applications within both released UHF ranges in Europe (865-870 MHz) as well as in North America (902-928 MHz).

Features:

- Best performances in each frequency range by specifically optimized EU- and FCC antenna
- Two antenna cables available (2 m and 6 m)
- Mounting set for easy installation available

FEIG ELECTRONIC

Short description and technical information

Short description

The UHF antennas ID ISC.ANT.U250/250-EU/-FCC are circular polarized antennas for operating frequencies in the UHF ranges 865-870 MHz (EU antenna) and 902-928 MHz (FCC antenna).
So the antennas can be used for applications within both released UHF ranges in Europe (865-870 MHz) as well as in North America (902-928 MHz).

Due to an integrated multiplexer, the long range readers of the OBID i-*scan*®*UHF f*amily can be connected with up to four UHF antennas.

Due to the antennas´ circular polarization, transponders can be identified in two different orientations (E plane / H plane).

Technische Daten

Housing	Plastic
Dimensions (WxHxD)	260 x 260 x 56 mm
Weight	approx. 1050 g
Color	white (similar RAL9018)
Protection class	IP 54
Operating frequency EU antenna FCC antenna	 865 - 870 MHz 902 - 928 MHz
Gain EU antenna FCC antenna	 8,3 dBic @ 866 MHz 8,7 dBic @ 915 MHz
3 dB beam width - E plain - H plain	 65° 65°
Polarization	circular
VSWR	< 1,5 : 1
Antenna connection	SMA socket (50 Ohm)
Temperature range - operation - storage	 -25°C up to 55°C -25°C up to 85°C

Installation

Information about the monting set ID ISC.MS.ANT.U250/250:

Maximum clamping range	30 - 60 mm
Material	Aluminium, steel-galvanizedt
Weight	380 g
Orientation	changeable in three directions

10/05

FEIG ELECTRONIC GmbH
Lange Straße 4, D-35781 Weilburg
Tel.: +49 (0) 6471 / 3109-0, Fax: -99
Internet: http://www.feig.de
e-mail: OBID@feig.de

FEIG ELECTRONIC reserves the right to change specification without notice at any time

ООО «ЛайфЭлектроникс» “LifeElectronics” LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru