











RECEPTACLE

PLUG



UPDATE TITLE BLOCK
EC NO: UCP2007-1498
DRAWN: AELHAG
CHKD: AELHAG
APPR: FSM TH

QUALITY SYMBOLS
=0
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
4 PLACES ± .005
3 PLACES ± .010
2 PLACES ± .014
1 PLACE ± .035
ANGULAR ± 1/2°
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE IN/MM
DRAWN BY KBW
CHECKED BY RW
APPROVED BY RAS
MATERIAL NO.
SIZE C

SCALE 2:1
DESIGN UNITS INCH
TITLE .093/(2.36) HOUSINGS
PLUG & RECEPTACLE 12 CKT
.248/(6.30) CENTERS
MOLEX INCORPORATED
DOCUMENT NO. SD-1991-12*

THIRD ANGLE PROJECTION
SHEET NO. 1 OF 2

13 12 11 10 9 8 7 6 5 4 3 2 1

PLUG			RECEPTACLE		
ORDER NO	ENG NO	PKG. INFORMATION	ORDER NO	ENG NO	PKG. INFORMATION
19-09-2 I2 I	1991-12P	PK-1991-001	19-09-1 I2 I	1991-12R2	PK-1991-001
19-09-2 I22	1991-12P2	PK-1991-002	19-09-1 I22	1991-12R1	PK-1991-002
19-09-7 I2 I	1991-12PBK	PK-1991-001	19-09-6 I2 I	1991-12R2BK	PK-1991-001
-	-		19-09-6 I22	1991-12R1BK	PK-1991-001
-	-		-	-	
-	-		-	-	

LEGEND:

1991-12****

CIRCUIT SIZE

P = PLUG
R = RECEPTACLE

BLANK = WITH PULL TABS
1 = WITHOUT EARS/WITHOUT PULL TABS
2 = WITH STANDARD EARS
3 = WITH PREBENT EARS

COLOR:

BLANK = NATURAL COLOR
AM = AMBER BK = BLACK BU = BLUE
BN = BROWN GY = GRAY GN = GREEN
OR = ORANGE RD = RED YW = YELLOW

DETAIL A
STANDARD MOUNTING EAR
(SCALE 4:1)

DETAIL B
PREBENT MOUNTING EAR
(SCALE 4:1)

DETAIL C
PULL TAB
(SCALE 4:1)

RECOMMENDED PANEL OPENING

HOUSING	DIM. "A"	DIM. "B"	"C" PREBENT EAR	"C" STANDARD EAR
PLUG	1.300/(33.02)	.910/(23.11)	.31/(7.9)	.30/(7.6)
RECEPT.	1.194/(30.33)	.850/(21.60)	.54/(13.7)	.53/(13.5)

NOTES:

- MATERIAL: NYLON TYPE 6/6, 94V-2 PER E.S.-128A-*
- FINISH: N/A
- PRODUCT SPECIFICATION: PS-02-09
- PACKAGING INFORMATION: SEE CHART
- HOUSINGS FOR USE WITH MOLEX STANDARD .093/(2.36) TYPE TERMINALS.
- PARTS CONFORM TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

ADD NOTES 2.4 & 6

EC NO: UCP2007-1498
DRWNAELHAG 2007/04/04
CHKDAELHAG 2007/04/04
APPRFSMTH 2007/04/04

QUALITY SYMBOLS

$\nabla=0$
 $\nabla=0$

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	$\pm .005$	$\pm .0005$
3 PLACES	$\pm .010$	$\pm .001$
2 PLACES	$\pm .025$	$\pm .010$
1 PLACE	$\pm .035$	$\pm .015$

ANGULAR $\pm 1/2^\circ$

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE IN/MM

DRAWN BY: KBW DATE: 1989/04/25
CHECKED BY: RW DATE: 1989/04/25
APPROVED BY: RAS DATE: 1989/04/25

MATERIAL NO. SD-1991-12*

SCALE 2:1

DESIGN UNITS INCH

THIRD ANGLE PROJECTION

MOLEX INCORPORATED

DOCUMENT NO. SD-1991-12*

SHEET NO. 2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru