




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		A2	REVISED PER ECO-11-004917	11MAR11	RK	HMR



CONTACT ARRANGEMENT




FIG 1

- FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7532.
- SWITCH SHOWN IN OPEN POSITION.
- ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLUE.
- STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300 +.010 AT MOUNTING SURFACE. -.000
- ALL MATERIALS AND FINISHES SHALL COMPLY WITH EU DIRECTIVE 2002 /95/EC OF 27JAN2003 (ROHS).
- MATERIAL: HOUSING AND ROCKERS - POLYESTER
CONTACT & SOLDER LEAD - COPPER ALLOY
- FINISH: CONTACT - GOLD OVER NICKEL
SOLDER LEAD - TIN OVER NICKEL
- OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE	FIG 7	FIG 1	.58	5	8-5435668-7
			.58	5	3-5435668-5
			.48	4	3-5435668-4
			.38	3	3-5435668-3
			1.28	12	3-5435668-2
			1.18	11	3-5435668-1
			1.08	10	3-5435668-0
			.98	9	2-5435668-9
			.88	8	2-5435668-8
			.78	7	2-5435668-7
OBSOLETE	FIG 2	FIG 2	.28	2	2-5435668-6
			.68	6	2-5435668-5
			1.08	10	5435668-9
			.88	8	5435668-7
			.68	6	5435668-5
			.58	5	5435668-4
			.48	4	5435668-3
			.28	2	5435668-1
OBSOLETE					
MARKING		SEALING TAPE	A	NO OF POSN	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN BSV	08JAN05	 TE Connectivity			
			CHK —	—				
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD —	NAME SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE			
		0 PLC ± —		PRODUCT SPEC —				
		1 PLC ± —		APPLICATION SPEC —				
		2 PLC ± —						
		3 PLC ± .005		—	SIZE A2	CAGE CODE 00779	DRAWING NO C=5435668	RESTRICTED TO —
		4 PLC ± —						
MATERIAL 		FINISH 		WEIGHT —				
CUSTOMER DRAWING					SCALE 4:1	SHEET 1 of 2	REV A2	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	DWN
			—	SEE SHEET 1	—	—




FIG 2





FIG 7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN BSV		08JAN05		 TE Connectivity	
		CHK —		—			
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD —		NAME	
		0 PLC ± —		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE	
		1 PLC ± —		—			
		2 PLC ± —		APPLICATION SPEC		SIZE	
		3 PLC ± —		—			
		4 PLC ± .005		WEIGHT		CAGE CODE	
		ANGLES ± —		—		DRAWING NO	
MATERIAL		FINISH		A2		RESTRICTED TO	
—		—		00779		—	
CUSTOMER DRAWING						SCALE	
						4:1	
						SHEET	
						2 of 2	
						REV	
						A2	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru