

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
© COPYRIGHT ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-16-009822	13JUL2016	GK	SD

# REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2150622-2

FOR REPLACEMENT PARTS FOR APPLICATOR 680793 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR 680793

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity
DIMENSIONS:		CHK	GOPALAKRISHNA HV		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	STOUGH DALE		NAME
0 PLC ±		PRODUCT SPEC			END FEED HDM APPLICATOR
1 PLC ±		APPLICATION SPEC			
2 PLC ±		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ±		A3		©- 680793	
4 PLC ±		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE	SHEET 1 OF 2
ANGLES ±					REV C1
FINISH					




THIS DRAWING IS A CONTROLLED DOCUMENT.

PART NUMBER	REV	FIRST USED
680793-1	C	122500-1
680793-2	C	565435-5



PAD LTR		CRIMP DATA (AMP TERMINAL)	
A	.155 ±.002 [3.94 ±0.05mm]	10.0mm <sup>2</sup>	
B	.150 ±.002 [3.81 ±0.05mm]	9.0mm <sup>2</sup>	
C	.145 ±.002 [3.68 ±0.05mm]	8.0mm <sup>2</sup>	
D	.140 ±.002 [3.56 ±0.05mm]	7.0mm <sup>2</sup>	
WIRE	SIZE	TYPE	RANGE
.280	[7.11mm]	F	7.0mm <sup>2</sup> - 10.0mm <sup>2</sup>
INSUL	FEED	APPL INSTRUCTION	SET UP GAGE
.310	[7.87mm]	F	4.6-6.6mm
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTION
.281-.312	114-2084	1.500	408-8039
			SET UP GAGE
			458638-1
			LAYOUT
			L2222

REF	QTY	DESCRIPTION	ITEM NO
-1		LEADMAKER & BENCH MODEL G	AIR FEED
-2		BENCH MODEL K	AIR FEED



QTY	REF	PART NO	DESCRIPTION	ITEM NO	
2	2	4-354778-9	PIN, WIRE DISC (.2740)D	129	
2	2	3-354778-9	PIN, WIRE DISC (.2690)C	128	
2	2	2-354778-5	PIN, WIRE DISC (.2620)B	127	
2	2	354778-6	PIN, WIRE DISC (.2525)A	126	
1	1	986950-1	WASHER, FLAT PRECISION	125	
1	1	217238-1	GENERAL INSTRUCTION PACKAGE	124	
1	1	4088039	EF APPL INST 408-8039	123	
				122	
				121	
				120	
				119	
				118	
				117	
				116	
				115	
				114	
2	2	21024-5	WASHER, LOCK(#10)AIR ASSY	113	
				112	
				111	
4	4	21024-4	WASHER, LOCK(NO.8)SHEAR BL	110	
				109	
2	2	21018-4	NUT, HEX(4-40)DRAG	108	
				107	
				106	
2	2	21022-2	NUT, HEX SL(8-32)DRAG STUD	105	
				104	
				103	
2	2	2-21006-6	SCR, SKT SET(4-40x.62)DRAG	102	
1	1	21009-2	SCR, SKT SET(1/4-20x.25)RAM	101	
2	2	21017-2	SCR, DRIVE(#2x.19)ID PLATE	100	
				99	
1	1	461264-1	PLATE, IDENTIFICATION	98	
				97	
				96	
2	2	2-21002-2	SCR, BHC(8-32x.50)STRIPPER	95	
4	4	2-21002-9	SCR, BHC(10-32x.75)CAP	94	
1	1	22733-8	SCR, BHC(8-32x.38 LW)ANVIL	93	
4	4	3-21002-3	SCR, BHC(1/4-20x.50)ST GD PL	92	
3	3	2-22733-8	SCR, BHC(1/4-20x.62)HSG	91	
2	2	1-21000-3	SCR, SHC(4-40x.25)	90	
				89	
				88	
2	2	3-21000-1	SCR, SHC(8-32x1.00)SLUG BLADE	87	
4	4	2-21000-7	SCR, SHC(8-32x.42)STRIP GUIDE	86	
				85	
				84	
				83	
				82	
				81	
2	2	3-21002-0	SCR, BHC(10-32x.88)SHEAR PL	80	
1	1	455750-7	GUARD ASSY	79	
1	1	REF	679532-1	INSERT, GUARD	78
				77	
				76	
				75	
1	1	690603-1	SPRING, ASSIST	74	
1	1	23030-1	SCR, SKT CAP(6-32x.25)CP DSC	73	
				72	
				71	

QTY	REF	PART NO	DESCRIPTION	ITEM NO	
				70	
1	1	692655-5	AIR FEED VALVE ASSY	69	
1	1	461690-3	SPACER, AIR FEED	68	
REF		24042-2	VALVE, SHUT OFF	67	
REF		692655-6	AIR FEED VALVE ASSY	66	
1	1	1-460277-9	AIR FEED ASSY (2 INCH)	65	
2	2	4-21000-3	SCR, SHC (10-32x2.00)AIR ASSY	64	
-	1	980285-2	ELBOW, SWIVEL 1/8 NPT - 1/4 T	63	
-	1	23238-1	QUICK DISCONNECT	62	
-	12.00	IN	27319-4	TUBING, POLY-FLO Ø.25	61
				60	
1	1	454220-1	CAP, RAM	59	
1	1	453736-1	HOUSING	58	
				57	
				56	
				55	
				54	
1	1	460680-1	FEED FINGER ASSY	53	
				52	
				51	
				50	
				49	
-	1	22374-7	VALVE, QUICK EXHAUST	48	
-	1	22304-1	NIPPLE, HEX 1/8 NPT	47	
				46	
1	1	690191-1	PLUG, NYLON	45	
1	1	455674-1	RAM	44	
1	1	690125-1	WASHER, LAMINATED	43	
1	1	1-690124-0	WASHER, RAM	42	
1	1	7-21002-9	BOLT, CRIMPER(5/16-24x1.00)	41	
1	1	23241-6	BALL, STEEL	40	
1	1	690170-1	SPRING, COMPRESSION	39	
1	1	1-690142-0	DISC, INSULATION	38	
1	1	354777-1	WIRE DISC, PLASTIC	37	
1	1	22480-5	WASHER, SPRING	36	
1	1	690212-1	POST, RAM	35	
				34	
				33	
				32	
				31	
				30	
				29	
				28	
1	1	690455-7	STRIPPER	27	
1	1	455676-2	PLATE, BASE	26	
2	2	22354-8	DRAG, STUD	25	
1	1	455678-1	PLATE, STRIP GUIDE	24	
				23	
2	2	4-22281-1	SPRING, DRAG	22	
1	1	1-464452-1	DRAG, SKATE	21	
1	1	464451-1	ARM, DRAG STOCK	20	
1	1	3-458030-3	GUIDE, STRIP (REAR)	19	
1	1	3-458031-3	GUIDE, STRIP (FRONT)	18	
				17	
1	1	1633976-1	TERMINAL RAMP	16	
				15	
1	1	6-240641-8	SPACER, SLUG BLADE	14	
				13	
				12	
1	1	240644-1	PLATE, REAR SHEAR	11	
2	2	2-240645-7	SPACER, SHEAR PLATE	10	
1	1	240642-4	PLATE, FRONT SHEAR	9	
1	1	3-356038-5	ANVIL	8	
1	1	8-240651-1	BLADE, SLUG	7	
				6	
1	1	5-240641-1	SPACER, SLUG BLADE	5	
1	1	238009-1	SPACER, BLOCK CRIMPER	4	
1	1	1-1213077-9	CRIMPER, INSULATION	3	
1	1	1-455888-6	SPACER, CRIMPER	2	
1	1	7-458141-4	CRIMPER, WIRE	1	

- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 SEE DRAWING FOR COMPONENTS
- 5 ITEM 78 USED WITH G TERMINATOR ONLY.

QTY	REF	PART NO	DESCRIPTION	ITEM NO
-3	-2	-1	U/M	

QTY	REF	PART NO	DESCRIPTION	ITEM NO
-2	-1	U/M		

LOC	A
DIST	66

DIMENSIONS: INCHES 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± .0005 1 PLC ± .001 2 PLC ± .002 3 PLC ± .005 4 PLC ± .010 ANGLES: - SURFACE TEXTURE: ✓	DWN: M.HERR CHK: C.ERISMAN APVD: T.ELBIN NAME: END FEED HDM APPLICATOR	MATERIAL: - HEAT TREAT: - 
C ECR-12-018424 P LTR	23OCT2012 DATE	L.Z. S.X. DWN APVD	SCALE: A1 DRAWING NO: 680793 SHEET 1 of 1 REV: C

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)