






ENG. NO. LOCATION  
FOR PARTS W/O MTG. EARS



MOUNTING EAR (2 PL.)  
(PREBENT EAR SHOWN)  
SEE DETAIL 3 OR 4



## PLUG HOUSING

| DIMENSIONS SHOWN (METRIC) INCH                                        |            |              |         |
|-----------------------------------------------------------------------|------------|--------------|---------|
| UNLESS OTHERWISE SPECIFIED<br>TOLERANCES: ANGULAR $\pm$ <u>1/16</u> ° |            |              |         |
|                                                                       | INCH       | METRIC       |         |
| 3 PLACE                                                               | $\pm$ .010 | ---          |         |
| 2 PLACE                                                               | $\pm$ .014 | $\pm$ 0.25   |         |
| 1 PLACE                                                               | ---        | $\pm$ 0.36   |         |
| DRAFT WHERE APPLICABLE MUST<br>REMAIN WITHIN DIMENSIONS               |            |              |         |
| DRWG.<br>BY                                                           | CWC        | CHK'D.<br>BY | RW      |
| APP'D.<br>BY                                                          | RS         | SCALE        | 2" = 1" |

|                                                                         |                                                                                                                          |                           |                 |
|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|
| $\nabla = 0$ $\blacktriangledown = 0$                                   |                                                                                                                          | REVISE ONLY ON CAD SYSTEM |                 |
| TITLE<br>PLUG AND RECEPTACLE<br>HOUSINGS, 4 CIRCUIT<br>.062/(1.57) DIA. |                                                                                                                          |                           |                 |
| moLEX MOLEX INCORPORATED<br>LISLE, ILL. 60532 U.S.A.                    |                                                                                                                          | SHEET NO.<br>1 of 3       | DATE<br>8/27/91 |
| PART NO.<br>SEE CHART                                                   |                                                                                                                          | DRWG. NO.<br>SD-2004-*    |                 |
| FILE NAME<br>H2004C4<br>S04                                             | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO<br>MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                           | DIV.<br>CP      |
|                                                                         |                                                                                                                          |                           | SIZE<br>C       |

|      |           |      |
|------|-----------|------|
| K    | 3         | K    |
| I    | 2         | I    |
| K    | I         | K    |
| MFG. | SH.       | REV. |
| LTR. | REVISIONS |      |

|    |                                                        |
|----|--------------------------------------------------------|
| K  | OBSOLETE P/N<br>UCR2002-0270<br>COMERCI 01/10/1        |
| J2 | X-REMOVE PER<br>ECN U3 0816<br>GWC 5/25/93 RW          |
| J1 | X-RELEASE PER<br>ECN U3 0769<br>GWC 5/18/93 RW         |
| J  | REV. PER ECN<br>ECN U2-1825<br>AFG 92-12-18 RW         |
| I  | REDRAWN & REV'D. ON<br>CAD. ECR UI 1774<br>GWC 8/27/91 |

13 12 11 10 9 8 7 6 2004 4 3 2 1

J

I

H

G

F

E

D

C

B

A

13 12 11 10 9 8 7 6 5 4 3 2 1

PLUG

PART NO. ENG. NO.

03-06-2043 2004-P

03-06-7043 2004-PBK

03-06-2044 2004-P1

03-06-7044 2004-P1BK

PRELIMINARY 2004-P2

03-06-7045 2004-P1RD OBSOLETE

03-06-7046 2004-P1BN OBSOLETE

03-06-7047 2004-P1OR OBSOLETE

RECEPTACLE

PART NO. ENG. NO.

03-06-1043 2004-R

03-06-6043 2004-RBK

03-06-1044 2004-R1

03-06-6044 2004-R1BK OBSOLETE

03-06-1046 2004-R3 OBSOLETE

03-06-1052 2004-R5 OBSOLETE

03-06-6052 2004-R5BK OBSOLETE

PRELIMINARY 2004-R2

03-06-6045 2004-RRD OBSOLETE

03-06-6046 2004-RBN OBSOLETE

03-06-6048 2004-ROR OBSOLETE

LEGEND:

2004-\*\*\*

P = PLUG

R = RECEPTACLE

BLANK = WITH STANDARD EARS

1 = WITHOUT EARS

2 = WITH PREBENT EARS

3 = W/O EARS, W/O DETENTS

5 = W/O EARS, WITH POSITIVE LOCKS

COLOR:

BLANK = NATURAL

AM=AMBER BK=BLACK BU=BLUE

BN=BROWN GY=GRAY GN=GREEN

OR=ORANGE RD=RED YW=YELLOW

NOTE:

THIS DRAWING ENCOMPASSES ALL 2004 SERIES HOUSINGS EXCEPT 2004-R7.

MAX. PANEL THICKNESS .060/(1.52)

"C"

"A"±.005/(0.08)

"B"±.005/(0.08)

NOTES:

1. MATERIAL - NYLON TYPE 6/6, 94V-2

2. THIS PRODUCT COMPLIES WITH MOLEX PRODUCT SPEC 02-06.

3. HOUSINGS FOR USE WITH MOLEX .062/(1.57) DIA. SERIES TERMINALS.

4 CIRCUIT I.D. NUMBERS ON SIDE OF HOUSING APPEAR ON PARTS FROM TOOLS BUILT AFTER 8/26/91.

5 THIS DIMENSION .020/(0.51) LESS ON TOOLS BUILT PRIOR TO 8/26/91.

DETAIL 3

STANDARD MOUNTING EARS

(SCALE 4:1)

DETAIL 4

PREBENT MOUNTING EARS

(SCALE 4:1)

RECOMMENDED HOLE PATTERN

| HOUSING    | DIM. "A"        | DIM. "B"        | PREBENT EAR DIM. "C" | STD. EAR DIM. "C" |
|------------|-----------------|-----------------|----------------------|-------------------|
| PLUG       | .615<br>(15.62) | .465<br>(11.81) | .26<br>(6.6)         | .26<br>(6.6)      |
| RECEPTACLE | .506<br>(12.85) | .400<br>(10.16) | .24<br>(6.1)         | .24<br>(6.1)      |

DIMENSIONS SHOWN (METRIC) INCH

UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± .01°

|         | INCH   | METRIC |
|---------|--------|--------|
| 3 PLACE | ± .010 | ---    |
| 2 PLACE | ± .014 | ± 0.25 |
| 1 PLACE | ---    | ± 0.36 |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY JJS CHK'D. BY RW

APP'D. BY RS SCALE 2 : 1

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE

PLUG AND RECEPTACLE HOUSINGS, 4 CIRCUIT .062/(1.57) DIA.

MOLEX INCORPORATED

FILE NAME H2004C4 S06

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

DIV. CP

SIZE C

2004

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)