




- ① ACCEPTS #3 SELF TAPPING THREAD FORMING SCREWS OR METRIC EQUIVALENT. DRIVE TO 0.6-0.8 N-m.
- ② HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.
- ③ REFER TO PAGE 2 FOR 776280-6 ASSEMBLY DIMENSIONS, RECOMMENDED MOUNTING HOLE AND P.C. BOARD LAYOUT ARE THE SAME FOR ALL DASH NUMBERS.
4. HEADER MATES TO PLUG ASSEMBLY 776286 WHICH USES REELED TERMINALS 770520 AND LOOSE PIECE TERMINALS 770854.
- ⑤ MATERIALS: GASKET - SILICONE
HEADER HOUSING - GLASS FILLED PBT
PINS - TIN OR GOLD PLATED BRASS
- ⑥ DATE CODE TO BE BRANDED IN THIS LOCATION PER TE SPEC 102-60. USE 5 DIGIT CODE: FIRST 2 DIGITS = YEAR, SECOND 2 DIGITS = WEEK, LAST DIGIT = DAY



SECTION B-B






NATURAL	DURAGOLD PLATED	1-776280-2
BLACK	DURAGOLD PLATED	1-776280-1
BLACK	TIN PLATED	③ 776280-6
NATURAL	TIN PLATED	776280-2
BLACK	TIN PLATED	776280-1
② HEADER HOUSING COLOR	PIN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. MARKLEY	29FEB08	 TE Connectivity	
DIMENSIONS:		CHK J. MARKLEY	29FEB08		
mm		APVD J. MARKLEY	29FEB08	NAME	HEADER ASSEMBLY, 8 POSITION, RIGHT ANGLE, AMPSEAL
		PRODUCT SPEC			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		108-1329			
		APPLICATION SPEC			
		114-16016		SIZE	CAGE CODE
				DRAWING NO	RESTRICTED TO
MATERIAL		WEIGHT		A1	100779
FINISH				C	776280
				SCALE	4:1
		CUSTOMER DRAWING		SHEET	1 of 3
				REV	F8

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

- ⚠ ACCEPTS #4-20 SELF TAPPING THREAD FORMING TWIN HELIX PLASTITE SCREW (SINGLE HELIX OPTIMAL)
- ⚠ HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.
- ⚠ 0° 30' MAX DRAFT FROM TOP OF HOLE (1° INCLUDED ANGLE)




ASSEMBLY DIMENSIONS APPLY TO 776280-6 ONLY
(HOLE LAYOUT AND P.C. BOARD LAYOUT SHOWN ON SHEET 1 APPLY TO ALL DASH NUMBERS)


BLACK	TIN PLATED	776280-6
HEADER HOUSING COLOR	PIN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. MARKEY 29FEB08	TE Connectivity	
DIMENSIONS:		CHK J. MARKEY 29FEB08		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. MARKEY 29FEB08	NAME	
0 PLC ±.2	1 PLC ±0.13	PRODUCT SPEC	HEADER ASSEMBLY, 8 POSITION, RIGHT ANGLE, AMPSEAL	
2 PLC ±.13	3 PLC ±.13	APPLICATION SPEC		
4 PLC ±.13	ANGLES ±4°	114-16016	SIZE	CAGE CODE
MATERIAL	FINISH	WEIGHT	100779	776280
-	-	CUSTOMER DRAWING	SCALE	2:1
-	-		SHEET	2 OF 3
-	-		REV	F8

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




RECOMMENDED MOUNTING HOLE LAYOUT
FOR 5.0 MAX THICK PANEL




SECTION A-A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THEN 2.0

SCALE 4:1




SECTION A-A
OPTIONAL CONSTRUCTION IF PANEL
THICKNESS IS GREATER THEN 2.0


SCALE 4:1




SCALE 2:1
ENSURE THE HEADER IS FLUSH
TO THE PANEL FACE ALL AROUND
BEFORE TIGHTENING TO FINAL TORQUE



776280-1, 776280-6 & 1-776280-1
KEY LOCATION
SCALE 2:1



776280-2 & 1-776280-2
KEY LOCATION
SCALE 2:1



RECOMMENDED P.C. BOARD LAYOUT
FOR 1.57 THICK P.C. BOARD

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. MARKEY 29FEB08	TE Connectivity	
DIMENSIONS:		CHK J. MARKEY 29FEB08		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. MARKEY 29FEB08	NAME	
	0 PLC ±.2	PRODUCT SPEC	HEADER ASSEMBLY, 8 POSITION, RIGHT ANGLE, AMPSEAL	
	1 PLC ±0.13	108-1329		
	2 PLC ±.1	APPLICATION SPEC		
	3 PLC ±.1	114-16016	SIZE	CAGE CODE
	4 PLC ±.1	WEIGHT	A100779	C=776280
MATERIAL	FINISH	CUSTOMER DRAWING	SCALE 4:1	SHEET 3 OF 3
			REV F8	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru