


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECO-16-007711	12APR2016	SH	DM



TE INTERNAL PN	DEUTSCH PN
DTMH04-2PA	DTMH04-2PA
DTMH04-2PB	DTMH04-2PB
DTMH04-2PC	DTMH04-2PC
DTMH04-2PD	DTMH04-2PD

CONTACT SIZE	MIN. INSUL. O.D.	MAX. INSUL. O.D.	WIRE RANGE [mm ²] REF ONLY
20	.053 [1.35]	.120 [3.05]	16-20 AWG [1.0-0.2]

6 SEE SHEET 2 FOR OTHER KEY ARRANGEMENTS.

5. RECEPTACLE IS RATED AT 150°C.

4 MATERIAL -
 HOUSING: PA46 10GF (BLACK);
 GROMMET: VMQ(RED-ORANGE)
 INTERFACE SEAL: VMQ(GREEN)
 SEAL RETAINER: PA46 10GF(BLACK)
 TPA: PBT 30GF(SEE SHEET FOR COLOR)

3. THIS RECEPTACLE MATES WITH DTMH06-2SX AND DTM06-2SX PLUG.
 (X = A,B,C,D KEYS).

2 FOR CONTACT AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS SEE ENVELOPE DRAWING 0425-015-0000.

1 TERMINAL POSITION ASSURANCE (TPA) LOCK PRE-MOUNTED: WMH-2PX
 (X = A,B,C,D KEYS)



NOTES: UNLESS OTHERWISE SPECIFIED

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES [mm]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN 07NOV2007 D. MEYER	TE Connectivity											
<table border="1"> <tr><td>0 PLC</td><td>±-</td></tr> <tr><td>1 PLC</td><td>±-</td></tr> <tr><td>2 PLC</td><td>±-</td></tr> <tr><td>3 PLC</td><td>±.025 [0.64]</td></tr> <tr><td>4 PLC</td><td>±-</td></tr> <tr><td>ANGLES</td><td>±-</td></tr> </table>	0 PLC	±-		1 PLC	±-	2 PLC	±-	3 PLC	±.025 [0.64]	4 PLC	±-	ANGLES	±-	FINISH
0 PLC	±-													
1 PLC	±-													
2 PLC	±-													
3 PLC	±.025 [0.64]													
4 PLC	±-													
ANGLES	±-													
MATERIAL		APVD 12MAR2008 D. MEYER	NAME RECEPTACLE 2 PIN CONT. SIZE 20. COLOR BLACK, DTMH SERIES											
		PRODUCT SPEC	SIZE A3											
		APPLICATION SPEC	CAGE CODE -											
		WEIGHT 5.93 g	DRAWING NO. ©-DTMH04-2PX											
		CUSTOMER DRAWING	RESTRICTED TO -											
		SCALE 2:1	SHEET 1 OF 2											
			REV A											



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





DTMH04-2PA

-A- KEY
TPA COLOR: GREY





DTMH04-2PB

-B- KEY
TPA COLOR: BLACK



DTMH04-2PC

-C- KEY
TPA COLOR: GREEN



DTMH04-2PD

-D- KEY
TPA COLOR: BROWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. MEYER 07NOV2007														
DIMENSIONS: INCHES [mm]		CHK I. GRANTCHAROVA 13MAR2008														
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. MEYER 12MAR2008	NAME RECEPTACLE 2 PIN CONT. SIZE 20. COLOR BLACK, DTMH SERIES													
<table border="0"> <tr><td>0 PLC</td><td>±-</td></tr> <tr><td>1 PLC</td><td>±-</td></tr> <tr><td>2 PLC</td><td>±-</td></tr> <tr><td>3 PLC</td><td>±.025 [0.64]</td></tr> <tr><td>4 PLC</td><td>±-</td></tr> <tr><td>ANGLES</td><td>±-</td></tr> </table>		0 PLC	±-	1 PLC	±-	2 PLC	±-	3 PLC	±.025 [0.64]	4 PLC	±-	ANGLES	±-	PRODUCT SPEC -	SIZE A3	CAGE CODE -
0 PLC	±-															
1 PLC	±-															
2 PLC	±-															
3 PLC	±.025 [0.64]															
4 PLC	±-															
ANGLES	±-															
MATERIAL -		FINISH -	APPLICATION SPEC -	DRAWING NO DTMH04-2PX												
		WEIGHT 5.93 g	RESTRICTED TO -													
		CUSTOMER DRAWING	SCALE 2:1	SHEET 2 OF 2												
			REV A													

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru