





PRODUCT NUMBER
63346-XYX
63346-XYXLF




PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-9YY	TELCORDIA CO	-
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 8
-2YYLF	TELECOM CLASS	SEE NOTE 8
-5YYLF	TELCORDIA UE	SEE NOTE 8

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY	www.fciconnect.com	
A	V02642	JWS	10/17/00		0.XX ±0.13				
B	V10908	CGD	02/22/01		.XXX ±.051				
C	V11897	CGD	08/27/01	angles	0° ±2°	MM	scale	METRAL	
D	V21671	TAB	10/21/02	dr	T.BRUNGARD 11/19/99				
E	V05-1131	VS	02/25/06	enrg	M.STRAWSE 11/19/99				
F	V06-0498	DCH	2006-05-30	chr	M.STRAWSE 11/19/99	2:1	A	63346	
				appd	M.STRAWSE 02/29/00				
sheet	revision	F	F	F				cage code	
index	sheet	1	2	3					



PRODUCT NUMBER
63346-XXX
63346-XXYLF



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION


KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.25
P02	7.25	4.25
P03	8.00	4.25
P04	5.00	4.25
P05	5.75	4.25

- NOTES:
- FOR DIM A AND B SEE SHEET 2 AND UP.
 - BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
 - PIN MATERIAL:
PHOSPHOR BRONZE.
 - PLATING ON PRESS-FIT TAIL:
63346-XXX IS SnPb
63346-XXYLF IS Sn (LEAD FREE).
PLATING ON CONTACT AREA CONFORMS
TO PERFORMANCE LEVEL SHOWN IN TABLE.
 - PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
 - ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXP.
 - PRODUCT SPECIFICATION GS-12-180.
APPLICATION SPECIFICATION BUS-20-073.
 - THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF
MEET THE EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
 - FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 63346-XXYLF
 - ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260° FOR
60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR
PHASE REFLOW OVEN.

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ± 0.3	projection	COPY	title	product family	code	sheet
F					0.XX ± 0.13						
				angles	.XXX ± .051		MM	METAL POWER HEADER 1 MOD, 5 ROW STB	METAL	213	2
					0° ± 2°						
				dr	T.BRUNGARD 11/19/99	scale 2:1	A	63346	size A	cage code 22526	4
				enrg	M.STRAWER 11/19/99						
				chr	M.STRAWER 11/19/99						
				appd	M.STRAWER 02/29/00						
sheet index	revision sheet										



1			2			3			4		
METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I	
		I	2			I	2			I	2
63346-X01 SEE NOTE 9 LEAD FREE OPTION	E	P04	P04	63346-X05 SEE NOTE 9 LEAD FREE OPTION	E	P05	P05	63346-X09 SEE NOTE 9 LEAD FREE OPTION	E	P02	P02
	D	P04	P04		D	P05	P05		D	P02	P02
	C	P04	P04		C	P05	P05		C	P02	P02
	B	P04	P04		B	P02	P02		B	P02	P02
	A	P04	P04		A	P05	P05		A	P02	P02
63346-X02 SEE NOTE 9 LEAD FREE OPTION	E	P04	P04	63346-X06 SEE NOTE 9 LEAD FREE OPTION	E	P01	P01	63346-X10 SEE NOTE 9 LEAD FREE OPTION	E	P03	P03
	D	P04	P04		D	P01	P01		D	P03	P03
	C	P04	P04		C	P02	P02		C	P03	P03
	B	P04	P04		B	P03	P03		B	P03	P03
	A	P01	P01		A	P03	P03		A	P03	P03
63346-X03 SEE NOTE 9 LEAD FREE OPTION	E	P05	P05	63346-X07 SEE NOTE 9 LEAD FREE OPTION	E	P01	P01				
	D	P01	P01		D	P01	P01				
	C	P05	P05		C	P01	P01				
	B	P05	P05		B	P03	P03				
	A	P01	P01		A	P01	P01				
63346-X04 SEE NOTE 9 LEAD FREE OPTION	E	P01	P01	63346-X08 SEE NOTE 9 LEAD FREE OPTION	E	P05	P05				
	D	P01	P01		D	P05	P05				
	C	P01	P01		C	P05	P05				
	B	P01	P01		B	P05	P05				
	A	P01	P01		A	P05	P05				

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0. X ±0.3		projection	COPY		title METRAL POWER HEADER 1 MOD, 5 ROW STB			
F					0. XX ±0. 13								
					. XXX ±. 051								
				angles	0° ± 2°								
				dr	T. BRUNGARD	11/19/99		product family		METRAL		code	
				enrg	M. STRAWSER	11/19/99		size	dwg no		213		
				chr	M. STRAWSER	11/19/99		scale	A		63346		
				appd	M. STRAWSER	02/29/00	2:1					sheet 3	
sheet index		revision sheet											

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru