







- ① MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- ② FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- ③ FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- ⑤ FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.
6. KEYING PIN SHOWN IN POSITION A, SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.



LEFT GUDIED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN K. SHOBER 25JAN2011		 TE Connectivity	
DIMENSIONS:		CNC J. EABY 25JAN2011			
mm	TOLERANCES, UNLESS OTHERWISE SPECIFIED:	APPD J. EABY 25JAN2011		NAME	
	0 PLC ±	PRODUCT SPEC		IMPACT, 6 PAIR, 10 COLUMN, HEADER LEFT GUIDED, OPEN END WALL SIGNAL MODULE, 0.39 PTH	
	2 PLC ±0.25	-			
	2 PLC ±0.13	APPLICATION SPEC		SIZE CASE CODE DRAWING NO	
	2 PLC ±	-		A100779C-2007873	
ANGLES	±	WEIGHT		RESTRICTED TO	
MATERIAL	FINISH SEE TABLE	CUSTOMER DRAWING		SCALE 5:1 SHEET 1 OF 2 REV B	

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

	H	5.5	8-2007873-6
	H	4.9	8-2007873-5
	H	4.5	8-2007873-4
	H	5.5	8-2007873-3
	H	4.9	8-2007873-2
	H	4.5	8-2007873-1
	G	5.5	7-2007873-6
	G	4.9	7-2007873-5
	G	4.5	7-2007873-4
	G	5.5	7-2007873-3
	G	4.9	7-2007873-2
	G	4.5	7-2007873-1
	F	5.5	6-2007873-6
	F	4.9	6-2007873-5
	F	4.5	6-2007873-4
	F	5.5	6-2007873-3
	F	4.9	6-2007873-2
	F	4.5	6-2007873-1
	E	5.5	5-2007873-6
	E	4.9	5-2007873-5
	E	4.5	5-2007873-4
	E	5.5	5-2007873-3
	E	4.9	5-2007873-2
	E	4.5	5-2007873-1
	D	5.5	4-2007873-6
	D	4.9	4-2007873-5
	D	4.5	4-2007873-4
	D	5.5	4-2007873-3
	D	4.9	4-2007873-2
	D	4.5	4-2007873-1
	C	5.5	3-2007873-6
	C	4.9	3-2007873-5
	C	4.5	3-2007873-4
	C	5.5	3-2007873-3
	C	4.9	3-2007873-2
	C	4.5	3-2007873-1
	B	5.5	2-2007873-6
	B	4.9	2-2007873-5
	B	4.5	2-2007873-4
	B	5.5	2-2007873-3
	B	4.9	2-2007873-2
	B	4.5	2-2007873-1
	A	5.5	1-2007873-6
	A	4.9	1-2007873-5
	A	4.5	1-2007873-4
	A	5.5	1-2007873-3
	A	4.9	1-2007873-2
	A	4.5	1-2007873-1
	-	5.5	2007873-6
	-	4.9	2007873-5
	-	4.5	2007873-4
	-	5.5	2007873-3
	-	4.9	2007873-2
	-	4.5	2007873-1
FINISH	KEY POSITION	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

KEY POSITION
CHART

NONE

A

E

B

F

C

G

D

H

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 25JAN2011	TE Connectivity		
DIMENSIONS: mm		CHK J. EABY 25JAN2011			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME IMPACT, 6 PAIR, 10 COLUMN, HEADER LEFT GUIDED, OPEN END WALL SIGNAL MODULE, 0.39 PTH	
		9 PLC ±.0		PRODUCT SPEC	
		1 PLC ±0.25		APPLICATION SPEC	
MATERIAL -		4 PLC ±.013		SIZE A100779	
FINISH -		3 PLC ±.		CAGE CODE C=2007873	
SEE TABLE		2 PLC ±.		DRAWING NO -	
		ANGLES -		RESTRICTED TO -	
		WEIGHT -		SCALE 5:1	
		CUSTOMER DRAWING		SHEET 2 OF 2	
				REV B	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru