



D

Amphenol
FCI

© 2016 APCI

D

10069524-

AA B C D E V F F

AA	POSITION
04	2X20
06	2X30
08	2X40
10	2X50
12	2X60
14	2X70
16	2X80
18	2X90
20	2X100

B	FOR PLUG, SEE DWG. NO. 10069525			
COMBINATION OF MATED HEIGHT	Plug 1	Plug 2	Plug 3	Plug 4
Recep 1				
Recep 2				
Recep 3				

NOTES:

- MATERIAL
HOUSING: LCP UL 94V-0
TERMINAL: NICKEL COPPER
- PLATING
AS SHOWN IN TABLE.
- SEE GS-12-547 FOR PRODUCT SPEC.
- SEE GS-14-551 AND GS-14-816 FOR THE DETAILS OF PACKAGING.
PRODUCT WILL BE PACKED IN ACCORDANCE TO GLOBAL PROCEDURE GS-14-920.
- PACKAGING OPTION 2: "NOT ALL SIZES AVAILABLE; CHECK WITH FACTORY".
- THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WITH WITHSTAND EXPOSURE UP TO 260° PEAK TEMPERATURE FOR 30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR REFLOW OVEN.
- PLATING OPTION "4" IS LEADFREE ALTERNATIVE FOR OPTION "0", AND OPTION "6" IS LEADFREE ALTERNATIVE FOR OPTION "1".
- THIS PARTNUMBER ONLY CATER FOR SPECIAL CUSTOMER REQUIREMENT OF COPLANARITY OF 0.1 FOR ALL POSITION.

V	MANDATORY CODE
/	STANDARD
H	FOR HUAWEI





E	PACKAGING
0	TUBE WITHOUT METAL CAP
2	T&R WITH METAL CAP
9	TUBE WITH METAL CAP

D	POLARIZATION PEG	HOLD DOWN
0	YES	NO
2	NO	NO

C	PLATING ON CONTACT AREA	FF
0	GOLD 0.2um MIN / TIN LEAD NICKEL UNDERPLATE OVERALL 1.27um MIN	NONE
1	GOLD FLASH (0.1um MIN) OVER PALLADIUM-NICKEL 0.76um MIN / TIN LEAD NICKEL UNDERPLATE OVERALL 1.27um MIN	NONE
4	GOLD 0.2um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
5	GOLD 0.38um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
6	GOLD FLASH (0.1um MIN) OVER PALLADIUM-NICKEL 0.76um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
9	GOLD 0.2um MIN / GOLD 0.05um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF

mat'l. code				surface		tolerance		projection		product family				
				ISO 1302 ✓		ISO 406 ISO 1101				BERGSTAK HPL545				
ltr	ecn no	dr	date	tolerances unless otherwise specified				specified		title				
A	S06-0286	MCH	08/25/06	angles		.0±.2				RECEPTACLE ASSY BERGSTAK 0.8MM				
B	S06-0316	MCH	09/25/06	linear		.00±.15								
C	S09-0326	MCH	10/21/09	X'±2'		.000±.10		scale 1:1						
D	ELX-N-20407	Jim	03/26/15	dr	M. Cheong	08/25/06				dwg no		sheet 1 of 6	size	
E	ELX-N-28867	Bob	12/22/17	engr	Bob Gu	11/22/18				10069524		A3		
F	ELX-N-31885	Bob	11/22/18	chr	LQ Lei	11/22/18								
				appd	Tim Yao	11/22/18				type		Product	Customer	Drawing
sheet index		revision		E	F									
		sheet		1~6	1~6									


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-041***	2X20	15.2	21.8	20.2
10069524-061***	2X30	23.2	29.8	28.2
10069524-081***	2X40	31.2	37.8	36.2
10069524-101***	2X50	39.2	45.8	44.2
10069524-121***	2X60	47.2	53.8	52.2
10069524-141***	2X70	55.2	61.8	60.2
10069524-161***	2X80	63.2	69.8	68.2
10069524-181***	2X90	71.2	77.8	76.2
10069524-201***	2X100	79.2	85.8	84.2




RECEPTACLE 1

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family BERGSTAK HPL545			
ltr	ecn	no	dr	date	tolerances unless otherwise specified	mm	title RECEPTACLE ASSY BERGSTAK 0.8MM			
F					angles linear	mm				
					X±2'	scale 1:1				
				dr	M. Cheong	08/25/06	dwg no			
				enr	Bob Gu	11/22/18	sheet2 of 6			
				chr	LQ Lei	11/22/18	size			
				appd	Tim Yao	11/22/18	10069524			
								type		
								Product Customer Drawing		
sheet index	revision	F								
	sheet	1~6								


RECEPTACLE 1



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X20, 2X30, 2X40, 2X50, 2X60






RECOMMENDED PCB LAYOUT WITHOUT PEGS



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X70, 2X80, 2X90, 2X100


mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTAK HPL545						
ltr	ecn no	dr	date	tolerances unless otherwise specified			mm 			title RECEPTACLE ASSY BERGSTAK 0.8MM						
F				angles		linear		.0±.2 .00±.15 .000±.10		scale 1:1		dwg no		sheet3 of 6		size
				dr	M. Cheong	08/25/06				10069524		A3				
				engr	Bob Gu	11/22/18				type		Product Customer Drawing				
				chr	LQ Lei	11/22/18										
				appd	Tim Yao	11/22/18										
sheet index		revision		F												
		sheet		1~6												

PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-042***	2X20	15.2	21.8	20.2
10069524-062***	2X30	23.2	29.8	28.2
10069524-082***	2X40	31.2	37.8	36.2
10069524-102***	2X50	39.2	45.8	44.2
10069524-122***	2X60	47.2	53.8	52.2
10069524-142***	2X70	55.2	61.8	60.2
10069524-162***	2X80	63.2	69.8	68.2
10069524-182***	2X90	71.2	77.8	76.2
10069524-202***	2X100	79.2	85.8	84.2



COPLANARITY OF TAIL
0.1 MAX APPLIED TO 2X20 TO 2X100 POS.




DETAIL C
SCALE 8:1



RECEPTACLE 2

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family BERGSTAK HPL545			
ltr	ecn	no	dr	date	tolerances unless otherwise specified	mm	title RECEPTACLE ASSY BERGSTAK 0.8MM			
F					angles linear	mm				
					X±2'	scale 1:1				
				dr	M. Cheong	08/25/06	dwg no			
				engr	Bob Gu	11/22/18	sheet 4 of 6			
				chr	LQ Lei	11/22/18	size			
				appd	Tim Yao	11/22/18	10069524			
sheet index				revision	F		type			
				sheet	1~6		Product Customer Drawing			


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-043***	2X20	15.2	21.8	20.2
10069524-063***	2X30	23.2	29.8	28.2
10069524-083***	2X40	31.2	37.8	36.2
10069524-103***	2X50	39.2	45.8	44.2
10069524-123***	2X60	47.2	53.8	52.2
10069524-143***	2X70	55.2	61.8	60.2
10069524-163***	2X80	63.2	69.8	68.2
10069524-183***	2X90	71.2	77.8	76.2
10069524-203***	2X100	79.2	85.8	84.2




RECEPTACLE 3

mat'l. code				surface		tolerance		projection		product family			
				ISO 1302 ✓		ISO 406 ISO 1101				BERGSTAK HPL545			
ltr				ecn		no		dr		date		title	
F												RECEPTACLE ASSY	
												BERGSTAK 0.8MM	
				angles		linear		mm					
						.0±.2							
						.00±.15							
				X±2°		.000±.10		scale 1:1					
				dr		M. Cheong		08/25/06		dwg no		sheet5 of 6	
				engr		Bob Gu		11/22/18		Amphenol FCI		size	
				chr		LQ Lei		11/22/18		10069524		A3	
				appd		Tim Yao		11/22/18		type		Product Customer Drawing	
sheet				revision		F							
index				sheet		1~6							


RECEPTACLE 2 & 3



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X20, 2X30, 2X40, 2X50, 2X60



RECOMMENDED PCB LAYOUT WITHOUT PEGS AND HOLD DOWN



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X70, 2X80, 2X90, 2X100

mat'l. code				surface	ISO 1302	tolerance	ISO 406	ISO 1101	projection	product family			
litr				ecn no	dr	date	tolerances unless otherwise specified			BERGSTAK HPL545			
F							angles	.0±.2	mm	title			
							linear	.00±.15		RECEPTACLE ASSY			
							X'±2'	.000±.10	scale 1:1	BERGSTAK 0.8MM			
							dr	M. Cheong	08/25/06	dwg no			
							enr	Bob Gu	11/22/18	sheet 6 of 6			
							chr	LQ Lei	11/22/18	size			
							appd	Tim Yao	11/22/18	10069524			
										type			
										Product Customer Drawing			
sheet index	revision	F											
	sheet	1~6											

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru