



D

Amphenol
FCI

© 2016 AFCI

D

10069524-

AA B C D E V F F

AA	POSITION
04	2X20
06	2X30
08	2X40
10	2X50
12	2X60
14	2X70
16	2X80
18	2X90
20	2X100

B	FOR PLUG, SEE DWG. NO. 10069525			
COMBINATION OF MATED HEIGHT	Plug 1	Plug 2	Plug 3	Plug 4
Recep 1				
Recep 2				
Recep 3				

NOTES:

- MATERIAL
HOUSING: LCP UL 94V-0
TERMINAL: NICKEL COPPER
- PLATING
AS SHOWN IN TABLE.
- SEE GS-12-547 FOR PRODUCT SPEC.
- SEE GS-14-551 AND GS-14-816 FOR THE DETAILS OF PACKAGING.
PRODUCT WILL BE PACKED IN ACCORDANCE TO GLOBAL PROCEDURE GS-14-920.
- PACKAGING OPTION 2: "NOT ALL SIZES AVAILABLE; CHECK WITH FACTORY".
- THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WITH WITHSTAND EXPOSURE UP TO 260° PEAK TEMPERATURE FOR 30 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR REFLOW OVEN.
- PLATING OPTION "4" IS LEADFREE ALTERNATIVE FOR OPTION "0", AND OPTION "6" IS LEADFREE ALTERNATIVE FOR OPTION "1".
- THIS PARTNUMBER ONLY CATER FOR SPECIAL CUSTOMER REQUIREMENT OF COPLANARITY OF 0.1 FOR ALL POSITION.

V	MANDATORY CODE
/	STANDARD
H	FOR HUAWEI





E	PACKAGING
0	TUBE WITHOUT METAL CAP
2	T&R WITH METAL CAP
9	TUBE WITH METAL CAP

D	POLARIZATION PEG	HOLD DOWN
0	YES	NO
2	NO	NO

C	PLATING ON CONTACT AREA	FF
0	GOLD 0.2um MIN / TIN LEAD NICKEL UNDERPLATE OVERALL 1.27um MIN	NONE
1	GOLD FLASH (0.1um MIN) OVER PALLADIUM-NICKEL 0.76um MIN / TIN LEAD NICKEL UNDERPLATE OVERALL 1.27um MIN	NONE
4	GOLD 0.2um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
5	GOLD 0.38um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
6	GOLD FLASH (0.1um MIN) OVER PALLADIUM-NICKEL 0.76um MIN / PURE TIN 2um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF
9	GOLD 0.2um MIN / GOLD 0.05um MIN (LEAD FREE) NICKEL UNDERPLATE OVERALL 1.27um MIN	LF

mat'l. code				surface	tolerance	projection	product family	
				ISO 1302	ISO 406	ISO 1101	BERGSTAK HPL545	
ltr	ecn no	dr	date	tolerances unless otherwise specified		angles	title	
A	S06-0286	MCH	08/25/06			.0±.2	RECEPTACLE ASSY	
B	S06-0316	MCH	09/25/06			.00±.15	BERGSTAK 0.8MM	
C	S09-0326	MCH	10/21/09	X'±2'		.000±.10	scale 1:1	
D	ELX-N-20407	Jim	03/26/15	dr	M. Cheong	08/25/06	dwg no	
E	ELX-N-28867	Bob	12/22/17	engr	Bob Gu	11/22/18	sheet 1 of 6	
F	ELX-N-31885	Bob	11/22/18	chr	LQ Lei	11/22/18	size	
				appd	Tim Yao	11/22/18	10069524	
								A3
								type Product Customer Drawing
sheet index	revision	E	F					
	sheet	1~6	1~6					


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-041***	2X20	15.2	21.8	20.2
10069524-061***	2X30	23.2	29.8	28.2
10069524-081***	2X40	31.2	37.8	36.2
10069524-101***	2X50	39.2	45.8	44.2
10069524-121***	2X60	47.2	53.8	52.2
10069524-141***	2X70	55.2	61.8	60.2
10069524-161***	2X80	63.2	69.8	68.2
10069524-181***	2X90	71.2	77.8	76.2
10069524-201***	2X100	79.2	85.8	84.2




RECEPTACLE 1

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family BERGSTAK HPL545			
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title RECEPTACLE ASSY BERGSTAK 0.8MM			
F					angles	linear	mm			
					X $\pm$ 2°		scale 1:1			
				dr	M. Cheong	08/25/06	dwg no			
				enr	Bob Gu	11/22/18	sheet2 of 6			
				chr	LQ Lei	11/22/18	size			
				appd	Tim Yao	11/22/18	10069524			
sheet index				revision	F		type			
				sheet	1~6		Product Customer Drawing			


RECEPTACLE 1



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X20, 2X30, 2X40, 2X50, 2X60






RECOMMENDED PCB LAYOUT WITHOUT PEGS



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X70, 2X80, 2X90, 2X100


mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTAK HPL545			
ltr	ecn no	dr	date	tolerances unless otherwise specified					title RECEPTACLE ASSY BERGSTAK 0.8MM				
F				angles	linear	.0±.2 .00±.15 .000±.10		scale 1:1					
				X*2*									
				dr	M. Cheong	08/25/06				dwg no		sheet3 of 6	size
				engr	Bob Gu	11/22/18				10069524		A3	
				chr	LQ Lei	11/22/18							
				appd	Tim Yao	11/22/18							
sheet index		revision		F									
		sheet		1~6									

PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-042***	2X20	15.2	21.8	20.2
10069524-062***	2X30	23.2	29.8	28.2
10069524-082***	2X40	31.2	37.8	36.2
10069524-102***	2X50	39.2	45.8	44.2
10069524-122***	2X60	47.2	53.8	52.2
10069524-142***	2X70	55.2	61.8	60.2
10069524-162***	2X80	63.2	69.8	68.2
10069524-182***	2X90	71.2	77.8	76.2
10069524-202***	2X100	79.2	85.8	84.2



COPLANARITY OF TAIL
0.1 MAX APPLIED TO 2X20 TO 2X100 PDS.




DETAIL C
SCALE 8:1



RECEPTACLE 2

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family BERGSTAK HPL545			
ltr	ecn no	dr	date	tolerances unless otherwise specified	linear	mm	title RECEPTACLE ASSY BERGSTAK 0.8MM			
F				angles	.0±.2		dwg no 10069524			
				X±2°	.00±.15	scale 1:1				
					.000±.10		sheet 4 of 6			
				dr	M. Cheong	08/25/06	size A3			
				engr	Bob Gu	11/22/18				
				chr	LQ Lei	11/22/18	type Product Customer Drawing			
				appd	Tim Yao	11/22/18				
sheet index	revision sheet	F 1~6								


PRODUCT NO.	NUMBER OF POSITIONS	DIMENSION		
		A	B	C
10069524-043***	2X20	15.2	21.8	20.2
10069524-063***	2X30	23.2	29.8	28.2
10069524-083***	2X40	31.2	37.8	36.2
10069524-103***	2X50	39.2	45.8	44.2
10069524-123***	2X60	47.2	53.8	52.2
10069524-143***	2X70	55.2	61.8	60.2
10069524-163***	2X80	63.2	69.8	68.2
10069524-183***	2X90	71.2	77.8	76.2
10069524-203***	2X100	79.2	85.8	84.2




RECEPTACLE 3

mat'l. code					surface		tolerance		projection		product family						
					ISO 1302		ISO 406 ISO 1101				BERGSTAK HPL545						
ltr		ecn no		dr		date		tolerances unless otherwise specified			title						
F								angles			RECEPTACLE ASSY						
								linear			BERGSTAK 0.8MM						
								.0±.2			mm						
								.00±.15			scale 1:1						
								X'±2'									
								.000±.10									
						dr		M. Cheong		08/25/06		dwg no		sheet5 of 6		size	
						engr		Bob Gu		11/22/18		Amphenol FCI		10069524		A3	
						chr		LQ Lei		11/22/18							
						appd		Tim Yao		11/22/18				type Product Customer Drawing			
sheet index		revision		F													
		sheet		1~6													


RECEPTACLE 2 & 3



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X20, 2X30, 2X40, 2X50, 2X60



RECOMMENDED PCB LAYOUT WITHOUT PEGS AND HOLDDOWN



RECOMMENDED PCB LAYOUT WITH PEGS
FOR NO. OF POSITION 2X70, 2X80, 2X90, 2X100

mat'l. code				surface	ISO 1302	tolerance	ISO 406	ISO 1101	projection	product family
ltr				ecn no	dr	date	tolerances unless otherwise specified			BERGSTAK HPL545
F							angles	linear	mm	title
							X±2°		scale 1:1	RECEPTACLE ASSY
										BERGSTAK 0.8MM
							dr	M. Cheong	08/25/06	dwg no
							enr	Bob Gu	11/22/18	sheet 6 of 6
							chr	LQ Lei	11/22/18	size
							appd	Tim Yao	11/22/18	A3
sheet index				revision	F					type
				sheet	1~6					Product Customer Drawing

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru