

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

©

COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

HB

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

D

CHANGE LOGO, VENT HOLE; ADD LINE IDENTIFIER, CQC, PLATING THICKNESS ECO-12-005725

21-AUG-12

D.L

BH.Y

NOTES:

1.-SS-:PLASTIC SEALD TYPE

2.LOT NO. SYSTEM AS FOLLOWING:

0701

WEEK





YEAR

3.GENERAL TOLERANCE AS FOLLOWING:

TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3


④③

4.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.
FOR THE TIN-PLATING OF THE PINS:
+0.1mm FOR WIDTH,THICKNESS AND DIAMETER.
+0.5mm FOR LENGTH.



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH

DWN

H.SASAKI

CHK

Y.OIKAWA

APVD

A.NAGAI

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

OMI CUSTOMER DRAWING

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1721089

SCALE

4:1

SHEET

1 of 2

REV

D

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

HB

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

6-1440000-5	OMI-SS-148LM	48V	OMI-SS-148LM	○1
6-1440000-1	OMI-SS-124LM	24V	OMI-SS-124LM	○1
5-1440000-9	OMI-SS-124DM	24V	OMI-SS-124DM	○1
5-1440000-7	OMI-SS-112LM	12V	OMI-SS-112LM	○1
5-1440000-5	OMI-SS-112DM	12V	OMI-SS-112DM	○1
5-1440000-2	OMI-SS-106LM	6V	OMI-SS-106LM	○1
4-1440000-9	OMI-SS-105LM	5V	OMI-SS-105LM	○1
4-1440000-7	OMI-SS-105DM	5V	OMI-SS-105DM	○1
1721089-1	OMI-SS-103LM	3V	OMI-SS-103LM	
TE PART NO	DESCRIPTION	PART B	PART A	

RELAY TYPE

CONNECTION DIAGRAM
(BOTTOM VIEW)

DRILLING DIAGRAM(2/1)
(BOTTOM VIEW)

2-Ø1.2HOLE

2-Ø1.5HOLE

7.6 ± 0.1

20 ± 0.1

3.5 ± 0.1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -

ANGLES ± -

FINISH

DWN
H.SASAKI

CHK
Y.OIKAWA

APVD
A.NAGAI

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-1721089

RESTRICTED TO

SCALE
4:1

SHEET
2 of 2

REV
D

EPOXY RESIN

RESIN

15

UL94 V-0

PBT

CASE

14

CLASS E

UEW

MAGNETIC WIRE

13

UL94 V-0

PET

BASE

12

UL94 V-0

PBT

BOBBIN

11

SOLDER DIP

CP WIRE

COIL TERMINAL

10

UL94 V-0

PPS

CARD

9

Ag ALLOY

MOVABLE CONTACT

8

Ag ALLOY

STATIONARY CONTACT

7

Cu ALLOY

HINGE SPRING

6

SOLDER DIP

Cu ALLOY

STATIONARY TERMINAL

5

SOLDER DIP

Cu ALLOY

MOVABLE SPRING

4

STEEL

CORE

3

STEEL

ARMATURE

2

STEEL

YOKE

1

INCOMBUSTIBILITY

TREATMENT

MATERIAL

DESCRIPTION

ITEM

1470-19 (3/11)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru