







LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			A	RELEASED PER ECO-10-025263	10FEB2011	CJV	JTL	



- 1 MATERIAL:
CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY
GASKET RETENTION PLATE: STAINLESS STEEL
EMI GASKET: PLATED FILLED SILICONE
HEATSINK: ALUMINUM
HEATSINK CLIP: STAINLESS STEEL
- 2 FINISH:
HEATSINK: ELECTROLESS NICKEL FOR 2057085-1 THRU -3
HEATSINK: HARD COAT ANODIZED FOR 2057085-4
HEATSINK CLIP: PASSIVATE
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- 4 PADS AND VIAS CHASSIS GROUND.
- 5 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 6 MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.45
- 7 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 8 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 9 DIMENSIONS APPLIES PRIOR TO INSERTION OF SFP MODULE.
- 10 HEATSINK CLIP AND HEATSINK SHIPPED UNASSEMBLED TO CAGE ASSEMBLY, CAGE ASSEMBLY TO BE PRESSED INTO THE PCB PRIOR TO ATTACHING THE HEATSINK CLIP AND HEATSINK TO THE CAGE ASSEMBLY.
- 11 HEATSINK REFERENCE PART NUMBERS:
1829903-2 = 4.2mm HIGH - PCI.
1829904-2 = 6.5mm HIGH - SAN
1829905-2 = 13.5mm HIGH - NETWORKING, ELECTROLESS NICKEL
1829905-4 = 13.5mm HIGH - NETWORKING, HARD COAT ANODIZED
1963832-2 = 3.2mm HIGH - BLADE



HEATSINK CLIP
2057118-1




APPROXIMATE LOCATION
OF DATE CODE LABEL




PCI	13.5	2057085-5
NETWORKING, HARD COAT ANODIZED	22.8	2057085-4
NETWORKING, ELECTROLESS NICKEL	22.8	2057085-3
SAN	15.8	2057085-2
BLADE	12.5	2057085-1
APPLICATION	X	PART NUMBER

DWN Z.M. REAM 22APR2008		Tyco Electronics Harrisburg, PA 17105-3608	
CHK M.R. SCHMITT 22APR2008		NAME SFP+ EHANCED CAGE ASSEMBLY PRESS FIT, EMI GASKET, W/ HEAT SINK	
APVD R.H. WEBTZ 22APR2008		PRODUCT SPEC -	
APPLICATION SPEC 114-13120		SIZE A100779C=2057085	
WEIGHT -		RESTRICTED TO -	
CUSTOMER DRAWING		SCALE 6:1	
		SHEET 1 OF 2	
		REV A	


LOC		DIST		REVISIONS			
GP		00		DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1	-	-	-



RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS Δ
SCALE 9:1



DETAIL J
RECOMMENDED PT CONNECTOR LAYOUT
SCALE 12:1



DETAIL K
SCALE 18:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO THE TERMS AND CONDITIONS OF THE ORGANIZATION'S POLICY ON CONTROLLED DOCUMENTS. ANY REVISIONS TO THIS DRAWING SHOULD BE CONTACTED FOR THE LATEST REVISION.				DWN Z. M. REAM 22APR2008	Tyco Electronics Harrisburg, PA 17105-3608						
CHK M. R. SCHMITT 22APR2008				APVD B. H. WEBER 22APR2008	NAME SFP+ ENHANCED CAGE ASSEMBLY PRESS FIT, EMI GASKET, W/ HEAT SINK						
DIMENSIONS: mm				PRODUCT SPEC							
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.05 4 PLC ± 0.05 ANGLES ± 0.05				APPLICATION SPEC							
				114-13120							
MATERIAL -				SIZE A 00779							
FINISH -				DRAWING NO C-2057085							
CUSTOMER DRAWING				RESTRICTED TO -							
				SCALE 6:1							
				SHEET 2 OF 2							
				REV A							

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru