






- ① MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- ② FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- ③ FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- ⑤ FOR GROUNDED GUIDE PIN USE $\varnothing 3.56 \pm 0.08$ PTH,
 $\varnothing 3.66$ DRILL, AND $\varnothing 6.5$ PAD.
6. KEYING PIN SHOWN IN POSITION A, SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.



RIGHT GUIDED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN <u>R. SHOBER</u> 22DEC11 CHG <u>J. EABY</u> 22DEC11 APVD <u>J. EABY</u> 22DEC11		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$. 1 PLC $\pm$.05 2 PLC $\pm$.013 3 PLC $\pm$. 4 PLC $\pm$. ANGLES $\pm$.		NAME <u>IMPACT, 3 PAIR, 10 COLUMN, HEADER RIGHT GUIDED, OPEN END WALL SIGNAL MODULE, 0.39 PTH</u>	
MATERIAL 		FINISH  SEE TABLE		SIZE <u>A100779</u> CAGE CODE <u>C=2007781</u> DRAWING NO. <u>-</u> RESTRICTED TO <u>-</u>	
WEIGHT <u>-</u>		CUSTOMER DRAWING		SCALE <u>6:1</u> SHEET <u>1</u> OF <u>2</u> REV <u>C</u>	

LOC		DIST		REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD		
		-		SEE SHEET 1	-	-	-		

	H	5.5	8-2007781-6
	H	4.9	8-2007781-5
	H	4.5	8-2007781-4
	H	5.5	8-2007781-3
	H	4.9	8-2007781-2
	H	4.5	8-2007781-1
	G	5.5	7-2007781-6
	G	4.9	7-2007781-5
	G	4.5	7-2007781-4
	G	5.5	7-2007781-3
	G	4.9	7-2007781-2
	G	4.5	7-2007781-1
	F	5.5	6-2007781-6
	F	4.9	6-2007781-5
	F	4.5	6-2007781-4
	F	5.5	6-2007781-3
	F	4.9	6-2007781-2
	F	4.5	6-2007781-1
	E	5.5	5-2007781-6
	E	4.9	5-2007781-5
	E	4.5	5-2007781-4
	E	5.5	5-2007781-3
	E	4.9	5-2007781-2
	E	4.5	5-2007781-1
	D	5.5	4-2007781-6
	D	4.9	4-2007781-5
	D	4.5	4-2007781-4
	D	5.5	4-2007781-3
	D	4.9	4-2007781-2
	D	4.5	4-2007781-1
	C	5.5	3-2007781-6
	C	4.9	3-2007781-5
	C	4.5	3-2007781-4
	C	5.5	3-2007781-3
	C	4.9	3-2007781-2
	C	4.5	3-2007781-1
	B	5.5	2-2007781-6
	B	4.9	2-2007781-5
	B	4.5	2-2007781-4
	B	5.5	2-2007781-3
	B	4.9	2-2007781-2
	B	4.5	2-2007781-1
	A	5.5	1-2007781-6
	A	4.9	1-2007781-5
	A	4.5	1-2007781-4
	A	5.5	1-2007781-3
	A	4.9	1-2007781-2
	A	4.5	1-2007781-1
	-	5.5	2007781-6
	-	4.9	2007781-5
	-	4.5	2007781-4
	-	5.5	2007781-3
	-	4.9	2007781-2
	-	4.5	2007781-1
FINISH	KEY POSITION	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

KEY POSITION
CHART

NONE

A

E

B

F

C

G

D

H

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER	22DEC11	 TE Connectivity		
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.1 3 PLC ±0.25 5 PLC ±0.13 4 PLC ±.1 ANGLES ±.1 FINISH SEE TABLE	CHK J. EABY	22DEC11	NAME IMPACT, 3 PAIR, 10 COLUMN, HEADER RIGHT GUIDED, OPEN END WALL SIGNAL MODULE, 0.39 PTH		
		APVD J. EABY	22DEC11			
		PRODUCT SPEC				
		APPLICATION SPEC				
MATERIAL -		WEIGHT -		SIZE A100779	CAGE CODE C=2007781	DRAWING NO -
CUSTOMER DRAWING				SCALE 5:1	SHEET 2	OF 2
				REV C		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru