

	13	12	11	10	9	8	7	6	5	4	3	2	1						
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. R	DIM. G	DIM. T				J					
	A-7832-NA197	42663-0662	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	N/A	OVERALL									
	A-7832-NB197	42663-0742	.780 (19.81)	.305 (7.75)	.140 (3.56)	.120 (3.05)	90°	.046 (1.17)	N/A	OVERALL									
I	A-7832-NA241	42663-0666	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	.180 (4.57)	.135 (3.43)				I					
	A-7832-NA228	42663-0664	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	.180 (4.57)	.135 (3.43)									
H														H					
G														G					
F														F					
E														E					
D														D					
C														C					
B							SEE SHEET 1 EC NO: UCP2014-4150 2014/04/07 DRAWN:MKIPPER 2014/04/07 CHKD:ANGUYEN 2014/08/06 APPR:FSMITH	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ±.010 2 PLACES ±0.25 ±.015 1 PLACE ±0.36 ± --- 0 PLACE ± --- ± ---		DIMENSION STYLE IN/MM DRAWN BY DATE MKIPPER 2014/04/07 CHECKED BY DATE SAMIEC 98/10/09 APPROVED BY DATE FSMITH 2014/08/06		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		B		
A							U2		ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		TITLE FRICTION LOCK HEADER ASY .100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS molex		DOCUMENT NO. SDA-7832		SHEET NO. 2 OF 3		A
	tb_frame_C_P_AM_T Rev. G 2012/01/11	12	11	10	9	8	7	6	5	4	3	2	1						

	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																	
J	A-7832-NA197-*			A-7832-NB197-*			A-7832-NA241-*			A-7832-NA228-*																																																																				
	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.																																																																		
	22-05-8059	A-7832-5A197-2	2	22-05-8109	A-7832-10B197-6	6	22-19-2070	A-7832-7A241-6	6	22-19-2098	A-7832-9A228-3	3																																																																		
	22-05-8199	A-7832-19A197-14	14	22-05-8078	A-7832-7B197-4	4	22-19-2060	A-7832-6A241-3	3	22-19-2099	A-7832-9A228-4	4																																																																		
I	22-05-8069	A-7832-6A197-2	2				22-19-2090	A-7832-9A241-6	6	22-19-2048	A-7832-4A228-3	3																																																																		
	22-05-8076	A-7832-7A197-4	4																																																																											
	22-05-8077	A-7832-7A197-5	5																																																																											
	22-05-8068	A-7832-6A197-5	5																																																																											
	22-05-8047	A-7832-4A197-2	2																																																																											
	22-05-8079	A-7832-7A197-3	3																																																																											
	22-05-8116	A-7832-11A197-6	6																																																																											
		A-7832-5A197-4	4																																																																											
H	22-05-8253	A-7832-25A197-1	1																																																																											
	22-05-8129	A-7832-12A197-10	10																																																																											
	22-05-8159	A-7832-15A197-14	14																																																																											
	22-05-8128	A-7832-12A197-4	4																																																																											
	22-05-8049	A-7832-4A197-3	3																																																																											
	22-05-8086	A-7832-8A197-4	4																																																																											
	22-05-8113	A-7832-11A197-51	1,5,9																																																																											
	22-05-8162	A-7832-16A197-51	1,8																																																																											
G	22-05-8087	A-7832-8A197-2	2																																																																											
	22-05-8088	A-7832-8A197-6	6																																																																											
	22-05-8089	A-7832-8A197-7	7																																																																											
	22-05-8104	A-7832-10A197-2	2																																																																											
F	22-05-8105	A-7832-10A197-9	9																																																																											
	22-05-8084	A-7832-8A197-3	3																																																																											
	22-05-3277	A-7832-27A197-51	3,7,9,11,14 16,21,23																																																																											
	22-05-8143	A-7832-14A197-51	2,3,5,6																																																																											
E	46999-0581	A-7832-17A197-51	3,6,12,15																																																																											
	46999-0651	A-7832-3A197-2	2																																																																											
D																																																																														
C																																																																														
B	COLUMN NO. 1	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 2	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 3	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 4	CON'T. IN COLUMN NO.	SHEET NO.																																																																		
	<table><tr><td rowspan="10">SEE SHEET 1 EC NO: UCP2014-4150 DRWN:MKIPPER 2014/04/07 CHKD:NGUYEN 2014/04/07 APPR:FSMITH 2014/08/06</td><td rowspan="10">QUALITY SYMBOLS ▽⇒0 ▽⇒0 ▽⇒0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE ---</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="5">4 PLACES</td><td>± ---</td><td>± ---</td><td rowspan="5">DRAWN BY MKIPPER</td><td>DATE 2014/04/07</td><td rowspan="5">TITLE FRICTION LOCK HEADER ASY .100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS molex</td><td rowspan="5">DOCUMENT NO. SDA-7832</td><td rowspan="5">SHEET NO. 3 OF 3</td></tr><tr><td rowspan="4">3 PLACES</td><td>± ---</td><td>± .010</td><td>CHECKED BY SAMIEC</td><td>DATE 98/10/09</td></tr><tr><td rowspan="3">2 PLACES</td><td>± 0.25</td><td>± .015</td><td rowspan="3">APPROVED BY FSMITH</td><td rowspan="3">DATE 2014/08/06</td></tr><tr><td rowspan="2">1 PLACE</td><td>± 0.36</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td colspan="4">ANGULAR ±1/2°</td><td colspan="2">MATERIAL NO.</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="4"></td><td colspan="2">SIZE C</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>													SEE SHEET 1 EC NO: UCP2014-4150 DRWN:MKIPPER 2014/04/07 CHKD:NGUYEN 2014/04/07 APPR:FSMITH 2014/08/06	QUALITY SYMBOLS ▽⇒0 ▽⇒0 ▽⇒0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES	± ---	± ---	DRAWN BY MKIPPER	DATE 2014/04/07	TITLE FRICTION LOCK HEADER ASY .100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS molex	DOCUMENT NO. SDA-7832	SHEET NO. 3 OF 3	3 PLACES	± ---	± .010	CHECKED BY SAMIEC	DATE 98/10/09	2 PLACES	± 0.25	± .015	APPROVED BY FSMITH	DATE 2014/08/06	1 PLACE	± 0.36	± ---	0 PLACE	± ---	± ---	ANGULAR ±1/2°				MATERIAL NO.						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART										SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
SEE SHEET 1 EC NO: UCP2014-4150 DRWN:MKIPPER 2014/04/07 CHKD:NGUYEN 2014/04/07 APPR:FSMITH 2014/08/06	QUALITY SYMBOLS ▽⇒0 ▽⇒0 ▽⇒0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																																						
		4 PLACES	± ---	± ---	DRAWN BY MKIPPER	DATE 2014/04/07	TITLE FRICTION LOCK HEADER ASY .100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS molex	DOCUMENT NO. SDA-7832	SHEET NO. 3 OF 3																																																																					
			3 PLACES	± ---		± .010				CHECKED BY SAMIEC	DATE 98/10/09																																																																			
				2 PLACES		± 0.25				± .015	APPROVED BY FSMITH	DATE 2014/08/06																																																																		
						1 PLACE				± 0.36			± ---																																																																	
										0 PLACE			± ---			± ---																																																														
		ANGULAR ±1/2°				MATERIAL NO.																																																																								
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART																																																																								
						SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																						
		A	12	11	10	9	8	7	6	5	4	3	2	1																																																																
lb_frame_C_P_AM_T Rev. G 2012/01/11																																																																														

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru