

LOC 	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			B	PARTS -1 AND 1-1 RELEASED FOR PRODUCTION	12SEP2011	MZ	GT
			B1	REVISED MARKINGS	06NOV2012	MZ	JC
			B2	PARTS -2, -3, 1-2, 1-3	26JUN2013	KR	JC
			B3	ECR-15-010109	21JUL2015	RS	PO

NOTES:

1 MATERIAL: POLYAMIDE GLASS FILLED
COLOUR NATURAL

2 MATERIAL: POLYAMIDE GLASS FILLED
COLOUR BLACK

3) PACKAGING: SEE TE PACKAGING SPEC. 107-20294

4 AREA FOR AGENCY APPROVAL LOGO

5 CAVITY MOULD I.D.
& MANUFACTURING LOCATION CODE

6 TE LOGO

7 TE PART NUMBER

8 CONDUCTOR SIZE AND CURRENT RATING

9 N CODE


10 L CODE



11 PE CODE

12 RATED VOLTAGE

13 DATE CODE

14 PART NOT YET TOOLED AND NOT RELEASED
FOR PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA 06SEP2010		TE Connectivity					
DIMENSIONS: mm		CHK M. ZUCCA 06SEP2010							
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. TURCO 06SEP2010		NAME SOCKET HOUSING PANEL MOUNT VERSION NECTOR* M-LINE				
	0 PLC ±- 1 PLC ±0.3 2 PLC ±0.20 3 PLC ±- 4 PLC ±- ANGLES ±3°		PRODUCT SPEC 108-20304						
MATERIAL SEE NOTES		FINISH -		APPLICATION SPEC 114-20152		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
				WEIGHT ~5.9 g		A300779		C-293606	
Customer Drawing						SCALE 2:1	SHEET 1 OF 4	REV B3	



LOC 	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

POLARIZATION TYPES








TYPE "A"	TYPE "B"	TYPE "C"
		
P/Ns: 0-293606-1, 1-293606-1	P/Ns: 0-293606-2, 1-293606-2	P/Ns: 0-293606-3, 1-293606-3
TYPE "D"	TYPE "E"	TYPE "F"
		
P/Ns: 0-293606-4, 1-293606-4,	P/Ns: 0-293606-5, 1-293606-5	P/Ns: 0-293606-6, 1-293606-6

TABLE 1						
		F	BLACK	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	A	1-293606-6
		E	BLACK	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	A	1-293606-5
		D	BLACK	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	A	1-293606-4
		C	BLACK	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	B	1-293606-3
		B	BLACK	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	B	1-293606-2
		A	BLACK	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	B	1-293606-1
		F	NATURAL	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	A	0-293606-6
		E	NATURAL	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	A	0-293606-5
		D	NATURAL	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	A	0-293606-4
		C	NATURAL	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	B	0-293606-3
		B	NATURAL	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	B	0-293606-2
		A	NATURAL	SOCKET HOUSING PANEL MOUNT VERS. NECTOR* M-LINE	B	0-293606-1
NOTE	MATERIAL	POL. KEYING	COLOUR	DESCRIPTION	REV.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.3
2 PLC ±0.20
3 PLC ±
4 PLC ±
ANGLES ±3°
FINISH -

MATERIAL

SEE NOTES

DWN
M. ZUCCA
CHK
M. ZUCCA
APVD
G. TURCO
PRODUCT SPEC
108-20304
APPLICATION SPEC
114-20152
WEIGHT
~5.9 g

06SEP2010
06SEP2010
06SEP2010

Customer Drawing

TE Connectivity

NAME
SOCKET HOUSING
PANEL MOUNT VERSION
NECTOR* M-LINE

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-293606

RESTRICTED TO
-

SCALE
2:1




SHEET
2


OF
4

REV
B3

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
	-		-	SEE SHEET 1	-	-

PANEL / WALL
SUGGESTED CUT OUT




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA	06SEP2010	 TE Connectivity				
DIMENSIONS: mm		CHK M. ZUCCA	06SEP2010					
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. TURCO	06SEP2010	NAME SOCKET HOUSING PANEL MOUNT VERSION NECTOR* M-LINE			
	0 PLC ±-		PRODUCT SPEC					
	1 PLC ±0.3		108-20304					
	2 PLC ±0.20		APPLICATION SPEC					
3 PLC ±-		114-20152		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
4 PLC ±-		WEIGHT ~5.9 g		A3	00779	C-293606		
ANGLES ±3°		Customer Drawing					SCALE	SHEET
MATERIAL SEE NOTES		FINISH -		2:1		3	4	B3

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
1	-	-	-	SEE SHEET 1	-	-


PANEL / WALL
SUGGESTED CUT OUT FOR
MULTIPLE HOLES ON MULTIPLE ROWS


(PITCH CAN BE ADJUSTED TO CUSTOMER
NEED BUT IN ANY CASE MUST NOT BE LESS
THAN 30.00 mm)



PANEL / WALL
SUGGESTED CUT OUT FOR
MULTIPLE HOLES ON SINGLE ROW

(PITCH CAN BE ADJUSTED TO CUSTOMER
NEED BUT IN ANY CASE MUST NOT BE LESS
THAN 30.00 mm)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA	06SEP2010	TE Connectivity			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK M. ZUCCA	06SEP2010				
		APVD G. TURCO	06SEP2010				
		PRODUCT SPEC		NAME SOCKET HOUSING PANEL MOUNT VERSION NECTOR* M-LINE			
		108-20304					
		APPLICATION SPEC					
MATERIAL SEE NOTES	0 PLC ±- 1 PLC ±0.3 2 PLC ±0.20 3 PLC ±- 4 PLC ±- ANGLES ±3°	114-20152		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO -
		WEIGHT ~5.9 g		A300779		C-293606	
		FINISH -		Customer Drawing			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru