



SIZE	Part Number	Jack Screw Thread	Packing
25	8655MH2501LF	UNC 4-40	bulk : Qty 60
	8655MH2511LF		individual set 50 sets/carton
	8655MH2502LF	M3	bulk : Qty 60
	8655MH2512LF		individual set 50 sets/carton



NOTE:RoHS INFORMATIONS

-The LF product meets European union Directives and other country regulations as described in GS-22-009
 -The product is not intended to be exposed to a manufacturing solder process
 -Packaging spec:see GS-14-920



JACKSCREW
THREAD

M3



SCALE 1:1

NOTES : for every sizes

Material and finish : Zinc die-cast
 nickel plated
 Cable strain relief : Zinc die-cast
 Jackscrew : Steel,nickel plated
 UNC 4-40 or M3 (see tables)
 Temperature range : -55°C to +125 °C
 Attenuation factor : >40 dB between 10 MHz

Other size details : see on next pages.






Copyright FCI.

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406 ISO 1101	projection mm		
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	M PESSON	2008/02/19	ANGULAR	0.X	±/	size	Scale
Eng	M PESSON	2008/02/19	LINEAR	0.XX	±/	A3	3:2
Chr	P LEGARE	2008/02/19	0° ±/°	0.XXX	±/	ECN	FII-0066
Appr	P LEGARE	2008/02/19	Product family		-	Spec ref	
			FCI		title	STRAIGHT METAL HOODS	Rev.
					WITH 2 METAL CLAMPS		B
			catalog no		-	CUSTOMER	sheet 1 of 4



rev	ecn no	dr	date
A	LS08-0058	MPE	2008/02/21
B	F11-0066	APA	2011/05/30

REV C - 2006-03-28

SIZE	Part Number	Jack Screw Thread	Packing
09	8655MH0901LF	UNC 4-40	bulk : Qty 80
	8655MH0911LF		individual set 50 sets/carton
	8655MH0902LF	M3	bulk : Qty 80
	8655MH0912LF		individual set 50 sets/carton



SIZE	Part Number	Jack Screw Thread	Packing
15	8655MH1501LF	UNC 4-40	bulk : Qty 80
	8655MH1511LF		individual set 50 sets/carton
	8655MH1502LF	M3	bulk : Qty 80
	8655MH1512LF		individual set 50 sets/carton





www.fciconnect.com			surface ISO 1302		- ✓	tolerance std ISO 406 ISO 1101		projection 	mm 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size	Scale		
Eng	M PESSON	2008/02/19			0.XX	±/	A3	3/2		
Chr	P LEGARE	2008/02/19			0° ±°	0.XXX	±/	ECN	F11-0066	
Appr	P LEGARE	2008/02/19	Product family				-	Spec ref		
	title	STRAIGHT METAL HOODS				dwg no	C -8655-1685C		Rev	
		WITH 2 METAL CLAMPS								
		catalog no								-
		CUSTOMER								sheet 2 of 4
								B		

REV C - 2006-03-28





Copyright FCI.

SIZE	Part Number	Jack Screw Thread	Packing
37	8655MH3701LF	UNC 4-40	bulk : Qty 40
	8655MH3711LF		individual set 50 sets/carton
	8655MH3702LF	M3	bulk : Qty 40
	8655MH3712LF		individual set 50 sets/carton



PRODUCT WITH
M3 THREAD
JACKSCREWS

SIZE	Part Number	Jack Screw Thread	Packing
50	8655MH5001LF	UNC 4-40	bulk : Qty 40
	8655MH5011LF		individual set 50 sets/carton
	8655MH5002LF	M3	bulk : Qty 40
	8655MH5012LF		individual set 50 sets/carton



www.fciconnect.com			surface ISO 1302		- ✓	tolerance std ISO 406 ISO 1101		projection 	mm 
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size	Scale	
Eng	M PESSON	2008/02/19			0.XX	±/	A3	3/2	
Chr	P LEGARE	2008/02/19			0° ±°	0.XXX	±/	ECN	F11-0066
Appr	P LEGARE	2008/02/19	Product family					Spec ref	
	title	STRAIGHT METAL HOODS				dwg no	C-8655-1685C		Rev
		WITH 2 METAL CLAMPS					B		
		catalog no		-	CUSTOMER		sheet 3 of 4		

REV C - 2006-03-28


PDM: Rev:B

STATUS:Released

Printed: Jun 14, 2011


CABLING INSTRUCTIONS

1- Strip the cable and solder or crimp the wires




SCALE 3:2

2-Put the connector into a half hood and tighten the jacket with a metal clamp




SCALE 3:2

3-To get the electrical continuity between the cable outer conductor and the hood tighten the outer conductor with the other metal clamp as shown



SCALE 3:2

4-Mount the jackscrews, the other half hood and tighten with 2 screws



Copyright FCI.

www.fciconnect.com			surface ISO 1302		- ✓	tolerance std ISO 406 ISO 1101		projection 	mm 
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	M PESSON	2008/02/19	ANGULAR	LINEAR	0.X	±/	size	Scale	
Eng	M PESSON	2008/02/19			0.XX	±/	A3	3:2	
Chr	P LEGARE	2008/02/19			0.XXX	±/	ECN	F11-0066	
Appr	P LEGARE	2008/02/19	Product family					-	Spec ref
	title	STRAIGHT METAL HOODS				dwg no		C-8655-1685C	Rev B
		WITH 2 METAL CLAMPS							
		catalog no	-				CUSTOMER	sheet 4 of 4	

REV C - 2006-03-28

PDM: Rev:B

STATUS:Released

Printed: Jun 14, 2011

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru