

RG-174 RF COAX CABLE ASSEMBLIES



RG174 50 Ohm Coaxial Cables

SMA / SMA [Straight/Straight]

SMA / SMA [Straight/Right Angle]

SMA / SMA [Right Angle/Right Angle]

SMA / BNC [Straight/Straight]

SMA / Alligator Clips

BNC / Alligator Clips

SMA / 2.1mm Adapter



Features:

Strain Relief: Adhesive shrink tubing over crimp area

Center Conductor: 26 AWG bare copper covered steel

Shielding: Tinned copper braid (90% coverage)

Insulation: Polyethylene

Jacket: Black PVC

Operating Temperature: -40°C to +85°C

SMA / SMA [Straight/Straight]

Part Number	Description	Length
CCSMA-MM-RG174-6	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	6"
CCSMA-MM-RG174-12	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	12"
CCSMA-MM-RG174-24	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	24"
CCSMA-MM-RG174-36	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	36"
CCSMA-MM-RG174-48	RG174 Shielded Cable, SMA Male/Male, Straight/Straight	48"

SMA / SMA [Straight/Right Angle]

Part Number	Description	Length
CCSMA1-MM-RG174-6	RG174 Shielded Cable, SMA Male/Male, Straight/RA	6"
CCSMA1-MM-RG174-12	RG174 Shielded Cable, SMA Male/Male, Straight/RA	12"
CCSMA1-MM-RG174-24	RG174 Shielded Cable, SMA Male/Male, Straight/RA	24"
CCSMA1-MM-RG174-36	RG174 Shielded Cable, SMA Male/Male, Straight/RA	36"


SMA / SMA [Right Angle/Right Angle]

Part Number	Description	Length
CCSMA2-MM-RG174-6	RG174 Shielded Cable, SMA Male/Male, RA/RA	6"
CCSMA2-MM-RG174-12	RG174 Shielded Cable, SMA Male/Male, RA/RA	12"
CCSMA2-MM-RG174-24	RG174 Shielded Cable, SMA Male/Male, RA/RA	24"
CCSMA2-MM-RG174-36	RG174 Shielded Cable, SMA Male/Male, RA/RA	36"





P/N: CCBNS-MM-RG174-XX



RG174/U Cable
SMA to BNC
Male/Male
Length(in): 18, 36
Features: Strain relief to both
SMA and BNC Connector

P/N: CCADP-MM-6



RG174/U Cable
SMA to 2.1 mm Adapter Plug
Male/Male
Length(in): 6
Features: Strain relief to both
SMA and Plug Connector

SMA / BNC [Straight/Straight]

Part Number	Description	Length
CCBNS-MM-RG174-18	RG174 Shielded Cable, SMA/BNC Male/Male, Straight/Straight	18"
CCBNS-MM-RG174-36	RG174 Shielded Cable, SMA/BNC Male/Male, Straight/Straight	36"

SMA / 2.1mm Adapter

Part Number	Description	Length
CCADP-MM-6	RG174 Shielded Cable, SMA Male /2.1mm Adapter, Straight	6"

P/N: CCBNCCL-MC-30



RG174/U Cable
BNC to Alligator Clips
Male/Clips
Length(in): 30
Features: Strain relief to both
Clip and SMA Connector

P/N: CCSMACL-MC-24



RG174/U Cable
SMA to Alligator Clips
Male/Clips
Length(in): 24
Features: Strain relief to both
Clip and SMA Connector

BNC / Alligator Clips

Part Number	Description	Length
CCBNCCL-MC-30	RG174 Shielded Cable, BNC Male /Alligator Clips, Straight	30"

SMA / Alligator Clips

Part Number	Description	Length
CCSMACL-MC-24	RG174 Shielded Cable, SMA Male /Alligator Clips, Straight	24"

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru