





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		AM2	REVISED PER ECO-11-004587	11MAR11	RK	HMR



1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7532.
 2. SWITCH SHOWN IN OPEN POSITION.
 3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLUE.
 4. STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- 5 .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300^{+.010}_{-.000} AT MOUNTING SURFACE.
- 6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

	△6	OBSOLETE	FIG 7	—	.58	5	8-435668-7
		OBSOLETE	FIG 6		1.08		8-435668-6
		OBSOLETE	FIG 5		1.28	12	8-435668-5
SUPERSEDED BY 2-435668-5		FIG 3 & 4		FIG 1		6	8-435668-3
	OBSOLETE	FIG 2	.48		4	8-435668-0	
△6	OBSOLETE		.58		5	3-435668-5	
			.48		4	3-435668-4	
			.38		3	3-435668-3	
			1.28		12	3-435668-2	
			1.18		11	3-435668-1	
			1.08		10	3-435668-0	
			.98		9	2-435668-9	
			.88		8	2-435668-8	
			.78		7	2-435668-7	
			.28		2	2-435668-6	
.68	6		2-435668-5				
SUPERSEDED BY 3-435668-2					1.28	12	1-435668-1
			—		1.08	10	435668-9
	OBSOLETE		—		.98	9	435668-8
			—	.88	8	435668-7	
SUPERSEDED BY 2-435668-7		—	.78	7	435668-6		
		—	.68	6	435668-5		
		—	.58	5	435668-4		
		—	.48	4	435668-3		
SUPERSEDED BY 3-435668-3		—	.38	3	435668-2		
	△6	OBSOLETE	—	.28	2	435668-1	
			MARKING	SEALING TAPE	A	NO OF POSN	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.TALLEY	02JAN90	 TE Connectivity				
		CHK R.MILLER	03JAN90					
DIMENSIONS: INCHES		APVD H.LEITER	03JAN90	NAME SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE				
		PRODUCT SPEC —						
		APPLICATION SPEC —						
				SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL HOUSING & ROCKERS: POLYESTER CONTACTS: COPPER ALLOY		FINISH CONTACTS: PLATED .000030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL	WEIGHT —	A2	00779	C=435668	—	
CUSTOMER DRAWING				SCALE	4:1	SHEET	1 of 2	REV. AM2

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
AD	00		-	SEE SHEET 1	-	-




FIG 2




FIG 5




FIG 3




FIG 6




FIG 4





FIG 7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.TALLEY 02JAN90		 TE Connectivity			
		CHK R.MILLER 03JAN90					
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD H.LEITER 03JAN90		NAME	
		0 PLC ± -		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE —	
		1 PLC ± -		—			
		2 PLC ± -					
		3 PLC ± .005		APPLICATION SPEC			
		4 PLC ± -		—			
MATERIAL		FINISH		WEIGHT —		RESTRICTED TO —	
				A2		00779 C=435668	
CUSTOMER DRAWING				SCALE 4:1		SHEET 2 of 2	
						REV. AM2	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru