





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		AM2	REVISED PER ECO-11-004587	11MAR11	RK	HMR



1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7532.
 2. SWITCH SHOWN IN OPEN POSITION.
 3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLUE.
 4. STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- 5 .315 DIMENSION APPLIES AT TERMINAL TIPS.
TERMINALS ARE .300^{+.010}_{-.000} AT MOUNTING SURFACE.
- 6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

	△6	OBSOLETE	FIG 7	—	.58	5	8-435668-7
		OBSOLETE	FIG 6		1.08		8-435668-6
		OBSOLETE	FIG 5		1.28	12	8-435668-5
SUPERSEDED BY 2-435668-5		FIG 3 & 4		FIG 1		6	8-435668-3
	OBSOLETE	FIG 2	.48		4	8-435668-0	
			.58		5	3-435668-5	
			.48		4	3-435668-4	
			.38		3	3-435668-3	
			1.28		12	3-435668-2	
	△6		OBSOLETE		1.18	11	3-435668-1
			1.08		10	3-435668-0	
			.98		9	2-435668-9	
			.88		8	2-435668-8	
			.78		7	2-435668-7	
			.28		2	2-435668-6	
			.68		6	2-435668-5	
SUPERSEDED BY 3-435668-2					1.28	12	1-435668-1
					—	1.08	10
			OBSOLETE	—	.98	9	435668-8
			—	.88	8	435668-7	
SUPERSEDED BY 2-435668-7			—	.78	7	435668-6	
			—	.68	6	435668-5	
			—	.58	5	435668-4	
			—	.48	4	435668-3	
SUPERSEDED BY 3-435668-3			—	.38	3	435668-2	
	△6	OBSOLETE	—	.28	2	435668-1	
			MARKING	SEALING TAPE	A	NO OF POSN	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	02JAN90	TE Connectivity			
		CHK	03JAN90				
		APVD	03JAN90	NAME			
		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE			
		APPLICATION SPEC		—			
		—		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL		WEIGHT		A2	00779	C=435668	—
HOUSING & ROCKERS: POLYESTER CONTACTS: COPPER ALLOY		FINISH		SCALE 4:1			
		CONTACTS: PLATED .000030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL		SHEET 1 of 2			
		CUSTOMER DRAWING		REV AM2			

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		-	SEE SHEET 1	-	-	-




FIG 2




FIG 5




FIG 3




FIG 6




FIG 4





FIG 7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.TALLEY 02JAN90		 TE Connectivity			
		CHK R.MILLER 03JAN90					
DIMENSIONS: INCHES		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD H.LEITER 03JAN90		NAME	
		0 PLC ± -		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE —	
		1 PLC ± -		—			
		2 PLC ± -		APPLICATION SPEC			
		3 PLC ± -.005		—			
		4 PLC ± -				SIZE	
		ANGLES ± -				CAGE CODE	
MATERIAL		FINISH		WEIGHT —		DRAWING NO	
				A2 00779		RESTRICTED TO	
				C=435668		—	
				CUSTOMER DRAWING		SCALE 4:1	
						SHEET 2 of 2	
						REV AM2	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru