





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		AM2	REVISED PER ECO-11-004587	11MAR11	RK	HMR



1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7532.
 2. SWITCH SHOWN IN OPEN POSITION.
 3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLUE.
 4. STAMPING WILL VARY ON 2 AND 3 POSITION SIDES DUE TO SPACE RESTRICTIONS.
- 5 .315 DIMENSION APPLIES AT TERMINAL TIPS.
TERMINALS ARE .300^{+.010}_{-.000} AT MOUNTING SURFACE.
- 6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

	△6	OBSOLETE	FIG 7	—	.58	5	8-435668-7	
		OBSOLETE	FIG 6		1.08		8-435668-6	
		OBSOLETE	FIG 5		1.28	12	8-435668-5	
SUPERSEDED BY 2-435668-5		FIG 3 & 4	FIG 2	FIG 1		6	8-435668-3	
	OBSOLETE				.48	4	8-435668-0	
					.58	5	3-435668-5	
					.48	4	3-435668-4	
					.38	3	3-435668-3	
					1.28	12	3-435668-2	
	△6	OBSOLETE			1.18	11	3-435668-1	
					1.08	10	3-435668-0	
					.98	9	2-435668-9	
					.88	8	2-435668-8	
					.78	7	2-435668-7	
					.28	2	2-435668-6	
					.68	6	2-435668-5	
SUPERSEDED BY 3-435668-2						1.28	12	1-435668-1
					—	1.08	10	435668-9
		OBSOLETE	—	.98	9	435668-8		
			—	.88	8	435668-7		
SUPERSEDED BY 2-435668-7			—	.78	7	435668-6		
			—	.68	6	435668-5		
			—	.58	5	435668-4		
			—	.48	4	435668-3		
SUPERSEDED BY 3-435668-3			—	.38	3	435668-2		
	△6	OBSOLETE	—	.28	2	435668-1		
			MARKING	SEALING TAPE	A	NO OF POSN	PART NO	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	02JAN90	TE Connectivity			
		CHK	03JAN90				
		APVD	03JAN90	NAME			
		PRODUCT SPEC		SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE			
		APPLICATION SPEC		—			
		—		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MATERIAL		WEIGHT		A2	00779	C=435668	—
HOUSING & ROCKERS: POLYESTER CONTACTS: COPPER ALLOY		FINISH		SCALE 4:1			
		CONTACTS: PLATED .000030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL		SHEET 1 of 2			
		CUSTOMER DRAWING		REV AM2			

LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	APVD
		-	-	SEE SHEET 1	-	-




FIG 2




FIG 5




FIG 3




FIG 6




FIG 4




FIG 7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.TALLEY	02JAN90	 TE Connectivity						
		CHK R.MILLER	03JAN90							
DIMENSIONS: INCHES	TOLERANCES, UNLESS OTHERWISE SPECIFIED:	APVD H.LEITER	03JAN90	NAME SWITCH ASSY, DIP, TYPE C, 7100 SERIES, SPST, LOW PROFILE						
	0 PLC ± -	PRODUCT SPEC	—							
	1 PLC ± -	APPLICATION SPEC	—							
	2 PLC ± -									
	3 PLC ± -.005									
	4 PLC ± -	—	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO			
MATERIAL	FINISH	WEIGHT	—	A2	00779	C=435668	—			
		CUSTOMER DRAWING		SCALE		4:1	SHEET	2 of 2	REV	AM2

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru