







LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



TOLERANCES UNLESS OTHERWISE SPECIFIED:		TYPICAL DIMENSIONS:		MATERIAL:		FINISH:		WEIGHT:		CUSTOMER DRAWING:	
0 PLC		±		SEE CHART ON SHEET 2		-		SEE NOTE 5		-	
1 PLC		±0.3									
2 PLC		±0.10									
3 PLC		±									
4 PLC		±									
ANGLES		±									
FINISH		-									
		-									

OWN	A. HOLT	14NOV2006	NAME	40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED
CHK	W. WELLINSKY	14NOV2006	SIZE	00779
APVD	W. WELLINSKY	14NOV2006	CAGE CODE	1924170
PRODUCT SPEC			SCALE	3:1
APPLICATION SPEC			SHEET	1 OF 5
WEIGHT	SEE NOTE 5		REV	F
CUSTOMER DRAWING				

Tyco Electronics
Harrisburg, PA 17105-3608

[illegible][illegible]

THIS DRAWING IS THE PROPERTY OF THE COMPANY AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF THE COMPANY. THE COMPANY ASSUMES NO LIABILITY FOR ANY DAMAGE OR LOSS OF PROFITS, BUSINESS, OR REVENUE, OR FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN A CONTRACT OR OTHERWISE, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS DRAWING.		DWG. 14NOV2006 A HOLT		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$.01 2 PLC $\pm$.02 3 PLC $\pm$.02 4 PLC $\pm$.02 5 PLC $\pm$.02 6 PLC $\pm$.02 7 PLC $\pm$.02 8 PLC $\pm$.02 9 PLC $\pm$.02 10 PLC $\pm$.02 11 PLC $\pm$.02 12 PLC $\pm$.02 13 PLC $\pm$.02 14 PLC $\pm$.02 15 PLC $\pm$.02 16 PLC $\pm$.02 17 PLC $\pm$.02 18 PLC $\pm$.02 19 PLC $\pm$.02 20 PLC $\pm$.02 21 PLC $\pm$.02 22 PLC $\pm$.02 23 PLC $\pm$.02 24 PLC $\pm$.02 25 PLC $\pm$.02 26 PLC $\pm$.02 27 PLC $\pm$.02 28 PLC $\pm$.02 29 PLC $\pm$.02 30 PLC $\pm$.02 31 PLC $\pm$.02 32 PLC $\pm$.02 33 PLC $\pm$.02 34 PLC $\pm$.02 35 PLC $\pm$.02 36 PLC $\pm$.02 37 PLC $\pm$.02 38 PLC $\pm$.02 39 PLC $\pm$.02 40 PLC $\pm$.02 41 PLC $\pm$.02 42 PLC $\pm$.02 43 PLC $\pm$.02 44 PLC $\pm$.02 45 PLC $\pm$.02 46 PLC $\pm$.02 47 PLC $\pm$.02 48 PLC $\pm$.02 49 PLC $\pm$.02 50 PLC $\pm$.02 51 PLC $\pm$.02 52 PLC $\pm$.02 53 PLC $\pm$.02 54 PLC $\pm$.02 55 PLC $\pm$.02 56 PLC $\pm$.02 57 PLC $\pm$.02 58 PLC $\pm$.02 59 PLC $\pm$.02 60 PLC $\pm$.02 61 PLC $\pm$.02 62 PLC $\pm$.02 63 PLC $\pm$.02 64 PLC $\pm$.02 65 PLC $\pm$.02 66 PLC $\pm$.02 67 PLC $\pm$.02 68 PLC $\pm$.02 69 PLC $\pm$.02 70 PLC $\pm$.02 71 PLC $\pm$.02 72 PLC $\pm$.02 73 PLC $\pm$.02 74 PLC $\pm$.02 75 PLC $\pm$.02 76 PLC $\pm$.02 77 PLC $\pm$.02 78 PLC $\pm$.02 79 PLC $\pm$.02 80 PLC $\pm$.02 81 PLC $\pm$.02 82 PLC $\pm$.02 83 PLC $\pm$.02 84 PLC $\pm$.02 85 PLC $\pm$.02 86 PLC $\pm$.02 87 PLC $\pm$.02 88 PLC $\pm$.02 89 PLC $\pm$.02 90 PLC $\pm$.02 91 PLC $\pm$.02 92 PLC $\pm$.02 93 PLC $\pm$.02 94 PLC $\pm$.02 95 PLC $\pm$.02 96 PLC $\pm$.02 97 PLC $\pm$.02 98 PLC $\pm$.02 99 PLC $\pm$.02 100 PLC $\pm$.02 101 PLC $\pm$.02 102 PLC $\pm$.02 103 PLC $\pm$.02 104 PLC $\pm$.02 105 PLC $\pm$.02 106 PLC $\pm$.02 107 PLC $\pm$.02 108 PLC $\pm$.02 109 PLC $\pm$.02 110 PLC $\pm$.02 111 PLC $\pm$.02 112 PLC $\pm$.02 113 PLC $\pm$.02 114 PLC $\pm$.02 115 PLC $\pm$.02 116 PLC $\pm$.02 117 PLC $\pm$.02 118 PLC $\pm$.02 119 PLC $\pm$.02 120 PLC $\pm$.02 121 PLC $\pm$.02 122 PLC $\pm$.02 123 PLC $\pm$.02 124 PLC $\pm$.02 125 PLC $\pm$.02 126 PLC $\pm$.02 127 PLC $\pm$.02 128 PLC $\pm$.02 129 PLC $\pm$.02 130 PLC $\pm$.02 131 PLC $\pm$.02 132 PLC $\pm$.02 133 PLC $\pm$.02 134 PLC $\pm$.02 135 PLC $\pm$.02 136 PLC $\pm$.02 137 PLC $\pm$.02 138 PLC $\pm$.02 139 PLC $\pm$.02 140 PLC $\pm$.02 141 PLC $\pm$.02 142 PLC $\pm$.02 143 PLC $\pm$.02 144 PLC $\pm$.02 145 PLC $\pm$.02 146 PLC $\pm$.02 147 PLC $\pm$.02 148 PLC $\pm$.02 149 PLC $\pm$.02 150 PLC $\pm$.02 151 PLC $\pm$.02 152 PLC $\pm$.02 153 PLC $\pm$.02 154 PLC $\pm$.02 155 PLC $\pm$.02 156 PLC $\pm$.02 157 PLC $\pm$.02 158 PLC $\pm$.02 159 PLC $\pm$.02 160 PLC $\pm$.02 161 PLC $\pm$.02 162 PLC $\pm$.02 163 PLC $\pm$.02 164 PLC $\pm$.02 165 PLC $\pm$.02 166 PLC $\pm$.02 167 PLC $\pm$.02 168 PLC $\pm$.02 169 PLC $\pm$.02 170 PLC $\pm$.02 171 PLC $\pm$.02 172 PLC $\pm$.02 173 PLC $\pm$.02 174 PLC $\pm$.02 175 PLC $\pm$.02 176 PLC $\pm$.02 177 PLC $\pm$.02 178 PLC $\pm$.02 179 PLC $\pm$.02 180 PLC $\pm$.02 181 PLC $\pm$.02 182 PLC $\pm$.02 183 PLC $\pm$.02 184 PLC $\pm$.02 185 PLC $\pm$.02 186 PLC $\pm$.02 187 PLC $\pm$.02 188 PLC $\pm$.02 189 PLC $\pm$.02 190 PLC $\pm$.02 191 PLC $\pm$.02 192 PLC $\pm$.02 193 PLC $\pm$.02 194 PLC $\pm$.02 195 PLC $\pm$.02 196 PLC $\pm$.02 197 PLC $\pm$.02 198 PLC $\pm$.02 199 PLC $\pm$.02 200 PLC $\pm$.02 201 PLC $\pm$.02 202 PLC $\pm$.02 203 PLC $\pm$.02 204 PLC $\pm$.02 205 PLC $\pm$.02 206 PLC $\pm$.02 207 PLC $\pm$.			

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12										21	22												35	36	37	38	39	40	0-1924170-1	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22													35	36	37	38	39	40	0-1924170-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G		
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22													35	36	37	38	39	40	0-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14											24											35	36					0-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16									24											35	36					0-1924170-7	G		
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	1-1924170-0	G		
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	1-1924170-2	G		
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	1-1924170-4	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18			21	22														35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12					17	18			21	22													35	36	37	38	39	40	1-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	1-1924170-8	G	
							7	8	9	10	11	12																													1-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22																	39	40	2-1924170-1	G			
							7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-2	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																					39	40	2-1924170-3	G				
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24										35	36	37	38	39	40	2-1924170-5	G			
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18								26										35	36	37	38	39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40	2-1924170-8	G				
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40	2-1924170-9	G		
											11	12																								37	38	39	40	3-1924170-0	G			
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-1	G		
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-2	G		
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G		
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	3-1924170-4	G		
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-5	G		
1	2				5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-6	G		
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24										35	36	37	38	39	40	3-1924170-7	G			
1	2						7	8	9	10	11	12									21	22		24											35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24											35	36	37	38	39	40	3-1924170-9	G			
											11	12							19	20																37	38	39	40	4-1924170-0	G			
												11	12						19	20																37	38	39	40	4-1924170-1	G			
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24										35	36	37	38	39	40	4-1924170-2	G			
1	2	3	4	5	6	7	8				11	12	13	14	15	16			19	20	21	22	23	24										35	36	37	38	39	40	4-1924170-3	G			
1	2	3	4	5	6						11	12	13	14	15	16					21	22	23	24									31	32			35	36	37	38	39	40	4-1924170-4	G
1	2	3	4	5	6	7	8	9	10	11	12	13																																

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24											35	36	37	37	39	40	6-1924170-9	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30							37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16									24											35	36	37	38	39	40	7-1924170-1	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	7-1924170-3	G		
											11	12												24																	7-1924170-4	G		
1	2										11	12	13	14	15	16							24																		7-1924170-5	G		
											11	12																				32					37	38	39	40	7-1924170-6	G		
											11	12											24																		7-1924170-7	G		
											11	12							19	20				24																	7-1924170-8	G		
											11	12							19	20				24											33	34					7-1924170-9	G		
						7	8	9	10	11	12								19	20															33	34					8-1924170-0	G		
						7	8	9	10	11	12																											37	38	39	40	8-1924170-1	G	
								9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																							37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																	37	38	39	40	8-1924170-4	G		
						7	8	9	10	11	12	13	14	15	16			19	20																		37	38	39	40	8-1924170-5	G		
1	2					7	8	9	10	11	12		14	15		17	18				21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G		
1	2					7	8	9	10			13	14	15	16					21	22		24					27	28	29	30					35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32				35	36	37	38			9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22		24				27	28	29	30						35	36	37	38			9-1924170-1	G		
		3	4	5	6					11	12													24											35	36	37	38	39	40	9-1924170-2	G		
						7	8	9	10	11	12													24												35	36	37	38			9-1924170-3	G	
										11	12													24												35	36	37	38	39	40	9-1924170-4	G	
		3	4	5	6					11	12								19	20																			39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24			26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24														37	38	39	40	9-1924170-7	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-8	G			
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-9	G			
						7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	0-1924171-1	G			
										11	12							19	20																						0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12							19	20				24															39	40	0-1924171-3	G			
						7	8	9	10	11	12																														0-1924171-4	G		
										11	12																														0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12												24													35	36					0-1924171-7	G	
										11	12	13	14	15	16								24																		0-1924171-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30						35	36	37	38		40	0-1924171-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30						35	36	37	38	39	40	1-1924171-0	G		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru