

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0934443108

Status:

Active

Overview:

ML-XT Sealed Connection System

Description:

ML-XT Sealed 4 Circuit Receptacle Housing, Pre-Assembled with Small Rear Seal and Cover, Orange



Series image - Reference only

Documents:

3D Model

Drawing (PDF)

Product Specification 934430010-P (PDF)

Application Specification 934430010-A (PDF)

Packaging Specification 934430002-K (PDF)

RoHS Certificate of Compliance (PDF)

Product Literature (PDF)

|                               |                                |
|-------------------------------|--------------------------------|
| Agency Certification          |                                |
| UL                            | E29179                         |
| Application tooling part link |                                |
| Application Tooling Part Link | 63824-5300                     |
| General                       |                                |
| Product Family                | Crimp Housings                 |
| Series                        | 93444                          |
| Application                   | Power, Signal, Wire-to-Wire    |
| Overview                      | ML-XT Sealed Connection System |
| Product Literature Order No   | 987651-0201                    |
| Product Name                  | ML-XT                          |
| UPC                           | 889056258937                   |
| Physical                      |                                |
| Circuits (maximum)            | 4                              |
| Color - Resin                 | Orange                         |
| Gender                        | Receptacle                     |
| Glow-Wire Capable             | No                             |
| Keying to Mating Part         | None                           |
| Lock to Mating Part           | Yes                            |
| Material - Resin              | Nylon                          |
| Net Weight                    | 7.820/g                        |
| Number of Rows                | 2                              |
| Packaging Type                | Bag                            |
| Panel Mount                   | No                             |
| Pitch - Mating Interface      | N/A                            |
| Polarized to Mating Part      | Yes                            |
| Temperature Range - Operating | -55° to +125°C                 |
| Electrical                    |                                |
| Current - Maximum per Contact | 13.0A                          |
| Material Info                 |                                |
| Reference - Drawing Numbers   |                                |
| Application Specification     | 934430010-A                    |
| Packaging Specification       | 934430002-K                    |
| Product Specification         | 934430010-P                    |
| Sales Drawing                 | 934430030-000                  |

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Contained Per

-ED/01/2018 (15

January 2018)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China RoHS

Green Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

93444 Series

Mates With

ML-XT Sealed 4 Circuit Plug Housing

934453108

Use With

ML-XT Male (Pin) Terminal [845240004](#) (Nickel), ML-XT Male (Pin) Terminal [845240014](#) (Selective Gold), ML-XT 4 Circuit Receptacle Wedgelock [93447](#) , ML-XT Blind Cavity Plug [934941000](#)

Application Tooling | [FAQ](#)

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Extraction Tool for ML-XT Sealed

Product #

638245300

This document was generated on 09/17/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)