

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-003275	05MAR2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151263-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1528423
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528423

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME FINE ADJ SIDE FD HD-I APPL			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1528423	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV A1

1528423

1528423

/home/eb003420/edmod

DRAWING MADE IN THIRD ANGLE PROJECTION

PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1528423-1	A	-	LEADMAKER	MECH POST FEED	CUTS CARRIER
1528423-2	A	-	BENCH	MECH PRE FEED	CUTS CARRIER
1528423-6	A	-	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1528423-1	A	-	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1528423-2	A	-	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1528423-6	A	-	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1528423-7	A	-	-	-	SPARE PARTS KIT

CRIMP DATA

AMP TERMINAL AMP CRIMP SPECS

TERMINAL NAME: TANDEM SPRING RECEPTACLE.

CRIMP	SIZE	TYPE	RANGE
WIRE	1.40 [0.055 IN]	F	(0.22mm ² -0.56mm ²) 24 AWG-20 AWG
INSUL	1.57 [0.062 IN]	0	1.40 MAX [0.055 IN MAX]

WIRE STRIP LENGTH

3.9-4.5 [0.154-.177 IN]

APPL INSTRUCTION

408-8322 & 408-8490

TERMINAL

APPL SPEC

114-25021

FEED

7.6 [0.300 IN]

TERMINALS APPLIED

166500	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

WIRE SIZE

mm² AWG

CRIMP HEIGHT

*

REF SETTING

20AWG OR 0.56mm ²	0.89 ±0.05 [0.035 ±.002 IN]	B7
0.30 OR 0.35mm ²	0.79 ±0.05 [0.031 ±.002 IN]	C6
22 AWG	0.79 ±0.05 [0.031 ±.002 IN]	C6
24AWG OR 0.22mm ²	0.69 ±0.05 [0.027 ±.002 IN]	D5
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

1

RECOMMENDED SPARE PARTS.

2.

GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.

3.

LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

VIEW B ROTATED 180°

POST FEED 40 mm STROKE

POST FEED 30 mm STROKE

PRE FEED 30 mm STROKE

PRE FEED 40 mm STROKE

LOC A

DIST 66

44 (REF)

49

47

44 (REF)

49

47

44 (REF)

48

49

44 (REF)

48

49

3

WARNING:

ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

SHORT POSITION

GUIDE OFF INSULATION BARREL

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

29 REF

30

31

32

33

34

37

38

39

40

41

42

43

44

45

46

46 (REF)

47

48

49

50

51

52

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru